

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
1 February 2001 (01.02.2001)

PCT

(10) International Publication Number  
**WO 01/07611 A2**

(51) International Patent Classification: **C12N 15/12**,  
C07K 14/47, C12N 1/21, 1/15, G01N 33/68, C07K 16/18

(74) Agents: KRESNAK, Mark, T. et al.; c/o Genentech, Inc.,  
MS49, 1 DNA Way, South San Francisco, CA 94080-4990  
(US).

(21) International Application Number: PCT/US00/20006

(22) International Filing Date: 21 July 2000 (21.07.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/145,701 26 July 1999 (26.07.1999) US

(71) Applicant (for all designated States except US): GENEN-  
TECH, INC. [US/US]; 1 DNA Way, South San Francisco,  
CA 94080-4990 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,  
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,  
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,  
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,  
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,  
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,  
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and

(75) Inventors/Applicants (for US only): BAKER, Kevin,  
P. [GB/US]; 14006 Indian Run Drive, Darnestown, MD  
20878 (US). GODDARD, Audrey [CA/US]; 110 Congo  
Street, San Francisco, CA 94131 (US). WOOD, William,  
I. [US/US]; 35 Southdown Court, Hillsborough, CA 94010  
(US).

Published:

— Without international search report and to be republished  
upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.



WO 01/07611 A2

(54) Title: NOVEL POLYNUCLEOTIDES AND METHOD OF USE THEREOF

(57) Abstract: The present invention is directed to novel polynucleotides and to polypeptides encoded thereby. Also provided herein are vectors and host cells comprising those nucleic acid sequences, chimeric polypeptide molecules comprising the polypeptides of the present invention fused to heterologous polypeptide sequences, antibodies which bind to the polypeptides of the present invention and to methods for producing the polypeptides of the present invention.

## NOVEL POLYNUCLEOTIDES AND METHOD OF USE THEREOF

### FIELD OF THE INVENTION

The present invention relates generally to the identification and isolation of novel nucleic acid molecules which constitute at least a portion of full-length cDNA molecules that encode human polypeptides.

5

### BACKGROUND OF THE INVENTION

Extracellular proteins play important roles in, among other things, the formation, differentiation and maintenance of multicellular organisms. The fate of many individual cells, e.g., proliferation, migration, differentiation, or interaction with other cells, is typically governed by information received from other cells and/or the immediate environment. This information is often transmitted by secreted polypeptides (for instance, mitogenic factors, survival factors, cytotoxic factors, differentiation factors, neuropeptides, and hormones) which are, in turn, received and interpreted by diverse cell receptors or membrane-bound proteins. These secreted polypeptides or signaling molecules normally pass through the cellular secretory pathway to reach their site of action in the extracellular environment.

15 Secreted proteins have various industrial applications, including as pharmaceuticals, diagnostics, biosensors and bioreactors. Most protein drugs available at present, such as thrombolytic agents, interferons, interleukins, erythropoietins, colony stimulating factors, and various other cytokines, are secretory proteins. Their receptors, which are membrane proteins, also have potential as therapeutic or diagnostic agents. Efforts are being undertaken by both industry and academia to identify new, native secreted proteins. Many efforts are  
20 focused on the screening of mammalian recombinant DNA libraries to identify the coding sequences for novel secreted proteins. Examples of screening methods and techniques are described in the literature [see, for example, Klein et al., *Proc. Natl. Acad. Sci.*, 93:7108-7113 (1996); U.S. Patent No. 5,536,637].

Membrane-bound proteins and receptors can play important roles in, among other things, the formation, differentiation and maintenance of multicellular organisms. The fate of many individual cells, e.g., proliferation,  
25 migration, differentiation, or interaction with other cells, is typically governed by information received from other cells and/or the immediate environment. This information is often transmitted by secreted polypeptides (for instance, mitogenic factors, survival factors, cytotoxic factors, differentiation factors, neuropeptides, and hormones) which are, in turn, received and interpreted by diverse cell receptors or membrane-bound proteins. Such membrane-bound proteins and cell receptors include, but are not limited to, cytokine receptors, receptor  
30 kinases, receptor phosphatases, receptors involved in cell-cell interactions, and cellular adhesion molecules like selectins and integrins. For instance, transduction of signals that regulate cell growth and differentiation is regulated in part by phosphorylation of various cellular proteins. Protein tyrosine kinases, enzymes that catalyze that process, can also act as growth factor receptors. Examples include fibroblast growth factor receptor and



nerve growth factor receptor.

Membrane-bound proteins and receptor molecules have various industrial applications, including as pharmaceutical and diagnostic agents. Receptor immunoadhesins, for instance, can be employed as therapeutic agents to block receptor-ligand interactions. The membrane-bound proteins can also be employed for screening of potential peptide or small molecule inhibitors of the relevant receptor/ligand interaction. Efforts are being undertaken by both industry and academia to identify new, native receptor or membrane-bound proteins. Many efforts are focused on the screening of mammalian recombinant DNA libraries to identify the coding sequences for novel receptor or membrane-bound proteins.

Recently, significant progress has been made in identifying and isolating unique nucleic acid molecules which encode all or a portion of many mammalian proteins. We herein describe the identification and characterization of novel polynucleotides which constitute at least partial cDNA molecules that encode various human polypeptides.

### SUMMARY OF THE INVENTION

Novel polynucleotides have been identified and isolated which constitute at least partial cDNA molecules that encode human polypeptides.

In one embodiment, the invention provides an isolated nucleic acid molecule comprising any one of the nucleic acid sequences shown in the accompanying figures, or the complement thereof, or polynucleotide variants of those nucleic acid sequences as defined below.

In another embodiment, the invention provides an isolated nucleic acid molecule consisting essentially of any one of the nucleic acid sequences shown in the accompanying figures, or the complement thereof, or polynucleotide variants of those nucleic acid sequences as defined below.

In another embodiment, the invention provides an isolated nucleic acid molecule consisting of any one of the nucleic acid sequences shown in the accompanying figures, or the complement thereof, or polynucleotide variants of those nucleic acid sequences as defined below.

In yet another embodiment, the invention provides an isolated nucleic acid molecule that comprises a nucleotide sequence having at least about 80% sequence identity, preferably at least about 81% sequence identity, more preferably at least about 82% sequence identity, yet more preferably at least about 83% sequence identity, yet more preferably at least about 84% sequence identity, yet more preferably at least about 85% sequence identity, yet more preferably at least about 86% sequence identity, yet more preferably at least about 87% sequence identity, yet more preferably at least about 88% sequence identity, yet more preferably at least about 89% sequence identity, yet more preferably at least about 90% sequence identity, yet more preferably at least about 91% sequence identity, yet more preferably at least about 92% sequence identity, yet more preferably at least about 93% sequence identity, yet more preferably at least about 94% sequence identity, yet more preferably at least about 95% sequence identity, yet more preferably at least about 96% sequence identity, yet more preferably at least about 97% sequence identity, yet more preferably at least about 98% sequence identity and yet more preferably at least about 99% sequence identity to (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a).

In another aspect, the isolated nucleic acid molecule consists essentially of a nucleotide sequence having at least about 80% sequence identity, preferably at least about 81% sequence identity, more preferably at least about 82% sequence identity, yet more preferably at least about 83% sequence identity, yet more preferably at least about 84% sequence identity, yet more preferably at least about 85% sequence identity, yet more preferably at least about 86% sequence identity, yet more preferably at least about 87% sequence identity, yet more preferably at least about 88% sequence identity, yet more preferably at least about 89% sequence identity, yet more preferably at least about 90% sequence identity, yet more preferably at least about 91% sequence identity, yet more preferably at least about 92% sequence identity, yet more preferably at least about 93% sequence identity, yet more preferably at least about 94% sequence identity, yet more preferably at least about 95% sequence identity, yet more preferably at least about 96% sequence identity, yet more preferably at least about 97% sequence identity, yet more preferably at least about 98% sequence identity and yet more preferably at least about 99% sequence identity to (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a).

In yet another aspect, the isolated nucleic acid molecule consists of a nucleotide sequence having at least about 80% sequence identity, preferably at least about 81% sequence identity, more preferably at least about 82% sequence identity, yet more preferably at least about 83% sequence identity, yet more preferably at least about 84% sequence identity, yet more preferably at least about 85% sequence identity, yet more preferably at least about 86% sequence identity, yet more preferably at least about 87% sequence identity, yet more preferably at least about 88% sequence identity, yet more preferably at least about 89% sequence identity, yet more preferably at least about 90% sequence identity, yet more preferably at least about 91% sequence identity, yet more preferably at least about 92% sequence identity, yet more preferably at least about 93% sequence identity, yet more preferably at least about 94% sequence identity, yet more preferably at least about 95% sequence identity, yet more preferably at least about 96% sequence identity, yet more preferably at least about 97% sequence identity, yet more preferably at least about 98% sequence identity and yet more preferably at least about 99% sequence identity to (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a).

In another embodiment, the invention concerns an isolated nucleic acid molecule which comprises a nucleotide sequence that hybridizes to (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a). Preferably, hybridization occurs under stringent hybridization and wash conditions. Also, it is preferred that the isolated nucleic acid molecule is fully complementary to (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a).

In yet another embodiment, the present invention provides an isolated nucleic acid molecule which comprises at least about 10 consecutive nucleotides contained within (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a) which may find use as, for example, hybridizing oligonucleotide probes or for encoding polypeptide fragments that may optionally comprise a binding site for an antibody. In particular aspects, the isolated nucleic acid molecule is from about 10 to about 1000, about 10 to about 900, about 10 to about 800, about 10 to about 700, about 10 to about 600, about 10 to about 500, about 10 to about 400, about 10 to about 300, about 10 to about 200, about 10 to about 100, about 10 to about 90,

about 10 to about 80, about 10 to about 70, about 10 to about 60, about 10 to about 50, about 10 to about 40, about 10 to about 30 or about 10 to about 20 nucleotides in length, where the term "about" means the referenced nucleotide sequence length plus or minus 10% of that referenced length. In yet other aspects, the isolated nucleic acid molecule comprises at least about 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95 or 100 consecutive nucleotides contained within (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a).

The present invention is also directed to a method of using an oligonucleotide probe having a nucleotide sequence derived from a nucleic acid molecule described herein for detecting the presence of and/or obtaining a full-length mammalian cDNA molecule from a mammalian cDNA library which encodes a mammalian polypeptide. Preferably, the mammal is human. The methods comprise the step of screening a mammalian cDNA library with one or more of the herein described oligonucleotides to detect the presence of a full-length cDNA and, optionally, obtaining the full-length cDNA from that library.

In another embodiment, the invention provides a vector comprising any of the isolated nucleic acid molecules described herein or their variants.

A host cell comprising such a vector is also provided. By way of example, the host cells may be CHO cells, *E. coli*, or yeast. A process for producing polypeptides is further provided and comprises culturing the host cells under conditions suitable for expression of a polypeptide and recovering the polypeptide from the cell culture.

In another embodiment, the invention provides isolated polypeptides encoded by any of the isolated nucleic acids described herein, wherein these polypeptides are herein designated as SRT polypeptides.

In yet another embodiment, the invention provides antibodies which specifically bind to a polypeptide encoded by a nucleic acid molecule described herein. Preferably, the antibodies are monoclonal antibodies.

#### BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a nucleotide sequence (SEQ ID NO:1) designated herein as DNA8284.

Figure 2 shows a nucleotide sequence (SEQ ID NO:2) designated herein as DNA8328.

Figure 3 shows a nucleotide sequence (SEQ ID NO:3) designated herein as DNA8350.

Figure 4 shows a nucleotide sequence (SEQ ID NO:4) designated herein as DNA8369.

Figure 5 shows a nucleotide sequence (SEQ ID NO:5) designated herein as DNA8377.

Figure 6 shows a nucleotide sequence (SEQ ID NO:6) designated herein as DNA8456.

Figure 7 shows a nucleotide sequence (SEQ ID NO:7) designated herein as DNA8555.

Figure 8 shows a nucleotide sequence (SEQ ID NO:8) designated herein as DNA8576.

Figure 9 shows a nucleotide sequence (SEQ ID NO:9) designated herein as DNA9383.

Figure 10 shows a nucleotide sequence (SEQ ID NO:10) designated herein as DNA9840.

Figure 11 shows a nucleotide sequence (SEQ ID NO:11) designated herein as DNA10028.

Figure 12 shows a nucleotide sequence (SEQ ID NO:12) designated herein as DNA10072.

Figure 13 shows a nucleotide sequence (SEQ ID NO:13) designated herein as DNA10242.

Figure 14 shows a nucleotide sequence (SEQ ID NO:14) designated herein as DNA10281.

Figure 15 shows a nucleotide sequence (SEQ ID NO:15) designated herein as DNA12628.  
Figure 16 shows a nucleotide sequence (SEQ ID NO:16) designated herein as DNA12646.  
Figure 17 shows a nucleotide sequence (SEQ ID NO:17) designated herein as DNA12655.  
Figure 18 shows a nucleotide sequence (SEQ ID NO:18) designated herein as DNA12660.  
Figure 19 shows a nucleotide sequence (SEQ ID NO:19) designated herein as DNA12668.  
5 Figure 20 shows a nucleotide sequence (SEQ ID NO:20) designated herein as DNA12726.  
Figure 21 shows a nucleotide sequence (SEQ ID NO:21) designated herein as DNA12728.  
Figure 22 shows a nucleotide sequence (SEQ ID NO:22) designated herein as DNA12729.  
Figure 23 shows a nucleotide sequence (SEQ ID NO:23) designated herein as DNA12732.  
Figure 24 shows a nucleotide sequence (SEQ ID NO:24) designated herein as DNA12733.  
10 Figure 25 shows a nucleotide sequence (SEQ ID NO:25) designated herein as DNA12741.  
Figure 26 shows a nucleotide sequence (SEQ ID NO:26) designated herein as DNA12742.  
Figure 27 shows a nucleotide sequence (SEQ ID NO:27) designated herein as DNA12747.  
Figure 28 shows a nucleotide sequence (SEQ ID NO:28) designated herein as DNA12752.  
Figure 29 shows a nucleotide sequence (SEQ ID NO:29) designated herein as DNA12797.  
15 Figure 30 shows a nucleotide sequence (SEQ ID NO:30) designated herein as DNA12801.  
Figure 31 shows a nucleotide sequence (SEQ ID NO:31) designated herein as DNA12802.  
Figure 32 shows a nucleotide sequence (SEQ ID NO:32) designated herein as DNA12817.  
Figure 33 shows a nucleotide sequence (SEQ ID NO:33) designated herein as DNA12819.  
Figure 34 shows a nucleotide sequence (SEQ ID NO:34) designated herein as DNA12829.  
20 Figure 35 shows a nucleotide sequence (SEQ ID NO:35) designated herein as DNA12830.  
Figure 36 shows a nucleotide sequence (SEQ ID NO:36) designated herein as DNA12834.  
Figure 37 shows a nucleotide sequence (SEQ ID NO:37) designated herein as DNA12837.  
Figure 38 shows a nucleotide sequence (SEQ ID NO:38) designated herein as DNA12840.  
Figure 39 shows a nucleotide sequence (SEQ ID NO:39) designated herein as DNA12841.  
25 Figure 40 shows a nucleotide sequence (SEQ ID NO:40) designated herein as DNA12844.  
Figure 41 shows a nucleotide sequence (SEQ ID NO:41) designated herein as DNA12846.  
Figure 42 shows a nucleotide sequence (SEQ ID NO:42) designated herein as DNA12850.  
Figure 43 shows a nucleotide sequence (SEQ ID NO:43) designated herein as DNA12865.  
Figure 44 shows a nucleotide sequence (SEQ ID NO:44) designated herein as DNA12867.  
30 Figure 45 shows a nucleotide sequence (SEQ ID NO:45) designated herein as DNA12884.  
Figure 46 shows a nucleotide sequence (SEQ ID NO:46) designated herein as DNA12889.  
Figure 47 shows a nucleotide sequence (SEQ ID NO:47) designated herein as DNA12891.  
Figure 48 shows a nucleotide sequence (SEQ ID NO:48) designated herein as DNA12900.  
Figure 49 shows a nucleotide sequence (SEQ ID NO:49) designated herein as DNA12922.  
35 Figure 50 shows a nucleotide sequence (SEQ ID NO:50) designated herein as DNA12946.  
Figure 51 shows a nucleotide sequence (SEQ ID NO:51) designated herein as DNA12967.  
Figure 52 shows a nucleotide sequence (SEQ ID NO:52) designated herein as DNA12974.

Figure 53 shows a nucleotide sequence (SEQ ID NO:53) designated herein as DNA12982.  
Figure 54 shows a nucleotide sequence (SEQ ID NO:54) designated herein as DNA12983.  
Figure 55 shows a nucleotide sequence (SEQ ID NO:55) designated herein as DNA12991.  
Figure 56 shows a nucleotide sequence (SEQ ID NO:56) designated herein as DNA12998.  
Figure 57 shows a nucleotide sequence (SEQ ID NO:57) designated herein as DNA12999.  
5 Figure 58 shows a nucleotide sequence (SEQ ID NO:58) designated herein as DNA13101.  
Figure 59 shows a nucleotide sequence (SEQ ID NO:59) designated herein as DNA13104.  
Figure 60 shows a nucleotide sequence (SEQ ID NO:60) designated herein as DNA13110.  
Figure 61 shows a nucleotide sequence (SEQ ID NO:61) designated herein as DNA13114.  
Figure 62 shows a nucleotide sequence (SEQ ID NO:62) designated herein as DNA13115.  
10 Figure 63 shows a nucleotide sequence (SEQ ID NO:63) designated herein as DNA13116.  
Figure 64 shows a nucleotide sequence (SEQ ID NO:64) designated herein as DNA13118.  
Figure 65 shows a nucleotide sequence (SEQ ID NO:65) designated herein as DNA13124.  
Figure 66 shows a nucleotide sequence (SEQ ID NO:66) designated herein as DNA13132.  
Figure 67 shows a nucleotide sequence (SEQ ID NO:67) designated herein as DNA13133.  
15 Figure 68 shows a nucleotide sequence (SEQ ID NO:68) designated herein as DNA13146.  
Figure 69 shows a nucleotide sequence (SEQ ID NO:69) designated herein as DNA13152.  
Figure 70 shows a nucleotide sequence (SEQ ID NO:70) designated herein as DNA13156.  
Figure 71 shows a nucleotide sequence (SEQ ID NO:71) designated herein as DNA13163.  
Figure 72 shows a nucleotide sequence (SEQ ID NO:72) designated herein as DNA13185.  
20 Figure 73 shows a nucleotide sequence (SEQ ID NO:73) designated herein as DNA13992.  
Figure 74 shows a nucleotide sequence (SEQ ID NO:74) designated herein as DNA14523.  
Figure 75 shows a nucleotide sequence (SEQ ID NO:75) designated herein as DNA14656.  
Figure 76 shows a nucleotide sequence (SEQ ID NO:76) designated herein as DNA14938.  
Figure 77 shows a nucleotide sequence (SEQ ID NO:77) designated herein as DNA15172.  
25 Figure 78 shows a nucleotide sequence (SEQ ID NO:78) designated herein as DNA15618.  
Figure 79 shows a nucleotide sequence (SEQ ID NO:79) designated herein as DNA16546.  
Figure 80 shows a nucleotide sequence (SEQ ID NO:80) designated herein as DNA16669.  
Figure 81 shows a nucleotide sequence (SEQ ID NO:81) designated herein as DNA17244.  
Figure 82 shows a nucleotide sequence (SEQ ID NO:82) designated herein as DNA18382.  
30 Figure 83 shows a nucleotide sequence (SEQ ID NO:83) designated herein as DNA18444.  
Figure 84 shows a nucleotide sequence (SEQ ID NO:84) designated herein as DNA18649.  
Figure 85 shows a nucleotide sequence (SEQ ID NO:85) designated herein as DNA19597.  
Figure 86 shows a nucleotide sequence (SEQ ID NO:86) designated herein as DNA19601.  
Figure 87 shows a nucleotide sequence (SEQ ID NO:87) designated herein as DNA21386.  
35 Figure 88 shows a nucleotide sequence (SEQ ID NO:88) designated herein as DNA22868.  
Figure 89 shows a nucleotide sequence (SEQ ID NO:89) designated herein as DNA23694.  
Figure 90 shows a nucleotide sequence (SEQ ID NO:90) designated herein as DNA24050.

Figure 91 shows a nucleotide sequence (SEQ ID NO:91) designated herein as DNA24074.  
Figure 92 shows a nucleotide sequence (SEQ ID NO:92) designated herein as DNA24787.  
Figure 93 shows a nucleotide sequence (SEQ ID NO:93) designated herein as DNA28242.  
Figure 94 shows a nucleotide sequence (SEQ ID NO:94) designated herein as DNA28254.  
Figure 95 shows a nucleotide sequence (SEQ ID NO:95) designated herein as DNA31751.  
5 Figure 96 shows a nucleotide sequence (SEQ ID NO:96) designated herein as DNA32922.  
Figure 97 shows a nucleotide sequence (SEQ ID NO:97) designated herein as DNA33439.  
Figure 98 shows a nucleotide sequence (SEQ ID NO:98) designated herein as DNA34508.  
Figure 99 shows a nucleotide sequence (SEQ ID NO:99) designated herein as DNA34807.  
Figure 100 shows a nucleotide sequence (SEQ ID NO:100) designated herein as DNA34832.  
10 Figure 101 shows a nucleotide sequence (SEQ ID NO:101) designated herein as DNA36223.  
Figure 102 shows a nucleotide sequence (SEQ ID NO:102) designated herein as DNA36240.  
Figure 103 shows a nucleotide sequence (SEQ ID NO:103) designated herein as DNA36490.  
Figure 104 shows a nucleotide sequence (SEQ ID NO:104) designated herein as DNA36516.  
Figure 105 shows a nucleotide sequence (SEQ ID NO:105) designated herein as DNA36533.  
15 Figure 106 shows a nucleotide sequence (SEQ ID NO:106) designated herein as DNA36538.  
Figure 107 shows a nucleotide sequence (SEQ ID NO:107) designated herein as DNA36788.  
Figure 108 shows a nucleotide sequence (SEQ ID NO:108) designated herein as DNA36818.  
Figure 109 shows a nucleotide sequence (SEQ ID NO:109) designated herein as DNA36868.  
Figure 110 shows a nucleotide sequence (SEQ ID NO:110) designated herein as DNA37393.  
20 Figure 111 shows a nucleotide sequence (SEQ ID NO:111) designated herein as DNA27588.  
Figure 112 shows a nucleotide sequence (SEQ ID NO:112) designated herein as DNA37602.  
Figure 113 shows a nucleotide sequence (SEQ ID NO:113) designated herein as DNA37642.  
Figure 114 shows a nucleotide sequence (SEQ ID NO:114) designated herein as DNA37676.  
Figure 115 shows a nucleotide sequence (SEQ ID NO:115) designated herein as DNA37721.  
25 Figure 116 shows a nucleotide sequence (SEQ ID NO:116) designated herein as DNA37759.  
Figure 117 shows a nucleotide sequence (SEQ ID NO:117) designated herein as DNA37857.  
Figure 118 shows a nucleotide sequence (SEQ ID NO:118) designated herein as DNA37937.  
Figure 119 shows a nucleotide sequence (SEQ ID NO:119) designated herein as DNA38037.  
Figure 120 shows a nucleotide sequence (SEQ ID NO:120) designated herein as DNA38050.  
30 Figure 121 shows a nucleotide sequence (SEQ ID NO:121) designated herein as DNA38053.  
Figure 122 shows a nucleotide sequence (SEQ ID NO:122) designated herein as DNA38312.  
Figure 123 shows a nucleotide sequence (SEQ ID NO:123) designated herein as DNA38360.  
Figure 124 shows a nucleotide sequence (SEQ ID NO:124) designated herein as DNA38600.  
Figure 125 shows a nucleotide sequence (SEQ ID NO:125) designated herein as DNA38720.  
35 Figure 126 shows a nucleotide sequence (SEQ ID NO:126) designated herein as DNA38727.  
Figure 127 shows a nucleotide sequence (SEQ ID NO:127) designated herein as DNA38731.  
Figure 128 shows a nucleotide sequence (SEQ ID NO:128) designated herein as DNA38810.

Figure 129 shows a nucleotide sequence (SEQ ID NO:129) designated herein as DNA38814.  
Figure 130 shows a nucleotide sequence (SEQ ID NO:130) designated herein as DNA39378.  
Figure 131 shows a nucleotide sequence (SEQ ID NO:131) designated herein as DNA40050.  
Figure 132 shows a nucleotide sequence (SEQ ID NO:132) designated herein as DNA40375.  
Figure 133 shows a nucleotide sequence (SEQ ID NO:133) designated herein as DNA40382.  
5 Figure 134 shows a nucleotide sequence (SEQ ID NO:134) designated herein as DNA40394.  
Figure 135 shows a nucleotide sequence (SEQ ID NO:135) designated herein as DNA40461.  
Figure 136 shows a nucleotide sequence (SEQ ID NO:136) designated herein as DNA40735.  
Figure 137 shows a nucleotide sequence (SEQ ID NO:137) designated herein as DNA40736.  
Figure 138 shows a nucleotide sequence (SEQ ID NO:138) designated herein as DNA40738.  
10 Figure 139 shows a nucleotide sequence (SEQ ID NO:139) designated herein as DNA40739.  
Figure 140 shows a nucleotide sequence (SEQ ID NO:140) designated herein as DNA41144.  
Figure 141 shows a nucleotide sequence (SEQ ID NO:141) designated herein as DNA41161.  
Figure 142 shows a nucleotide sequence (SEQ ID NO:142) designated herein as DNA41186.  
Figure 143 shows a nucleotide sequence (SEQ ID NO:143) designated herein as DNA41250.  
15 Figure 144 shows a nucleotide sequence (SEQ ID NO:144) designated herein as DNA41284.  
Figure 145 shows a nucleotide sequence (SEQ ID NO:145) designated herein as DNA41303.  
Figure 146 shows a nucleotide sequence (SEQ ID NO:146) designated herein as DNA41326.  
Figure 147 shows a nucleotide sequence (SEQ ID NO:147) designated herein as DNA41444.  
Figure 148 shows a nucleotide sequence (SEQ ID NO:148) designated herein as DNA41445.  
20 Figure 149 shows a nucleotide sequence (SEQ ID NO:149) designated herein as DNA41452.  
Figure 150 shows a nucleotide sequence (SEQ ID NO:150) designated herein as DNA41456.  
Figure 151 shows a nucleotide sequence (SEQ ID NO:151) designated herein as DNA41458.  
Figure 152 shows a nucleotide sequence (SEQ ID NO:152) designated herein as DNA41462.  
Figure 153 shows a nucleotide sequence (SEQ ID NO:153) designated herein as DNA41465.  
25 Figure 154 shows a nucleotide sequence (SEQ ID NO:154) designated herein as DNA41475.  
Figure 155 shows a nucleotide sequence (SEQ ID NO:155) designated herein as DNA41514.  
Figure 156 shows a nucleotide sequence (SEQ ID NO:156) designated herein as DNA41565.  
Figure 157 shows a nucleotide sequence (SEQ ID NO:157) designated herein as DNA41566.  
Figure 158 shows a nucleotide sequence (SEQ ID NO:158) designated herein as DNA41626.  
30 Figure 159 shows a nucleotide sequence (SEQ ID NO:159) designated herein as DNA41709.  
Figure 160 shows a nucleotide sequence (SEQ ID NO:160) designated herein as DNA41775.  
Figure 161 shows a nucleotide sequence (SEQ ID NO:161) designated herein as DNA41784.  
Figure 162 shows a nucleotide sequence (SEQ ID NO:162) designated herein as DNA42194.  
Figure 163 shows a nucleotide sequence (SEQ ID NO:163) designated herein as DNA42279.  
35 Figure 164 shows a nucleotide sequence (SEQ ID NO:164) designated herein as DNA42314.  
Figure 165 shows a nucleotide sequence (SEQ ID NO:165) designated herein as DNA42331.  
Figure 166 shows a nucleotide sequence (SEQ ID NO:166) designated herein as DNA42358.

Figure 167 shows a nucleotide sequence (SEQ ID NO:167) designated herein as DNA42858.  
Figure 168 shows a nucleotide sequence (SEQ ID NO:168) designated herein as DNA42870.  
Figure 169 shows a nucleotide sequence (SEQ ID NO:169) designated herein as DNA42875.  
Figure 170 shows a nucleotide sequence (SEQ ID NO:170) designated herein as DNA43197.  
Figure 171 shows a nucleotide sequence (SEQ ID NO:171) designated herein as DNA43203.  
5 Figure 172 shows a nucleotide sequence (SEQ ID NO:172) designated herein as DNA43295.  
Figure 173 shows a nucleotide sequence (SEQ ID NO:173) designated herein as DNA43301.  
Figure 174 shows a nucleotide sequence (SEQ ID NO:174) designated herein as DNA43363.  
Figure 175 shows a nucleotide sequence (SEQ ID NO:175) designated herein as DNA43420.  
Figure 176 shows a nucleotide sequence (SEQ ID NO:176) designated herein as DNA443479.  
10 Figure 177 shows a nucleotide sequence (SEQ ID NO:177) designated herein as DNA43489.  
Figure 178 shows a nucleotide sequence (SEQ ID NO:178) designated herein as DNA43498.  
Figure 179 shows a nucleotide sequence (SEQ ID NO:179) designated herein as DNA43509.  
Figure 180 shows a nucleotide sequence (SEQ ID NO:180) designated herein as DNA43512.  
Figure 181 shows a nucleotide sequence (SEQ ID NO:181) designated herein as DNA43531.  
15 Figure 182 shows a nucleotide sequence (SEQ ID NO:182) designated herein as DNA43546.  
Figure 183 shows a nucleotide sequence (SEQ ID NO:183) designated herein as DNA43586.  
Figure 184 shows a nucleotide sequence (SEQ ID NO:184) designated herein as DNA43862.  
Figure 185 shows a nucleotide sequence (SEQ ID NO:185) designated herein as DNA43887.  
Figure 186 shows a nucleotide sequence (SEQ ID NO:186) designated herein as DNA43936.  
20 Figure 187 shows a nucleotide sequence (SEQ ID NO:187) designated herein as DNA43961.  
Figure 188 shows a nucleotide sequence (SEQ ID NO:188) designated herein as DNA43971.  
Figure 189 shows a nucleotide sequence (SEQ ID NO:189) designated herein as DNA44048.  
Figure 190 shows a nucleotide sequence (SEQ ID NO:190) designated herein as DNA44920.  
Figure 191 shows a nucleotide sequence (SEQ ID NO:191) designated herein as DNA44922.  
25 Figure 192 shows a nucleotide sequence (SEQ ID NO:192) designated herein as DNA44934.  
Figure 193 shows a nucleotide sequence (SEQ ID NO:193) designated herein as DNA44987.  
Figure 194 shows a nucleotide sequence (SEQ ID NO:194) designated herein as DNA45014.  
Figure 195 shows a nucleotide sequence (SEQ ID NO:195) designated herein as DNA45030.  
Figure 196 shows a nucleotide sequence (SEQ ID NO:196) designated herein as DNA45051.  
30 Figure 197 shows a nucleotide sequence (SEQ ID NO:197) designated herein as DNA45064.  
Figure 198 shows a nucleotide sequence (SEQ ID NO:198) designated herein as DNA45282.  
Figure 199 shows a nucleotide sequence (SEQ ID NO:199) designated herein as DNA45288.  
Figure 200 shows a nucleotide sequence (SEQ ID NO:200) designated herein as DNA45300.  
Figure 201 shows a nucleotide sequence (SEQ ID NO:201) designated herein as DNA45740.  
35 Figure 202 shows a nucleotide sequence (SEQ ID NO:202) designated herein as DNA45759.  
Figure 203 shows a nucleotide sequence (SEQ ID NO:203) designated herein as DNA45784.  
Figure 204 shows a nucleotide sequence (SEQ ID NO:204) designated herein as DNA45789.



Figure 205 shows a nucleotide sequence (SEQ ID NO:205) designated herein as DNA45816.  
Figure 206 shows a nucleotide sequence (SEQ ID NO:206) designated herein as DNA45944.  
Figure 207 shows a nucleotide sequence (SEQ ID NO:207) designated herein as DNA45954.  
Figure 208 shows a nucleotide sequence (SEQ ID NO:208) designated herein as DNA45964.  
Figure 209 shows a nucleotide sequence (SEQ ID NO:209) designated herein as DNA45993.  
5 Figure 210 shows a nucleotide sequence (SEQ ID NO:210) designated herein as DNA46092.  
Figure 211 shows a nucleotide sequence (SEQ ID NO:211) designated herein as DNA46213.  
Figure 212 shows a nucleotide sequence (SEQ ID NO:212) designated herein as DNA46215.  
Figure 213 shows a nucleotide sequence (SEQ ID NO:213) designated herein as DNA46226.  
Figure 214 shows a nucleotide sequence (SEQ ID NO:214) designated herein as DNA46328.  
10 Figure 215 shows a nucleotide sequence (SEQ ID NO:215) designated herein as DNA47580.  
Figure 216 shows a nucleotide sequence (SEQ ID NO:216) designated herein as DNA47691.  
Figure 217 shows a nucleotide sequence (SEQ ID NO:217) designated herein as DNA47751.  
Figure 218 shows a nucleotide sequence (SEQ ID NO:218) designated herein as DNA47835.  
Figure 219 shows a nucleotide sequence (SEQ ID NO:219) designated herein as DNA47858.  
15 Figure 220 shows a nucleotide sequence (SEQ ID NO:220) designated herein as DNA47890.  
Figure 221 shows a nucleotide sequence (SEQ ID NO:221) designated herein as DNA47930.  
Figure 222 shows a nucleotide sequence (SEQ ID NO:222) designated herein as DNA47990.  
Figure 223 shows a nucleotide sequence (SEQ ID NO:223) designated herein as DNA48054.  
Figure 224 shows a nucleotide sequence (SEQ ID NO:224) designated herein as DNA48124.  
20 Figure 225 shows a nucleotide sequence (SEQ ID NO:225) designated herein as DNA48131.  
Figure 226 shows a nucleotide sequence (SEQ ID NO:226) designated herein as DNA48162.  
Figure 227 shows a nucleotide sequence (SEQ ID NO:227) designated herein as DNA48209.  
Figure 228 shows a nucleotide sequence (SEQ ID NO:228) designated herein as DNA48389.  
Figure 229 shows a nucleotide sequence (SEQ ID NO:229) designated herein as DNA48446.  
25 Figure 230 shows a nucleotide sequence (SEQ ID NO:230) designated herein as DNA48466.  
Figure 231 shows a nucleotide sequence (SEQ ID NO:231) designated herein as DNA48576.  
Figure 232 shows a nucleotide sequence (SEQ ID NO:232) designated herein as DNA48598.  
Figure 233 shows a nucleotide sequence (SEQ ID NO:233) designated herein as DNA48666.  
Figure 234 shows a nucleotide sequence (SEQ ID NO:234) designated herein as DNA48748.  
30 Figure 235 shows a nucleotide sequence (SEQ ID NO:235) designated herein as DNA48777.  
Figure 236 shows a nucleotide sequence (SEQ ID NO:236) designated herein as DNA48830.  
Figure 237 shows a nucleotide sequence (SEQ ID NO:237) designated herein as DNA49352.  
Figure 238 shows a nucleotide sequence (SEQ ID NO:238) designated herein as DNA49407.  
Figure 239 shows a nucleotide sequence (SEQ ID NO:239) designated herein as DNA49448.  
35 Figure 240 shows a nucleotide sequence (SEQ ID NO:240) designated herein as DNA49528.  
Figure 241 shows a nucleotide sequence (SEQ ID NO:241) designated herein as DNA49529.  
Figure 242 shows a nucleotide sequence (SEQ ID NO:242) designated herein as DNA49948.

Figure 243 shows a nucleotide sequence (SEQ ID NO:243) designated herein as DNA49956.  
Figure 244 shows a nucleotide sequence (SEQ ID NO:244) designated herein as DNA49992.  
Figure 245 shows a nucleotide sequence (SEQ ID NO:245) designated herein as DNA50307.  
Figure 246 shows a nucleotide sequence (SEQ ID NO:246) designated herein as DNA50319.  
Figure 247 shows a nucleotide sequence (SEQ ID NO:247) designated herein as DNA50346.  
5 Figure 248 shows a nucleotide sequence (SEQ ID NO:248) designated herein as DNA50354.  
Figure 249 shows a nucleotide sequence (SEQ ID NO:249) designated herein as DNA50356.  
Figure 250 shows a nucleotide sequence (SEQ ID NO:250) designated herein as DNA50405.  
Figure 251 shows a nucleotide sequence (SEQ ID NO:251) designated herein as DNA50421.  
Figure 252 shows a nucleotide sequence (SEQ ID NO:252) designated herein as DNA50423.  
10 Figure 253 shows a nucleotide sequence (SEQ ID NO:253) designated herein as DNA50527.  
Figure 254 shows a nucleotide sequence (SEQ ID NO:254) designated herein as DNA50584.  
Figure 255 shows a nucleotide sequence (SEQ ID NO:255) designated herein as DNA50626.  
Figure 256 shows a nucleotide sequence (SEQ ID NO:256) designated herein as DNA50637.  
Figure 257 shows a nucleotide sequence (SEQ ID NO:257) designated herein as DNA50650.  
15 Figure 258 shows a nucleotide sequence (SEQ ID NO:258) designated herein as DNA50674.  
Figure 259 shows a nucleotide sequence (SEQ ID NO:259) designated herein as DNA50675.  
Figure 260 shows a nucleotide sequence (SEQ ID NO:260) designated herein as DNA50698.  
Figure 261 shows a nucleotide sequence (SEQ ID NO:261) designated herein as DNA50730.  
Figure 262 shows a nucleotide sequence (SEQ ID NO:262) designated herein as DNA50737.  
20 Figure 263 shows a nucleotide sequence (SEQ ID NO:263) designated herein as DNA51003.  
Figure 264 shows a nucleotide sequence (SEQ ID NO:264) designated herein as DNA51010.  
Figure 265 shows a nucleotide sequence (SEQ ID NO:265) designated herein as DNA51059.  
Figure 266 shows a nucleotide sequence (SEQ ID NO:266) designated herein as DNA51413.  
Figure 267 shows a nucleotide sequence (SEQ ID NO:267) designated herein as DNA51712.  
25 Figure 268 shows a nucleotide sequence (SEQ ID NO:268) designated herein as DNA51795.  
Figure 269 shows a nucleotide sequence (SEQ ID NO:269) designated herein as DNA52199.  
Figure 270 shows a nucleotide sequence (SEQ ID NO:270) designated herein as DNA52218.  
Figure 271 shows a nucleotide sequence (SEQ ID NO:271) designated herein as DNA52352.  
Figure 272 shows a nucleotide sequence (SEQ ID NO:272) designated herein as DNA54446.  
30 Figure 273 shows a nucleotide sequence (SEQ ID NO:273) designated herein as DNA54552.  
Figure 274 shows a nucleotide sequence (SEQ ID NO:274) designated herein as DNA54580.  
Figure 275 shows a nucleotide sequence (SEQ ID NO:275) designated herein as DNA54623.  
Figure 276 shows a nucleotide sequence (SEQ ID NO:276) designated herein as DNA54672.  
Figure 277 shows a nucleotide sequence (SEQ ID NO:277) designated herein as DNA54840.  
35 Figure 278 shows a nucleotide sequence (SEQ ID NO:278) designated herein as DNA54856.  
Figure 279 shows a nucleotide sequence (SEQ ID NO:279) designated herein as DNA54882.  
Figure 280 shows a nucleotide sequence (SEQ ID NO:280) designated herein as DNA54943.

Figure 281 shows a nucleotide sequence (SEQ ID NO:281) designated herein as DNA54970.  
Figure 282 shows a nucleotide sequence (SEQ ID NO:282) designated herein as DNA55134.  
Figure 283 shows a nucleotide sequence (SEQ ID NO:283) designated herein as DNA55198.  
Figure 284 shows a nucleotide sequence (SEQ ID NO:284) designated herein as DNA55199.  
Figure 285 shows a nucleotide sequence (SEQ ID NO:285) designated herein as DNA55292.  
5 Figure 286 shows a nucleotide sequence (SEQ ID NO:286) designated herein as DNA55646.  
Figure 287 shows a nucleotide sequence (SEQ ID NO:287) designated herein as DNA56553.  
Figure 288 shows a nucleotide sequence (SEQ ID NO:288) designated herein as DNA56554.  
Figure 289 shows a nucleotide sequence (SEQ ID NO:289) designated herein as DNA56556.  
Figure 290 shows a nucleotide sequence (SEQ ID NO:290) designated herein as DNA56587.  
10 Figure 291 shows a nucleotide sequence (SEQ ID NO:291) designated herein as DNA56590.  
Figure 292 shows a nucleotide sequence (SEQ ID NO:292) designated herein as DNA56600.  
Figure 293 shows a nucleotide sequence (SEQ ID NO:293) designated herein as DNA56648.  
Figure 294 shows a nucleotide sequence (SEQ ID NO:294) designated herein as DNA56650.  
Figure 295 shows a nucleotide sequence (SEQ ID NO:295) designated herein as DNA56707.  
15 Figure 296 shows a nucleotide sequence (SEQ ID NO:296) designated herein as DNA56717.  
Figure 297 shows a nucleotide sequence (SEQ ID NO:297) designated herein as DNA58387.  
Figure 298 shows a nucleotide sequence (SEQ ID NO:298) designated herein as DNA58414.  
Figure 299 shows a nucleotide sequence (SEQ ID NO:299) designated herein as DNA58529.  
Figure 300 shows a nucleotide sequence (SEQ ID NO:300) designated herein as DNA59385.  
20 Figure 301 shows a nucleotide sequence (SEQ ID NO:301) designated herein as DNA59789.  
Figure 302 shows a nucleotide sequence (SEQ ID NO:302) designated herein as DNA60321.  
Figure 303 shows a nucleotide sequence (SEQ ID NO:303) designated herein as DNA60370.  
Figure 304 shows a nucleotide sequence (SEQ ID NO:304) designated herein as DNA60406.  
Figure 305 shows a nucleotide sequence (SEQ ID NO:305) designated herein as DNA60438.  
25 Figure 306 shows a nucleotide sequence (SEQ ID NO:306) designated herein as DNA60460.  
Figure 307 shows a nucleotide sequence (SEQ ID NO:307) designated herein as DNA60466.  
Figure 308 shows a nucleotide sequence (SEQ ID NO:308) designated herein as DNA60508.  
Figure 309 shows a nucleotide sequence (SEQ ID NO:309) designated herein as DNA60542.  
Figure 310 shows a nucleotide sequence (SEQ ID NO:310) designated herein as DNA60590.  
30 Figure 311 shows a nucleotide sequence (SEQ ID NO:311) designated herein as DNA61350.  
Figure 312 shows a nucleotide sequence (SEQ ID NO:312) designated herein as DNA61356.  
Figure 313 shows a nucleotide sequence (SEQ ID NO:313) designated herein as DNA61478.  
Figure 314 shows a nucleotide sequence (SEQ ID NO:314) designated herein as DNA61513.  
Figure 315 shows a nucleotide sequence (SEQ ID NO:315) designated herein as DNA61561.  
35 Figure 316 shows a nucleotide sequence (SEQ ID NO:316) designated herein as DNA61895.  
Figure 317 shows a nucleotide sequence (SEQ ID NO:317) designated herein as DNA61930.  
Figure 318 shows a nucleotide sequence (SEQ ID NO:318) designated herein as DNA61953.

Figure 319 shows a nucleotide sequence (SEQ ID NO:319) designated herein as DNA62011.  
Figure 320 shows a nucleotide sequence (SEQ ID NO:320) designated herein as DNA62080.  
Figure 321 shows a nucleotide sequence (SEQ ID NO:321) designated herein as DNA62126.  
Figure 322 shows a nucleotide sequence (SEQ ID NO:322) designated herein as DNA62154.  
Figure 323 shows a nucleotide sequence (SEQ ID NO:323) designated herein as DNA62170.  
5 Figure 324 shows a nucleotide sequence (SEQ ID NO:324) designated herein as DNA62193.  
Figure 325 shows a nucleotide sequence (SEQ ID NO:325) designated herein as DNA62261.  
Figure 326 shows a nucleotide sequence (SEQ ID NO:326) designated herein as DNA62291.  
Figure 327 shows a nucleotide sequence (SEQ ID NO:327) designated herein as DNA62422.  
Figure 328 shows a nucleotide sequence (SEQ ID NO:328) designated herein as DNA62436.  
10 Figure 329 shows a nucleotide sequence (SEQ ID NO:329) designated herein as DNA62524.  
Figure 330 shows a nucleotide sequence (SEQ ID NO:330) designated herein as DNA62589.  
Figure 331 shows a nucleotide sequence (SEQ ID NO:331) designated herein as DNA63878.  
Figure 332 shows a nucleotide sequence (SEQ ID NO:332) designated herein as DNA64017.  
Figure 333 shows a nucleotide sequence (SEQ ID NO:333) designated herein as DNA64045.  
15 Figure 334 shows a nucleotide sequence (SEQ ID NO:334) designated herein as DNA64101.  
Figure 335 shows a nucleotide sequence (SEQ ID NO:335) designated herein as DNA64183.  
Figure 336 shows a nucleotide sequence (SEQ ID NO:336) designated herein as DNA64193.  
Figure 337 shows a nucleotide sequence (SEQ ID NO:337) designated herein as DNA64199.  
Figure 338 shows a nucleotide sequence (SEQ ID NO:338) designated herein as DNA64268.  
20 Figure 339 shows a nucleotide sequence (SEQ ID NO:339) designated herein as DNA64304.  
Figure 340 shows a nucleotide sequence (SEQ ID NO:340) designated herein as DNA64453.  
Figure 341 shows a nucleotide sequence (SEQ ID NO:341) designated herein as DNA64458.  
Figure 342 shows a nucleotide sequence (SEQ ID NO:342) designated herein as DNA64512.  
Figure 343 shows a nucleotide sequence (SEQ ID NO:343) designated herein as DNA64540.  
25 Figure 344 shows a nucleotide sequence (SEQ ID NO:344) designated herein as DNA64552.  
Figure 345 shows a nucleotide sequence (SEQ ID NO:345) designated herein as DNA64557.  
Figure 346 shows a nucleotide sequence (SEQ ID NO:346) designated herein as DNA64569.  
Figure 347 shows a nucleotide sequence (SEQ ID NO:347) designated herein as DNA64627.  
Figure 348 shows a nucleotide sequence (SEQ ID NO:348) designated herein as DNA64745.  
30 Figure 349 shows a nucleotide sequence (SEQ ID NO:349) designated herein as DNA64784.  
Figure 350 shows a nucleotide sequence (SEQ ID NO:350) designated herein as DNA65609.  
Figure 351 shows a nucleotide sequence (SEQ ID NO:351) designated herein as DNA65644.  
Figure 352 shows a nucleotide sequence (SEQ ID NO:352) designated herein as DNA65720.  
Figure 353 shows a nucleotide sequence (SEQ ID NO:353) designated herein as DNA65752.  
35 Figure 354 shows a nucleotide sequence (SEQ ID NO:354) designated herein as DNA65771.  
Figure 355 shows a nucleotide sequence (SEQ ID NO:355) designated herein as DNA65833.  
Figure 356 shows a nucleotide sequence (SEQ ID NO:356) designated herein as DNA65836.

Figure 357 shows a nucleotide sequence (SEQ ID NO:357) designated herein as DNA65864.  
Figure 358 shows a nucleotide sequence (SEQ ID NO:358) designated herein as DNA65869.  
Figure 359 shows a nucleotide sequence (SEQ ID NO:359) designated herein as DNA65928.  
Figure 360 shows a nucleotide sequence (SEQ ID NO:360) designated herein as DNA66065.  
Figure 361 shows a nucleotide sequence (SEQ ID NO:361) designated herein as DNA66095.  
5 Figure 362 shows a nucleotide sequence (SEQ ID NO:362) designated herein as DNA66197.  
Figure 363 shows a nucleotide sequence (SEQ ID NO:363) designated herein as DNA66217.  
Figure 364 shows a nucleotide sequence (SEQ ID NO:364) designated herein as DNA66231.  
Figure 365 shows a nucleotide sequence (SEQ ID NO:365) designated herein as DNA66404.  
Figure 366 shows a nucleotide sequence (SEQ ID NO:366) designated herein as DNA66432.  
10 Figure 367 shows a nucleotide sequence (SEQ ID NO:367) designated herein as DNA67076.  
Figure 368 shows a nucleotide sequence (SEQ ID NO:368) designated herein as DNA68013.  
Figure 369 shows a nucleotide sequence (SEQ ID NO:369) designated herein as DNA68018.  
Figure 370 shows a nucleotide sequence (SEQ ID NO:370) designated herein as DNA68034.  
Figure 371 shows a nucleotide sequence (SEQ ID NO:371) designated herein as DNA68119.  
15 Figure 372 shows a nucleotide sequence (SEQ ID NO:372) designated herein as DNA68248.  
Figure 373 shows a nucleotide sequence (SEQ ID NO:373) designated herein as DNA68383.  
Figure 374 shows a nucleotide sequence (SEQ ID NO:374) designated herein as DNA68423.  
Figure 375 shows a nucleotide sequence (SEQ ID NO:375) designated herein as DNA68441.  
Figure 376 shows a nucleotide sequence (SEQ ID NO:376) designated herein as DNA68459.  
20 Figure 377 shows a nucleotide sequence (SEQ ID NO:377) designated herein as DNA68509.  
Figure 378 shows a nucleotide sequence (SEQ ID NO:378) designated herein as DNA68514.  
Figure 379 shows a nucleotide sequence (SEQ ID NO:379) designated herein as DNA68521.  
Figure 380 shows a nucleotide sequence (SEQ ID NO:380) designated herein as DNA68532.  
Figure 381 shows a nucleotide sequence (SEQ ID NO:381) designated herein as DNA68540.  
25 Figure 382 shows a nucleotide sequence (SEQ ID NO:382) designated herein as DNA68561.  
Figure 383 shows a nucleotide sequence (SEQ ID NO:383) designated herein as DNA68585.  
Figure 384 shows a nucleotide sequence (SEQ ID NO:384) designated herein as DNA69491.  
Figure 385 shows a nucleotide sequence (SEQ ID NO:385) designated herein as DNA70222.  
Figure 386 shows a nucleotide sequence (SEQ ID NO:386) designated herein as DNA70239.  
30 Figure 387 shows a nucleotide sequence (SEQ ID NO:387) designated herein as DNA70244.  
Figure 388 shows a nucleotide sequence (SEQ ID NO:388) designated herein as DNA70349.  
Figure 389 shows a nucleotide sequence (SEQ ID NO:389) designated herein as DNA70400.  
Figure 390 shows a nucleotide sequence (SEQ ID NO:390) designated herein as DNA70413.  
Figure 391 shows a nucleotide sequence (SEQ ID NO:391) designated herein as DNA70526.  
35 Figure 392 shows a nucleotide sequence (SEQ ID NO:392) designated herein as DNA70685.  
Figure 393 shows a nucleotide sequence (SEQ ID NO:393) designated herein as DNA70732.  
Figure 394 shows a nucleotide sequence (SEQ ID NO:394) designated herein as DNA72634.

Figure 395 shows a nucleotide sequence (SEQ ID NO:395) designated herein as DNA72683.  
Figure 396 shows a nucleotide sequence (SEQ ID NO:396) designated herein as DNA72695.  
Figure 397 shows a nucleotide sequence (SEQ ID NO:397) designated herein as DNA72864.  
Figure 398 shows a nucleotide sequence (SEQ ID NO:398) designated herein as DNA73156.  
Figure 399 shows a nucleotide sequence (SEQ ID NO:399) designated herein as DNA73275.  
5 Figure 400 shows a nucleotide sequence (SEQ ID NO:400) designated herein as DNA74052.  
Figure 401 shows a nucleotide sequence (SEQ ID NO:401) designated herein as DNA74063.  
Figure 402 shows a nucleotide sequence (SEQ ID NO:402) designated herein as DNA74072.  
Figure 403 shows a nucleotide sequence (SEQ ID NO:403) designated herein as DNA74140.  
Figure 404 shows a nucleotide sequence (SEQ ID NO:404) designated herein as DNA74216.  
10 Figure 405 shows a nucleotide sequence (SEQ ID NO:405) designated herein as DNA74218.  
Figure 406 shows a nucleotide sequence (SEQ ID NO:406) designated herein as DNA74228.  
Figure 407 shows a nucleotide sequence (SEQ ID NO:407) designated herein as DNA74256.  
Figure 408 shows a nucleotide sequence (SEQ ID NO:408) designated herein as DNA75062.  
Figure 409 shows a nucleotide sequence (SEQ ID NO:409) designated herein as DNA76137.  
15 Figure 410 shows a nucleotide sequence (SEQ ID NO:410) designated herein as DNA76158.  
Figure 411 shows a nucleotide sequence (SEQ ID NO:411) designated herein as DNA77098.  
Figure 412 shows a nucleotide sequence (SEQ ID NO:412) designated herein as DNA77791.  
Figure 413 shows a nucleotide sequence (SEQ ID NO:413) designated herein as DNA77968.  
Figure 414 shows a nucleotide sequence (SEQ ID NO:414) designated herein as DNA77976.  
20 Figure 415 shows a nucleotide sequence (SEQ ID NO:415) designated herein as DNA78017.  
Figure 416 shows a nucleotide sequence (SEQ ID NO:416) designated herein as DNA78095.  
Figure 417 shows a nucleotide sequence (SEQ ID NO:417) designated herein as DNA78103.  
Figure 418 shows a nucleotide sequence (SEQ ID NO:418) designated herein as DNA78113.  
Figure 419 shows a nucleotide sequence (SEQ ID NO:419) designated herein as DNA78746.  
25 Figure 420 shows a nucleotide sequence (SEQ ID NO:420) designated herein as DNA78759.  
Figure 421 shows a nucleotide sequence (SEQ ID NO:421) designated herein as DNA78796.  
Figure 422 shows a nucleotide sequence (SEQ ID NO:422) designated herein as DNA79561.  
Figure 423 shows a nucleotide sequence (SEQ ID NO:423) designated herein as DNA79602.  
Figure 424 shows a nucleotide sequence (SEQ ID NO:424) designated herein as DNA79617.  
30 Figure 425 shows a nucleotide sequence (SEQ ID NO:425) designated herein as DNA79628.  
Figure 426 shows a nucleotide sequence (SEQ ID NO:426) designated herein as DNA79640.  
Figure 427 shows a nucleotide sequence (SEQ ID NO:427) designated herein as DNA79661.  
Figure 428 shows a nucleotide sequence (SEQ ID NO:428) designated herein as DNA79684.  
Figure 429 shows a nucleotide sequence (SEQ ID NO:429) designated herein as DNA79717.  
35 Figure 430 shows a nucleotide sequence (SEQ ID NO:430) designated herein as DNA79733.  
Figure 431 shows a nucleotide sequence (SEQ ID NO:431) designated herein as DNA79970.  
Figure 432 shows a nucleotide sequence (SEQ ID NO:432) designated herein as DNA80050.

Figure 433 shows a nucleotide sequence (SEQ ID NO:433) designated herein as DNA80247.  
Figure 434 shows a nucleotide sequence (SEQ ID NO:434) designated herein as DNA80265.  
Figure 435 shows a nucleotide sequence (SEQ ID NO:435) designated herein as DNA80615.  
Figure 436 shows a nucleotide sequence (SEQ ID NO:436) designated herein as DNA80623.  
Figure 437 shows a nucleotide sequence (SEQ ID NO:437) designated herein as DNA80627.  
5 Figure 438 shows a nucleotide sequence (SEQ ID NO:438) designated herein as DNA81896.  
Figure 439 shows a nucleotide sequence (SEQ ID NO:439) designated herein as DNA81918.  
Figure 440 shows a nucleotide sequence (SEQ ID NO:440) designated herein as DNA81976.  
Figure 441 shows a nucleotide sequence (SEQ ID NO:441) designated herein as DNA82017.  
Figure 442 shows a nucleotide sequence (SEQ ID NO:442) designated herein as DNA82024.  
10 Figure 443 shows a nucleotide sequence (SEQ ID NO:443) designated herein as DNA82027.  
Figure 444 shows a nucleotide sequence (SEQ ID NO:444) designated herein as DNA82115.  
Figure 445 shows a nucleotide sequence (SEQ ID NO:445) designated herein as DNA82154.  
Figure 446 shows a nucleotide sequence (SEQ ID NO:446) designated herein as DNA82157.  
Figure 447 shows a nucleotide sequence (SEQ ID NO:447) designated herein as DNA82166.  
15 Figure 448 shows a nucleotide sequence (SEQ ID NO:448) designated herein as DNA82182.  
Figure 449 shows a nucleotide sequence (SEQ ID NO:449) designated herein as DNA82212.  
Figure 450 shows a nucleotide sequence (SEQ ID NO:450) designated herein as DNA82498.  
Figure 451 shows a nucleotide sequence (SEQ ID NO:451) designated herein as DNA82499.  
Figure 452 shows a nucleotide sequence (SEQ ID NO:452) designated herein as DNA82504.  
20 Figure 453 shows a nucleotide sequence (SEQ ID NO:453) designated herein as DNA82531.  
Figure 454 shows a nucleotide sequence (SEQ ID NO:454) designated herein as DNA82693.  
Figure 455 shows a nucleotide sequence (SEQ ID NO:455) designated herein as DNA82702.  
Figure 456 shows a nucleotide sequence (SEQ ID NO:456) designated herein as DNA82786.  
Figure 457 shows a nucleotide sequence (SEQ ID NO:457) designated herein as DNA82851.  
25 Figure 458 shows a nucleotide sequence (SEQ ID NO:458) designated herein as DNA82898.  
Figure 459 shows a nucleotide sequence (SEQ ID NO:459) designated herein as DNA82935.  
Figure 460 shows a nucleotide sequence (SEQ ID NO:460) designated herein as DNA82977.  
Figure 461 shows a nucleotide sequence (SEQ ID NO:461) designated herein as DNA82989.  
Figure 462 shows a nucleotide sequence (SEQ ID NO:462) designated herein as DNA83628.  
30 Figure 463 shows a nucleotide sequence (SEQ ID NO:463) designated herein as DNA83630.  
Figure 464 shows a nucleotide sequence (SEQ ID NO:464) designated herein as DNA83749.  
Figure 465 shows a nucleotide sequence (SEQ ID NO:465) designated herein as DNA83772.  
Figure 466 shows a nucleotide sequence (SEQ ID NO:466) designated herein as DNA83800.  
Figure 467 shows a nucleotide sequence (SEQ ID NO:467) designated herein as DNA83950.  
35 Figure 468 shows a nucleotide sequence (SEQ ID NO:468) designated herein as DNA84027.  
Figure 469 shows a nucleotide sequence (SEQ ID NO:469) designated herein as DNA84076.  
Figure 470 shows a nucleotide sequence (SEQ ID NO:470) designated herein as DNA84109.

Figure 471 shows a nucleotide sequence (SEQ ID NO:471) designated herein as DNA85072.  
Figure 472 shows a nucleotide sequence (SEQ ID NO:472) designated herein as DNA85154.  
Figure 473 shows a nucleotide sequence (SEQ ID NO:473) designated herein as DNA85193.  
Figure 474 shows a nucleotide sequence (SEQ ID NO:474) designated herein as DNA85224.  
Figure 475 shows a nucleotide sequence (SEQ ID NO:475) designated herein as DNA85237.  
5 Figure 476 shows a nucleotide sequence (SEQ ID NO:476) designated herein as DNA85289.  
Figure 477 shows a nucleotide sequence (SEQ ID NO:477) designated herein as DNA85357.  
Figure 478 shows a nucleotide sequence (SEQ ID NO:478) designated herein as DNA85361.  
Figure 479 shows a nucleotide sequence (SEQ ID NO:479) designated herein as DNA85371.  
Figure 480 shows a nucleotide sequence (SEQ ID NO:480) designated herein as DNA86875.  
10 Figure 481 shows a nucleotide sequence (SEQ ID NO:481) designated herein as DNA86876.  
Figure 482 shows a nucleotide sequence (SEQ ID NO:482) designated herein as DNA86905.  
Figure 483 shows a nucleotide sequence (SEQ ID NO:483) designated herein as DNA86945.  
Figure 484 shows a nucleotide sequence (SEQ ID NO:484) designated herein as DNA86969.  
Figure 485 shows a nucleotide sequence (SEQ ID NO:485) designated herein as DNA87050.  
15 Figure 486 shows a nucleotide sequence (SEQ ID NO:486) designated herein as DNA87094.  
Figure 487 shows a nucleotide sequence (SEQ ID NO:487) designated herein as DNA87126.  
Figure 488 shows a nucleotide sequence (SEQ ID NO:488) designated herein as DNA87493.  
Figure 489 shows a nucleotide sequence (SEQ ID NO:489) designated herein as DNA87494.  
Figure 490 shows a nucleotide sequence (SEQ ID NO:490) designated herein as DNA87505.  
20 Figure 491 shows a nucleotide sequence (SEQ ID NO:491) designated herein as DNA87566.  
Figure 492 shows a nucleotide sequence (SEQ ID NO:492) designated herein as DNA87586.  
Figure 493 shows a nucleotide sequence (SEQ ID NO:493) designated herein as DNA87649.  
Figure 494 shows a nucleotide sequence (SEQ ID NO:494) designated herein as DNA89340.  
Figure 495 shows a nucleotide sequence (SEQ ID NO:495) designated herein as DNA89355.  
25 Figure 496 shows a nucleotide sequence (SEQ ID NO:496) designated herein as DNA89365.  
Figure 497 shows a nucleotide sequence (SEQ ID NO:497) designated herein as DNA89419.  
Figure 498 shows a nucleotide sequence (SEQ ID NO:498) designated herein as DNA89470.  
Figure 499 shows a nucleotide sequence (SEQ ID NO:499) designated herein as DNA89480.  
Figure 500 shows a nucleotide sequence (SEQ ID NO:500) designated herein as DNA89549.  
30 Figure 501 shows a nucleotide sequence (SEQ ID NO:501) designated herein as DNA89606.  
Figure 502 shows a nucleotide sequence (SEQ ID NO:502) designated herein as DNA89615.  
Figure 503 shows a nucleotide sequence (SEQ ID NO:503) designated herein as DNA89669.  
Figure 504 shows a nucleotide sequence (SEQ ID NO:504) designated herein as DNA89760.  
Figure 505 shows a nucleotide sequence (SEQ ID NO:505) designated herein as DNA89766.  
35 Figure 506 shows a nucleotide sequence (SEQ ID NO:506) designated herein as DNA89772.  
Figure 507 shows a nucleotide sequence (SEQ ID NO:507) designated herein as DNA89773.  
Figure 508 shows a nucleotide sequence (SEQ ID NO:508) designated herein as DNA89774.



Figure 509 shows a nucleotide sequence (SEQ ID NO:509) designated herein as DNA89872.  
Figure 510 shows a nucleotide sequence (SEQ ID NO:510) designated herein as DNA89918.  
Figure 511 shows a nucleotide sequence (SEQ ID NO:511) designated herein as DNA89928.  
Figure 512 shows a nucleotide sequence (SEQ ID NO:512) designated herein as DNA89930.  
Figure 513 shows a nucleotide sequence (SEQ ID NO:513) designated herein as DNA91463.  
5 Figure 514 shows a nucleotide sequence (SEQ ID NO:514) designated herein as DNA91507.  
Figure 515 shows a nucleotide sequence (SEQ ID NO:515) designated herein as DNA93615.  
Figure 516 shows a nucleotide sequence (SEQ ID NO:516) designated herein as DNA94011.  
Figure 517 shows a nucleotide sequence (SEQ ID NO:517) designated herein as DNA94043.  
Figure 518 shows a nucleotide sequence (SEQ ID NO:518) designated herein as DNA94050.  
10 Figure 519 shows a nucleotide sequence (SEQ ID NO:519) designated herein as DNA94097.  
Figure 520 shows a nucleotide sequence (SEQ ID NO:520) designated herein as DNA94098.  
Figure 521 shows a nucleotide sequence (SEQ ID NO:521) designated herein as DNA94100.  
Figure 522 shows a nucleotide sequence (SEQ ID NO:522) designated herein as DNA94126.  
Figure 523 shows a nucleotide sequence (SEQ ID NO:523) designated herein as DNA94136.  
15 Figure 524 shows a nucleotide sequence (SEQ ID NO:524) designated herein as DNA94156.  
Figure 525 shows a nucleotide sequence (SEQ ID NO:525) designated herein as DNA94219.  
Figure 526 shows a nucleotide sequence (SEQ ID NO:526) designated herein as DNA94254.  
Figure 527 shows a nucleotide sequence (SEQ ID NO:527) designated herein as DNA94274.  
Figure 528 shows a nucleotide sequence (SEQ ID NO:528) designated herein as DNA94292.  
20 Figure 529 shows a nucleotide sequence (SEQ ID NO:529) designated herein as DNA94360.  
Figure 530 shows a nucleotide sequence (SEQ ID NO:530) designated herein as DNA94377.  
Figure 531 shows a nucleotide sequence (SEQ ID NO:531) designated herein as DNA94477.  
Figure 532 shows a nucleotide sequence (SEQ ID NO:532) designated herein as DNA94518.  
Figure 533 shows a nucleotide sequence (SEQ ID NO:533) designated herein as DNA94533.  
25 Figure 534 shows a nucleotide sequence (SEQ ID NO:534) designated herein as DNA95370.  
Figure 535 shows a nucleotide sequence (SEQ ID NO:535) designated herein as DNA97358.  
Figure 536 shows a nucleotide sequence (SEQ ID NO:536) designated herein as DNA97374.  
Figure 537 shows a nucleotide sequence (SEQ ID NO:537) designated herein as DNA97470.  
Figure 538 shows a nucleotide sequence (SEQ ID NO:538) designated herein as DNA97581.  
30 Figure 539 shows a nucleotide sequence (SEQ ID NO:539) designated herein as DNA97767.  
Figure 540 shows a nucleotide sequence (SEQ ID NO:540) designated herein as DNA97842.  
Figure 541 shows a nucleotide sequence (SEQ ID NO:541) designated herein as DNA97949.  
Figure 542 shows a nucleotide sequence (SEQ ID NO:542) designated herein as DNA97987.  
Figure 543 shows a nucleotide sequence (SEQ ID NO:543) designated herein as DNA97995.  
35 Figure 544 shows a nucleotide sequence (SEQ ID NO:544) designated herein as DNA98293.  
Figure 545 shows a nucleotide sequence (SEQ ID NO:545) designated herein as DNA98294.  
Figure 546 shows a nucleotide sequence (SEQ ID NO:546) designated herein as DNA98346.

Figure 547 shows a nucleotide sequence (SEQ ID NO:547) designated herein as DNA98360.  
Figure 548 shows a nucleotide sequence (SEQ ID NO:548) designated herein as DNA98829.  
Figure 549 shows a nucleotide sequence (SEQ ID NO:549) designated herein as DNA101514.  
Figure 550 shows a nucleotide sequence (SEQ ID NO:550) designated herein as DNA101572.  
Figure 551 shows a nucleotide sequence (SEQ ID NO:551) designated herein as DNA101580.  
5 Figure 552 shows a nucleotide sequence (SEQ ID NO:552) designated herein as DNA101595.  
Figure 553 shows a nucleotide sequence (SEQ ID NO:553) designated herein as DNA101633.  
Figure 554 shows a nucleotide sequence (SEQ ID NO:554) designated herein as DNA101717.  
Figure 555 shows a nucleotide sequence (SEQ ID NO:555) designated herein as DNA101768.  
Figure 556 shows a nucleotide sequence (SEQ ID NO:556) designated herein as DNA107332.  
10 Figure 557 shows a nucleotide sequence (SEQ ID NO:557) designated herein as DNA43499.  
Figure 558 shows a nucleotide sequence (SEQ ID NO:558) designated herein as DNA45713.  
Figure 559 shows a nucleotide sequence (SEQ ID NO:559) designated herein as DNA46089.  
Figure 560 shows a nucleotide sequence (SEQ ID NO:560) designated herein as DNA68256.  
Figure 561 shows a nucleotide sequence (SEQ ID NO:561) designated herein as DNA70305.  
15 Figure 562 shows a nucleotide sequence (SEQ ID NO:562) designated herein as DNA82953.

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

##### I. Definitions

The term "SRT polypeptide" when used herein encompasses "native sequence SRT polypeptides" and  
20 "SRT polypeptide variants" (which are further defined herein). "SRT" is a designation given to those  
polypeptides which are encoded by the nucleic acid molecules shown in the accompanying figures and variants  
thereof, nucleic acid molecules comprising the sequence shown in the accompanying figures and variants thereof  
as well as fragments of the above. The SRT polypeptides of the invention may be isolated from a variety of  
sources, such as from human tissue types or from another source, or prepared by recombinant and/or synthetic  
25 methods.

A "native sequence" SRT polypeptide comprises a polypeptide having the same amino acid sequence  
as the corresponding SRT polypeptide derived from nature. Such native sequence SRT polypeptides can be  
isolated from nature or can be produced by recombinant and/or synthetic means. The term "native sequence  
SRT polypeptide" specifically encompasses naturally-occurring truncated or secreted forms (e.g., an extracellular  
30 domain sequence), naturally-occurring variant forms (e.g., alternatively spliced forms) and naturally-occurring  
allelic variants of the polypeptide.

An SRT polypeptide "extracellular domain" or "ECD" refers to a form of the SRT polypeptide which  
is essentially free of the transmembrane and cytoplasmic domains. Ordinarily, an SRT polypeptide ECD will  
have less than about 1 % of such transmembrane and/or cytoplasmic domains and preferably, will have less than  
35 about 0.5% of such domains. It will be understood that any transmembrane domain(s) identified for the SRT  
polypeptides of the present invention are identified pursuant to criteria routinely employed in the art for  
identifying that type of hydrophobic domain. The exact boundaries of a transmembrane domain may vary but

most likely by no more than about 5 amino acids at either end of the domain as initially identified.

"Variant SRT polypeptide" means an active SRT polypeptide as defined below having at least about 80% amino acid sequence identity with the amino acid sequence of a specifically derived fragment of any other polypeptide which will be specifically recited. Such variant SRT polypeptides include, for instance, SRT polypeptides wherein one or more amino acid residues are added, or deleted, at the N- and/or C-terminus, as well as within one or more internal domains, of the full-length amino acid sequence. Ordinarily, a variant SRT polypeptide will have at least about 80% amino acid sequence identity, more preferably at least about 81% amino acid sequence identity, more preferably at least about 82% amino acid sequence identity, more preferably at least about 83% amino acid sequence identity, more preferably at least about 84% amino acid sequence identity, more preferably at least about 85% amino acid sequence identity, more preferably at least about 86% amino acid sequence identity, more preferably at least about 87% amino acid sequence identity, more preferably at least about 88% amino acid sequence identity, more preferably at least about 89% amino acid sequence identity, more preferably at least about 90% amino acid sequence identity, more preferably at least about 91% amino acid sequence identity, more preferably at least about 92% amino acid sequence identity, more preferably at least about 93% amino acid sequence identity, more preferably at least about 94% amino acid sequence identity, more preferably at least about 95% amino acid sequence identity, more preferably at least about 96% amino acid sequence identity, more preferably at least about 97% amino acid sequence identity, more preferably at least about 98% amino acid sequence identity and yet more preferably at least about 99% amino acid sequence identity with an SRT polypeptide encoded by a nucleic acid molecule shown in one of the accompanying figures or a specified fragment thereof. SRT variant polypeptides do not encompass the native SRT polypeptide sequence. Ordinarily, SRT variant polypeptides are at least about 10 amino acids in length, often at least about 20 amino acids in length, more often at least about 30 amino acids in length, more often at least about 40 amino acids in length, more often at least about 50 amino acids in length, more often at least about 60 amino acids in length, more often at least about 70 amino acids in length, more often at least about 80 amino acids in length, more often at least about 90 amino acids in length, more often at least about 100 amino acids in length, more often at least about 150 amino acids in length, more often at least about 200 amino acids in length, more often at least about 250 amino acids in length, more often at least about 300 amino acids in length, or more.

"Percent (%) amino acid sequence identity" with respect to the SRT polypeptide sequences identified herein is defined as the percentage of amino acid residues in a candidate sequence that are identical with the amino acid residues in a SRT sequence, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity, and not considering any conservative substitutions as part of the sequence identity. Alignment for purposes of determining percent amino acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer software such as BLAST, BLAST-2, ALIGN, ALIGN-2 or Megalign (DNASTAR) software. Those skilled in the art can determine appropriate parameters for measuring alignment, including any algorithms needed to achieve maximal alignment over the full-length of the sequences being compared. For purposes herein, however, % amino acid sequence identity values are obtained as described below by using the sequence comparison computer program ALIGN-2, wherein the complete source code for the ALIGN-2 program is provided in Table

1. The ALIGN-2 sequence comparison computer program was authored by Genentech, Inc. and the source code shown in Table 1 has been filed with user documentation in the U.S. Copyright Office, Washington D.C., 20559, where it is registered under U.S. Copyright Registration No. TXU510087. The ALIGN-2 program is publicly available through Genentech, Inc., South San Francisco, California or may be compiled from the source code provided in Table 1. The ALIGN-2 program should be compiled for use on a UNIX operating system, preferably digital UNIX V4.0D. All sequence comparison parameters are set by the ALIGN-2 program and do not vary.

For purposes herein, the % amino acid sequence identity of a given amino acid sequence A to, with, or against a given amino acid sequence B (which can alternatively be phrased as a given amino acid sequence A that has or comprises a certain % amino acid sequence identity to, with, or against a given amino acid sequence B) is calculated as follows:

$$100 \text{ times the fraction } X/Y$$

where X is the number of amino acid residues scored as identical matches by the sequence alignment program ALIGN-2 in that program's alignment of A and B, and where Y is the total number of amino acid residues in B. It will be appreciated that where the length of amino acid sequence A is not equal to the length of amino acid sequence B, the % amino acid sequence identity of A to B will not equal the % amino acid sequence identity of B to A. As examples of % amino acid sequence identity calculations, Tables 2 and 3 demonstrate how to calculate the % amino acid sequence identity of the amino acid sequence designated "Comparison Protein" to the amino acid sequence designated "PRO".

Unless specifically stated otherwise, all % amino acid sequence identity values used herein are obtained as described above using the ALIGN-2 sequence comparison computer program. However, % amino acid sequence identity may also be determined using the sequence comparison program NCBI-BLAST2 (Altschul et al., Nucleic Acids Res. 25:3389-3402 (1997)). The NCBI-BLAST2 sequence comparison program may be downloaded from <http://www.ncbi.nlm.nih.gov>. NCBI-BLAST2 uses several search parameters, wherein all of those search parameters are set to default values including, for example, unmask = yes, strand = all, expected occurrences = 10, minimum low complexity length = 15/5, multi-pass e-value = 0.01, constant for multi-pass = 25, dropoff for final gapped alignment = 25 and scoring matrix = BLOSUM62.

In situations where NCBI-BLAST2 is employed for amino acid sequence comparisons, the % amino acid sequence identity of a given amino acid sequence A to, with, or against a given amino acid sequence B (which can alternatively be phrased as a given amino acid sequence A that has or comprises a certain % amino acid sequence identity to, with, or against a given amino acid sequence B) is calculated as follows:

$$100 \text{ times the fraction } X/Y$$

where X is the number of amino acid residues scored as identical matches by the sequence alignment program NCBI-BLAST2 in that program's alignment of A and B, and where Y is the total number of amino acid residues

in B. It will be appreciated that where the length of amino acid sequence A is not equal to the length of amino acid sequence B, the % amino acid sequence identity of A to B will not equal the % amino acid sequence identity of B to A.

"SRT variant polynucleotide" or "SRT variant nucleic acid sequence" means a nucleic acid molecule which has at least about 80% nucleic acid sequence identity with any of the nucleic acid sequences shown in the accompanying figures or a specified fragment thereof. Ordinarily, a SRT variant polynucleotide will have at least about 80% nucleic acid sequence identity, more preferably at least about 81% nucleic acid sequence identity, more preferably at least about 82% nucleic acid sequence identity, more preferably at least about 83% nucleic acid sequence identity, more preferably at least about 84% nucleic acid sequence identity, more preferably at least about 85% nucleic acid sequence identity, more preferably at least about 86% nucleic acid sequence identity, more preferably at least about 87% nucleic acid sequence identity, more preferably at least about 88% nucleic acid sequence identity, more preferably at least about 89% nucleic acid sequence identity, more preferably at least about 90% nucleic acid sequence identity, more preferably at least about 91% nucleic acid sequence identity, more preferably at least about 92% nucleic acid sequence identity, more preferably at least about 93% nucleic acid sequence identity, more preferably at least about 94% nucleic acid sequence identity, more preferably at least about 95% nucleic acid sequence identity, more preferably at least about 96% nucleic acid sequence identity, more preferably at least about 97% nucleic acid sequence identity, more preferably at least about 98% nucleic acid sequence identity and yet more preferably at least about 99% nucleic acid sequence identity with any of the nucleic acid sequences shown in the accompanying figures or a specified fragment thereof. SRT polynucleotide variants do not encompass the native SRT nucleotide sequence.

Ordinarily, SRT variant polynucleotides are at least about 10 nucleotides in length, often at least about 15 nucleotides in length, often at least about 20 nucleotides in length, often at least about 25 nucleotides in length, often at least about 30 nucleotides in length, often at least about 35 nucleotides in length, often at least about 40 nucleotides in length, often at least about 45 nucleotides in length, often at least about 50 nucleotides in length, often at least about 55 nucleotides in length, often at least about 60 nucleotides in length, often at least about 65 nucleotides in length, often at least about 65 nucleotides in length, often at least about 70 nucleotides in length, often at least about 75 nucleotides in length, often at least about 80 nucleotides in length, often at least about 85 nucleotides in length, often at least about 90 nucleotides in length, often at least about 95 nucleotides in length, often at least about 100 nucleotides in length, or more.

"Percent (%) nucleic acid sequence identity" with respect to the SRT polypeptide-encoding nucleic acid sequences identified herein is defined as the percentage of nucleotides in a candidate sequence that are identical with the nucleotides in a SRT polypeptide-encoding nucleic acid sequence, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity. Alignment for purposes of determining percent nucleic acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer software such as BLAST, BLAST-2, ALIGN, ALIGN-2 or Megalign (DNASTAR) software. Those skilled in the art can determine appropriate parameters for measuring alignment, including any algorithms needed to achieve maximal alignment over the full-length of the sequences being compared. For purposes herein, however, % nucleic acid sequence identity values are obtained as

described below by using the sequence comparison computer program ALIGN-2, wherein the complete source code for the ALIGN-2 program is provided in Table 1. The ALIGN-2 sequence comparison computer program was authored by Genentech, Inc. and the source code shown in Table 1 has been filed with user documentation in the U.S. Copyright Office, Washington D.C., 20559, where it is registered under U.S. Copyright Registration No. TXU510087. The ALIGN-2 program is publicly available through Genentech, Inc., South San Francisco, California or may be compiled from the source code provided in Table 1. The ALIGN-2 program should be compiled for use on a UNIX operating system, preferably digital UNIX V4.0D. All sequence comparison parameters are set by the ALIGN-2 program and do not vary.

For purposes herein, the % nucleic acid sequence identity of a given nucleic acid sequence C to, with, or against a given nucleic acid sequence D (which can alternatively be phrased as a given nucleic acid sequence C that has or comprises a certain % nucleic acid sequence identity to, with, or against a given nucleic acid sequence D) is calculated as follows:

$$100 \text{ times the fraction } W/Z$$

where W is the number of nucleotides scored as identical matches by the sequence alignment program ALIGN-2 in that program's alignment of C and D, and where Z is the total number of nucleotides in D. It will be appreciated that where the length of nucleic acid sequence C is not equal to the length of nucleic acid sequence D, the % nucleic acid sequence identity of C to D will not equal the % nucleic acid sequence identity of D to C. As examples of % nucleic acid sequence identity calculations, Tables 4 and 5 demonstrate how to calculate the % nucleic acid sequence identity of the nucleic acid sequence designated "Comparison DNA" to the nucleic acid sequence designated "PRO-DNA".

Unless specifically stated otherwise, all % nucleic acid sequence identity values used herein are obtained as described above using the ALIGN-2 sequence comparison computer program. However, % nucleic acid sequence identity may also be determined using the sequence comparison program NCBI-BLAST2 (Altschul et al., Nucleic Acids Res. 25:3389-3402 (1997)). The NCBI-BLAST2 sequence comparison program may be downloaded from <http://www.ncbi.nlm.nih.gov>. NCBI-BLAST2 uses several search parameters, wherein all of those search parameters are set to default values including, for example, unmask = yes, strand = all, expected occurrences = 10, minimum low complexity length = 15/5, multi-pass e-value = 0.01, constant for multi-pass = 25, dropoff for final gapped alignment = 25 and scoring matrix = BLOSUM62.

In situations where NCBI-BLAST2 is employed for sequence comparisons, the % nucleic acid sequence identity of a given nucleic acid sequence C to, with, or against a given nucleic acid sequence D (which can alternatively be phrased as a given nucleic acid sequence C that has or comprises a certain % nucleic acid sequence identity to, with, or against a given nucleic acid sequence D) is calculated as follows:

$$100 \text{ times the fraction } W/Z$$

where W is the number of nucleotides scored as identical matches by the sequence alignment program NCBI-

BLAST2 in that program's alignment of C and D, and where Z is the total number of nucleotides in D. It will be appreciated that where the length of nucleic acid sequence C is not equal to the length of nucleic acid sequence D, the % nucleic acid sequence identity of C to D will not equal the % nucleic acid sequence identity of D to C.

5 In other embodiments, SRT variant polynucleotides are nucleic acid molecules that encode an active SRT polypeptide and which are capable of hybridizing, preferably under stringent hybridization conditions, to any of the nucleotide sequences shown in the accompanying figures or their complements. SRT variant polypeptides may be those that are encoded by a SRT variant polynucleotide.

10 The term "positives", in the context of the amino acid sequence identity comparisons performed as described above, includes amino acid residues in the sequences compared that are not only identical, but also those that have similar properties. Amino acid residues that score a positive value to an amino acid residue of interest are those that are either identical to the amino acid residue of interest or are a preferred substitution (as defined in Table 6 below) of the amino acid residue of interest.

15 For purposes herein, the % value of positives of a given amino acid sequence A to, with, or against a given amino acid sequence B (which can alternatively be phrased as a given amino acid sequence A that has or comprises a certain % positives to, with, or against a given amino acid sequence B) is calculated as follows:

$$100 \text{ times the fraction } X/Y$$

20 where X is the number of amino acid residues scoring a positive value as defined above by the sequence alignment program ALIGN-2 in that program's alignment of A and B, and where Y is the total number of amino acid residues in B. It will be appreciated that where the length of amino acid sequence A is not equal to the length of amino acid sequence B, the % positives of A to B will not equal the % positives of B to A.

25 "Isolated," when used to describe the various polypeptides disclosed herein, means polypeptide that has been identified and separated and/or recovered from a component of its natural environment. Preferably, the isolated polypeptide is free of association with all components with which it is naturally associated. Contaminant components of its natural environment are materials that would typically interfere with diagnostic or therapeutic uses for the polypeptide, and may include enzymes, hormones, and other proteinaceous or non-proteinaceous solutes. In preferred embodiments, the polypeptide will be purified (1) to a degree sufficient to obtain at least 15 residues of N-terminal or internal amino acid sequence by use of a spinning cup sequenator, or (2) to homogeneity by SDS-PAGE under non-reducing or reducing conditions using Coomassie blue or, preferably, silver stain. Isolated polypeptide includes polypeptide *in situ* within recombinant cells, since at least one component of the SRT natural environment will not be present. Ordinarily, however, isolated polypeptide will be prepared by at least one purification step.

35 An "isolated" nucleic acid molecule encoding a SRT polypeptide is a nucleic acid molecule that is identified and separated from at least one contaminant nucleic acid molecule with which it is ordinarily associated in the natural source of the SRT-encoding nucleic acid. Preferably, the isolated nucleic is free of association with all components with which it is naturally associated. An isolated SRT-encoding nucleic acid molecule is

other than in the form or setting in which it is found in nature. Isolated nucleic acid molecules therefore are distinguished from the SRT-encoding nucleic acid molecule as it exists in natural cells. However, an isolated nucleic acid molecule encoding a SRT polypeptide includes SRT-encoding nucleic acid molecules contained in cells that ordinarily express SRT where, for example, the nucleic acid molecule is in a chromosomal location different from that of natural cells.

5       The term "control sequences" refers to DNA sequences necessary for the expression of an operably linked coding sequence in a particular host organism. The control sequences that are suitable for prokaryotes, for example, include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

10       Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a presequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a preprotein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably linked to a coding sequence if it is positioned so as to facilitate translation. Generally, "operably linked" means that the DNA sequences being linked are contiguous, and, in the case of a secretory  
15 leader, contiguous and in reading phase. However, enhancers do not have to be contiguous. Linking is accomplished by ligation at convenient restriction sites. If such sites do not exist, the synthetic oligonucleotide adaptors or linkers are used in accordance with conventional practice.

20       The term "antibody" is used in the broadest sense and specifically covers, for example, single anti-SRT monoclonal antibodies (including agonist, antagonist, and neutralizing antibodies), anti-SRT antibody compositions with polyepitopic specificity, single chain anti-SRT antibodies, and fragments of anti-SRT antibodies (see below). The term "monoclonal antibody" as used herein refers to an antibody obtained from a population of substantially homogeneous antibodies, *i.e.*, the individual antibodies comprising the population are identical except for possible naturally-occurring mutations that may be present in minor amounts.

25       "Stringency" of hybridization reactions is readily determinable by one of ordinary skill in the art, and generally is an empirical calculation dependent upon probe length, washing temperature, and salt concentration. In general, longer probes require higher temperatures for proper annealing, while shorter probes need lower temperatures. Hybridization generally depends on the ability of denatured DNA to reanneal when complementary strands are present in an environment below their melting temperature. The higher the degree of desired homology between the probe and hybridizable sequence, the higher the relative temperature which  
30 can be used. As a result, it follows that higher relative temperatures would tend to make the reaction conditions more stringent, while lower temperatures less so. For additional details and explanation of stringency of hybridization reactions, see Ausubel *et al.*, Current Protocols in Molecular Biology, Wiley Interscience Publishers, (1995).

35       "Stringent conditions" or "high stringency conditions", as defined herein, may be identified by those that: (1) employ low ionic strength and high temperature for washing, for example 0.015 M sodium chloride/0.0015 M sodium citrate/0.1% sodium dodecyl sulfate at 50°C; (2) employ during hybridization a denaturing agent, such as formamide, for example, 50% (v/v) formamide with 0.1% bovine serum



albumin/0.1% Ficoll/0.1% polyvinylpyrrolidone/50mM sodium phosphate buffer at pH 6.5 with 750 mM sodium chloride, 75 mM sodium citrate at 42°C; or (3) employ 50% formamide, 5 x SSC (0.75 M NaCl, 0.075 M sodium citrate), 50 mM sodium phosphate (pH 6.8), 0.1% sodium pyrophosphate, 5 x Denhardt's solution, sonicated salmon sperm DNA (50 µg/ml), 0.1% SDS, and 10% dextran sulfate at 42°C, with washes at 42°C in 0.2 x SSC (sodium chloride/sodium citrate) and 50% formamide at 55°C, followed by a high-stringency wash consisting of 0.1 x SSC containing EDTA at 55°C.

"Moderately stringent conditions" may be identified as described by Sambrook *et al.*, Molecular Cloning: A Laboratory Manual, New York: Cold Spring Harbor Press, 1989, and include the use of washing solution and hybridization conditions (e.g., temperature, ionic strength and %SDS) less stringent than those described above. An example of moderately stringent conditions is overnight incubation at 37°C in a solution comprising: 20% formamide, 5 x SSC (150 mM NaCl, 15 mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5 x Denhardt's solution, 10% dextran sulfate, and 20 mg/ml denatured sheared salmon sperm DNA, followed by washing the filters in 1 x SSC at about 37-50°C. The skilled artisan will recognize how to adjust the temperature, ionic strength, etc. as necessary to accommodate factors such as probe length and the like.

The term "epitope tagged" when used herein refers to a chimeric polypeptide comprising a SRT polypeptide fused to a "tag polypeptide". The tag polypeptide has enough residues to provide an epitope against which an antibody can be made, yet is short enough such that it does not interfere with activity of the polypeptide to which it is fused. The tag polypeptide preferably also is fairly unique so that the antibody does not substantially cross-react with other epitopes. Suitable tag polypeptides generally have at least six amino acid residues and usually between about 8 and 50 amino acid residues (preferably, between about 10 and 20 amino acid residues).

As used herein, the term "immunoadhesin" designates antibody-like molecules which combine the binding specificity of a heterologous protein (an "adhesin") with the effector functions of immunoglobulin constant domains. Structurally, the immunoadhesins comprise a fusion of an amino acid sequence with the desired binding specificity which is other than the antigen recognition and binding site of an antibody (i.e., is "heterologous"), and an immunoglobulin constant domain sequence. The adhesin part of an immunoadhesin molecule typically is a contiguous amino acid sequence comprising at least the binding site of a receptor or a ligand. The immunoglobulin constant domain sequence in the immunoadhesin may be obtained from any immunoglobulin, such as IgG-1, IgG-2, IgG-3, or IgG-4 subtypes, IgA (including IgA-1 and IgA-2), IgE, IgD or IgM.

"Active" or "activity" for the purposes herein refers to form(s) of SRT which retain a biological and/or an immunological activity of native or naturally-occurring SRT, wherein "biological" activity refers to a biological function (either inhibitory or stimulatory) caused by a native or naturally-occurring SRT other than the ability to induce the production of an antibody against an antigenic epitope possessed by a native or naturally-occurring SRT and an "immunological" activity refers to the ability to induce the production of an antibody against an antigenic epitope possessed by a native or naturally-occurring SRT.

The term "antagonist" is used in the broadest sense, and includes any molecule that partially or fully blocks, inhibits, or neutralizes a biological activity of a native SRT polypeptide disclosed herein. In a similar

manner, the term "agonist" is used in the broadest sense and includes any molecule that mimics a biological activity of a native SRT polypeptide disclosed herein. Suitable agonist or antagonist molecules specifically include agonist or antagonist antibodies or antibody fragments, fragments or amino acid sequence variants of native SRT polypeptides, peptides, small organic molecules, etc. Methods for identifying agonists or antagonists of a SRT polypeptide may comprise contacting a SRT polypeptide with a candidate agonist or antagonist molecule and measuring a detectable change in one or more biological activities normally associated with the SRT polypeptide.

"Treatment" refers to both therapeutic treatment and prophylactic or preventative measures, wherein the object is to prevent or slow down (lessen) the targeted pathologic condition or disorder. Those in need of treatment include those already with the disorder as well as those prone to have the disorder or those in whom the disorder is to be prevented.

"Chronic" administration refers to administration of the agent(s) in a continuous mode as opposed to an acute mode, so as to maintain the initial therapeutic effect (activity) for an extended period of time. "Intermittent" administration is treatment that is not consecutively done without interruption, but rather is cyclic in nature.

"Mammal" for purposes of treatment refers to any animal classified as a mammal, including humans, domestic and farm animals, and zoo, sports, or pet animals, such as dogs, cats, cattle, horses, sheep, pigs, goats, rabbits, etc. Preferably, the mammal is human.

Administration "in combination with" one or more further therapeutic agents includes simultaneous (concurrent) and consecutive administration in any order.

"Carriers" as used herein include pharmaceutically acceptable carriers, excipients, or stabilizers which are nontoxic to the cell or mammal being exposed thereto at the dosages and concentrations employed. Often the physiologically acceptable carrier is an aqueous pH buffered solution. Examples of physiologically acceptable carriers include buffers such as phosphate, citrate, and other organic acids; antioxidants including ascorbic acid; low molecular weight (less than about 10 residues) polypeptide; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids such as glycine, glutamine, asparagine, arginine or lysine; monosaccharides, disaccharides, and other carbohydrates including glucose, mannose, or dextrins; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; salt-forming counterions such as sodium; and/or nonionic surfactants such as TWEEN™, polyethylene glycol (PEG), and PLURONICS™.

"Antibody fragments" comprise a portion of an intact antibody, preferably the antigen binding or variable region of the intact antibody. Examples of antibody fragments include Fab, Fab', F(ab')<sub>2</sub>, and Fv fragments; diabodies; linear antibodies (Zapata et al., *Protein Eng.* 8(10): 1057-1062 [1995]); single-chain antibody molecules; and multispecific antibodies formed from antibody fragments.

Papain digestion of antibodies produces two identical antigen-binding fragments, called "Fab" fragments, each with a single antigen-binding site, and a residual "Fc" fragment, a designation reflecting the ability to crystallize readily. Pepsin treatment yields an F(ab')<sub>2</sub> fragment that has two antigen-combining sites and is still capable of cross-linking antigen.

"Fv" is the minimum antibody fragment which contains a complete antigen-recognition and -binding site. This region consists of a dimer of one heavy- and one light-chain variable domain in tight, non-covalent association. It is in this configuration that the three CDRs of each variable domain interact to define an antigen-binding site on the surface of the VH-VL dimer. Collectively, the six CDRs confer antigen-binding specificity to the antibody. However, even a single variable domain (or half of an Fv comprising only three CDRs specific for an antigen) has the ability to recognize and bind antigen, although at a lower affinity than the entire binding site.

The Fab fragment also contains the constant domain of the light chain and the first constant domain (CH1) of the heavy chain. Fab fragments differ from Fab' fragments by the addition of a few residues at the carboxy terminus of the heavy chain CH1 domain including one or more cysteines from the antibody hinge region. Fab'-SH is the designation herein for Fab' in which the cysteine residue(s) of the constant domains bear a free thiol group. F(ab')<sub>2</sub> antibody fragments originally were produced as pairs of Fab' fragments which have hinge cysteines between them. Other chemical couplings of antibody fragments are also known.

The "light chains" of antibodies (immunoglobulins) from any vertebrate species can be assigned to one of two clearly distinct types, called kappa and lambda, based on the amino acid sequences of their constant domains.

Depending on the amino acid sequence of the constant domain of their heavy chains, immunoglobulins can be assigned to different classes. There are five major classes of immunoglobulins: IgA, IgD, IgE, IgG, and IgM, and several of these may be further divided into subclasses (isotypes), e.g., IgG1, IgG2, IgG3, IgG4, IgA, and IgA2.

"Single-chain Fv" or "sFv" antibody fragments comprise the VH and VL domains of antibody, wherein these domains are present in a single polypeptide chain. Preferably, the Fv polypeptide further comprises a polypeptide linker between the VH and VL domains which enables the sFv to form the desired structure for antigen binding. For a review of sFv, see Pluckthun in The Pharmacology of Monoclonal Antibodies, vol. 113, Rosenberg and Moore eds., Springer-Verlag, New York, pp. 269-315 (1994).

The term "diabodies" refers to small antibody fragments with two antigen-binding sites, which fragments comprise a heavy-chain variable domain (VH) connected to a light-chain variable domain (VL) in the same polypeptide chain (VH - VL). By using a linker that is too short to allow pairing between the two domains on the same chain, the domains are forced to pair with the complementary domains of another chain and create two antigen-binding sites. Diabodies are described more fully in, for example, EP 404,097; WO 93/11161; and Hollinger et al., Proc. Natl. Acad. Sci. USA, 90:6444-6448 (1993).

An "isolated" antibody is one which has been identified and separated and/or recovered from a component of its natural environment. Contaminant components of its natural environment are materials which would interfere with diagnostic or therapeutic uses for the antibody, and may include enzymes, hormones, and other proteinaceous or nonproteinaceous solutes. In preferred embodiments, the antibody will be purified (1) to greater than 95% by weight of antibody as determined by the Lowry method, and most preferably more than 99% by weight, (2) to a degree sufficient to obtain at least 15 residues of N-terminal or internal amino acid sequence by use of a spinning cup sequenator, or (3) to homogeneity by SDS-PAGE under reducing or

nonreducing conditions using Coomassie blue or, preferably, silver stain. Isolated antibody includes the antibody in situ within recombinant cells since at least one component of the antibody's natural environment will not be present. Ordinarily, however, isolated antibody will be prepared by at least one purification step.

5 An antibody that "specifically binds to" or is "specific for" a particular polypeptide or an epitope on a particular polypeptide is one that binds to that particular polypeptide or epitope on a particular polypeptide without substantially binding to any other polypeptide or polypeptide epitope.

The word "label" when used herein refers to a detectable compound or composition which is conjugated directly or indirectly to the antibody so as to generate a "labeled" antibody. The label may be detectable by itself (e.g. radioisotope labels or fluorescent labels) or, in the case of an enzymatic label, may catalyze chemical alteration of a substrate compound or composition which is detectable.

10 By "solid phase" is meant a non-aqueous matrix to which the antibody of the present invention can adhere. Examples of solid phases encompassed herein include those formed partially or entirely of glass (e.g., controlled pore glass), polysaccharides (e.g., agarose), polyacrylamides, polystyrene, polyvinyl alcohol and silicones. In certain embodiments, depending on the context, the solid phase can comprise the well of an assay plate; in others it is a purification column (e.g., an affinity chromatography column). This term also includes  
15 a discontinuous solid phase of discrete particles, such as those described in U.S. Patent No. 4,275,149.

A "liposome" is a small vesicle composed of various types of lipids, phospholipids and/or surfactant which is useful for delivery of a drug (such as a SRT polypeptide or antibody thereto) to a mammal. The components of the liposome are commonly arranged in a bilayer formation, similar to the lipid arrangement of biological membranes.

20 A "small molecule" is defined herein to have a molecular weight below about 500 Daltons.

An "oligonucleotide" or "oligomer" is a stretch of nucleotide residues which has a sufficient number of bases to be used in a polymerase chain reaction (PCR). These sequences are based on (or designed from) genomic or cDNA sequences and may be used to amplify, confirm, or reveal the presence of an identical, similar or complementary DNA or RNA in a particular cell or tissue. Oligonucleotides or oligomers comprise portions  
25 of a DNA sequence having at least about 10 nucleotides as described above. Oligonucleotides may be chemically synthesized and may be used as probes.

"Probes" are nucleic acid sequences of variable length, preferably between about 10 and as many as about 6000 nucleotides, depending upon use. They are used in the detection of identical, similar or complementary nucleic acid sequences. Longer length probes are usually obtained from a natural or recombinant source, are highly specific and are often much slower to hybridize to a target nucleic acid than are oligomers. Probes may be single- or double-stranded and may be carefully designed to have specificity in PCR, hybridization membrane-based, or ELISA-like technologies.

30 "Detectably labeled" with regard to a nucleic acid molecule of the present invention means that the molecule has attached thereto, either covalently or non-covalently, a compound which is detectable such as, for example, radionuclides, enzymes, fluorescent, chemi-luminescent, or chromogenic agents. Detectable labels associate with, establish the presence of, and may allow quantification of a particular nucleic or amino acid sequence.

A "portion" or "fragment" of a polynucleotide or nucleic acid molecule comprises all or any part of the nucleotide sequence having fewer nucleotides than about 6 kb, preferably fewer than about 1 kb which can be used as a probe. Such probes may be labelled with detectable labels using nick translation, Klenow fill-in reaction, PCR or other methods well known in the art. After pretesting to optimize reaction conditions and to eliminate false positives, nucleic acid probes may be used in Southern, Northern or in situ hybridizations to  
5 determine whether DNA or RNA encoding the protein is present in a biological sample, cell type, tissue, organ or organism.

Table 1

```

/*
 *
 * C-C increased from 12 to 15
 * Z is average of EQ
5  * B is average of ND
 * match with stop is _M; stop-stop = 0; J (joker) match = 0
 */
#define _M      -8      /* value of a match with a stop */

10 int  _day[26][26] = {
/*  A B C D E F G H I J K L M N O P Q R S T U V W X Y Z */
/* A */  { 2, 0, -2, 0, 0, -4, 1, -1, -1, 0, -1, -2, -1, 0, _M, 1, 0, -2, 1, 1, 0, 0, -6, 0, -3, 0},
/* B */  { 0, 3, -4, 3, 2, -5, 0, 1, -2, 0, 0, -3, -2, 2, _M, -1, 1, 0, 0, 0, 0, -2, -5, 0, -3, 1},
/* C */  {-2, -4, 15, -5, -5, -4, -3, -3, -2, 0, -5, -6, -5, -4, _M, -3, -5, -4, 0, -2, 0, -2, -8, 0, 0, -5},
15 /* D */  { 0, 3, -5, 4, 3, -6, 1, 1, -2, 0, 0, -4, -3, 2, _M, -1, 2, -1, 0, 0, 0, -2, -7, 0, -4, 2},
/* E */  { 0, 2, -5, 3, 4, -5, 0, 1, -2, 0, 0, -3, -2, 1, _M, -1, 2, -1, 0, 0, 0, -2, -7, 0, -4, 3},
/* F */  {-4, -5, -4, -6, -5, 9, -5, -2, 1, 0, -5, 2, 0, -4, _M, -5, -5, -4, -3, -3, 0, -1, 0, 0, 7, -5},
/* G */  { 1, 0, -3, 1, 0, -5, 5, -2, -3, 0, -2, -4, -3, 0, _M, -1, -1, -3, 1, 0, 0, -1, -7, 0, -5, 0},
/* H */  {-1, 1, -3, 1, 1, -2, -2, 6, -2, 0, 0, -2, -2, 2, _M, 0, 3, 2, -1, -1, 0, -2, -3, 0, 0, 2},
20 /* I */  {-1, -2, -2, -2, -2, 1, -3, -2, 5, 0, -2, 2, 2, -2, _M, -2, -2, -2, -1, 0, 0, 4, -5, 0, -1, -2},
/* J */  { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0},
/* K */  {-1, 0, -5, 0, 0, -5, -2, 0, -2, 0, 5, -3, 0, 1, _M, -1, 1, 3, 0, 0, 0, -2, -3, 0, -4, 0},
/* L */  {-2, -3, -6, -4, -3, 2, -4, -2, 2, 0, -3, 6, 4, -3, _M, -3, -2, -3, -3, -1, 0, 2, -2, 0, -1, -2},
/* M */  {-1, -2, -5, -3, -2, 0, -3, -2, 2, 0, 0, 4, 6, -2, _M, -2, -1, 0, -2, -1, 0, 2, -4, 0, -2, -1},
25 /* N */  { 0, 2, -4, 2, 1, -4, 0, 2, -2, 0, 1, -3, -2, 2, _M, -1, 1, 0, 1, 0, 0, -2, -4, 0, -2, 1},
/* O */  { _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, 0, _M, _M, _M, _M, _M, _M, _M, _M, _M},
/* P */  { 1, -1, -3, -1, -1, -5, -1, 0, -2, 0, -1, -3, -2, -1, _M, 6, 0, 0, 1, 0, 0, -1, -6, 0, -5, 0},
/* Q */  { 0, 1, -5, 2, 2, -5, -1, 3, -2, 0, 1, -2, -1, 1, _M, 0, 4, 1, -1, -1, 0, -2, -5, 0, -4, 3},
/* R */  {-2, 0, -4, -1, -1, -4, -3, 2, -2, 0, 3, -3, 0, 0, _M, 0, 1, 6, 0, -1, 0, -2, 2, 0, -4, 0},
30 /* S */  { 1, 0, 0, 0, 0, -3, 1, -1, -1, 0, 0, -3, -2, 1, _M, 1, -1, 0, 2, 1, 0, -1, -2, 0, -3, 0},
/* T */  { 1, 0, -2, 0, 0, -3, 0, -1, 0, 0, 0, -1, -1, 0, _M, 0, -1, -1, 1, 3, 0, 0, -5, 0, -3, 0},
/* U */  { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0},
/* V */  { 0, -2, -2, -2, -2, -1, -1, -2, 4, 0, -2, 2, 2, -2, _M, -1, -2, -2, -1, 0, 0, 4, -6, 0, -2, -2},
/* W */  {-6, -5, -8, -7, -7, 0, -7, -3, -5, 0, -3, -2, -4, -4, _M, -6, -5, 2, -2, -5, 0, -6, 17, 0, 0, -6},
35 /* X */  { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0},
/* Y */  {-3, -3, 0, -4, -4, 7, -5, 0, -1, 0, -4, -1, -2, -2, _M, -5, -4, -4, -3, -3, 0, -2, 0, 0, 10, -4},
/* Z */  { 0, 1, -5, 2, 3, -5, 0, 2, -2, 0, 0, -2, -1, 1, _M, 0, 3, 0, 0, 0, 0, -2, -6, 0, -4, 4}
};

40

45

50

55

```

**Table 1 (cont')**

```

/*
*/
#include <stdio.h>
#include <ctype.h>

5
#define MAXJMP      16      /* max jumps in a diag */
#define MAXGAP      24      /* don't continue to penalize gaps larger than this */
#define JMPS        1024    /* max jumps in an path */
#define MX          4       /* save if there's at least MX-1 bases since last jmp */

10
#define DMAT         3       /* value of matching bases */
#define DMIS         0       /* penalty for mismatched bases */
#define DINS0        8       /* penalty for a gap */
#define DINS1        1       /* penalty per base */
15
#define PINS0        8       /* penalty for a gap */
#define PINS1        4       /* penalty per residue */

struct jmp {
20
    short            n[MAXJMP]; /* size of jmp (neg for dely) */
    unsigned short   x[MAXJMP]; /* base no. of jmp in seq x */
}; /* limits seq to 2^16 -1 */

struct diag {
25
    int              score;      /* score at last jmp */
    long             offset;     /* offset of prev block */
    short            ijmp;       /* current jmp index */
    struct jmp        jp;        /* list of jmps */
};

30
struct path {
    int              spc;        /* number of leading spaces */
    short            n[JMPS];    /* size of jmp (gap) */
    int              x[JMPS];    /* loc of jmp (last elem before gap) */
};

35
char                *ofile;      /* output file name */
char                *names[2];   /* seq names: getseqs() */
char                *prog;       /* prog name for err msgs */
char                *seqx[2];    /* seqs: getseqs() */
40
int                 dmax;        /* best diag: nw() */
int                 dmax0;       /* final diag */
int                 dna;         /* set if dna: main() */
int                 endgaps;     /* set if penalizing end gaps */
int                 gapx, gapy;   /* total gaps in seqs */
45
int                 len0, len1;   /* seq lens */
int                 ngapx, ngapy; /* total size of gaps */
int                 smax;        /* max score: nw() */
int                 *xbm;        /* bitmap for matching */
int                 offset;     /* current offset in jmp file */
50
long                diag         /* holds diagonals */
struct              path        /* holds path for seqs */
    struct           path;

char                *calloc(), *malloc(), *index(), *strcpy();
55
char                *getseq(), *g_calloc();

60

```

Table 1 (cont')

```

/* Needleman-Wunsch alignment program
*
* usage: progs file1 file2
*   where file1 and file2 are two dna or two protein sequences.
5  * The sequences can be in upper- or lower-case and may contain ambiguity
*   Any lines beginning with ';', '>' or '<' are ignored
*   Max file length is 65535 (limited by unsigned short x in the jmp struct)
*   A sequence with 1/3 or more of its elements ACGTU is assumed to be DNA
10  * Output is in the file "align.out"
*
* The program may create a tmp file in /tmp to hold info about traceback.
* Original version developed under BSD 4.3 on a vax 8650
*/
#include "nw.h"
15 #include "day.h"

static _dbval[26] = {
    1, 14, 2, 13, 0, 0, 4, 11, 0, 0, 12, 0, 3, 15, 0, 0, 0, 5, 6, 8, 8, 7, 9, 0, 10, 0
};
20
static _pbval[26] = {
    1, 2 | (1 < < ('D'-'A')) | (1 < < ('N'-'A')), 4, 8, 16, 32, 64,
    128, 256, 0xFFFFFFFF, 1 < < 10, 1 < < 11, 1 < < 12, 1 < < 13, 1 < < 14,
    1 < < 15, 1 < < 16, 1 < < 17, 1 < < 18, 1 < < 19, 1 < < 20, 1 < < 21, 1 < < 22,
25 1 < < 23, 1 < < 24, 1 < < 25 | (1 < < ('E'-'A')) | (1 < < ('Q'-'A'))
};

main(ac, av)                                main
30     int    ac;
     char    *av[];
{
    prog = av[0];
    if (ac != 3) {
35         fprintf(stderr, "usage: %s file1 file2\n", prog);
         fprintf(stderr, "where file1 and file2 are two dna or two protein sequences.\n");
         fprintf(stderr, "The sequences can be in upper- or lower-case\n");
         fprintf(stderr, "Any lines beginning with ';' or '<' are ignored\n");
         fprintf(stderr, "Output is in the file \"align.out\"\n");
         exit(1);
40     }
     namex[0] = av[1];
     namex[1] = av[2];
     seqx[0] = getseq(namex[0], &len0);
     seqx[1] = getseq(namex[1], &len1);
45     xbm = (dna)? _dbval : _pbval;

     endgaps = 0;                                /* 1 to penalize endgaps */
     ofile = "align.out";                        /* output file */

50     nw();                                /* fill in the matrix, get the possible jmps */
     readjumps();                            /* get the actual jmps */
     print();                                /* print stats, alignment */

55     cleanup(0);                            /* unlink any tmp files */
}

```



Table 1 (cont')

```

/* do the alignment, return best score: main()
* dna: values in Fitch and Smith, PNAS, 80, 1382-1386, 1983
* pro: PAM 250 values
* When scores are equal, we prefer mismatches to any gap, prefer
5 * a new gap to extending an ongoing gap, and prefer a gap in seqx
  * to a gap in seq y.
  */
nw()
{
10     char      *px, *py;          /* seqs and ptrs */
        int      *ndely, *dely;    /* keep track of dely */
        int      ndelx, delx;      /* keep track of delx */
        int      *tmp;            /* for swapping row0, row1 */
        int      mis;             /* score for each type */
15     int      ins0, ins1;         /* insertion penalties */
        register id;               /* diagonal index */
        register ij;              /* jmp index */
        register *col0, *col1;    /* score for curr, last row */
        register xx, yy;          /* index into seqs */
20
        dx = (struct diag *)g_calloc("to get diags", len0+len1+1, sizeof(struct diag));

        ndely = (int *)g_calloc("to get ndely", len1+1, sizeof(int));
        dely = (int *)g_calloc("to get dely", len1+1, sizeof(int));
25     col0 = (int *)g_calloc("to get col0", len1+1, sizeof(int));
        col1 = (int *)g_calloc("to get col1", len1+1, sizeof(int));
        ins0 = (dna)? DINS0 : PINS0;
        ins1 = (dna)? DINS1 : PINS1;

30     smax = -10000;
        if (endgaps) {
            for (col0[0] = dely[0] = -ins0, yy = 1; yy <= len1; yy++) {
                col0[yy] = dely[yy] = col0[yy-1] - ins1;
                ndely[yy] = yy;
35             }
            col0[0] = 0;          /* Waterman Bull Math Biol 84 */
        }
        else
            for (yy = 1; yy <= len1; yy++)
40             dely[yy] = -ins0;

        /* fill in match matrix
        */
45     for (px = seqx[0], xx = 1; xx <= len0; px++, xx++) {
        /* initialize first entry in col
        */
            if (endgaps) {
                if (xx == 1)
                    col1[0] = delx = -(ins0+ins1);
50                 else
                    col1[0] = delx = col0[0] - ins1;
                ndelx = xx;
            }
            else {
55                 col1[0] = 0;
                delx = -ins0;
                ndelx = 0;
            }
60
    }

```

Table 1 (cont')

...nw

```

for (py = seqx[1], yy = 1; yy <= len1; py++, yy++) {
    mis = col0[yy-1];
    if (dna)
        mis += (xbm[*px-'A']&xbm[*py-'A'])? DMAT : DMIS;
    else
        mis += _day[*px-'A'][*py-'A'];

    /* update penalty for del in x seq;
    * favor new del over ongoing del
    * ignore MAXGAP if weighting endgaps
    */
    if (endgaps || ndely[yy] < MAXGAP) {
        if (col0[yy] - ins0 >= dely[yy]) {
            dely[yy] = col0[yy] - (ins0+ins1);
            ndely[yy] = 1;
        } else {
            dely[yy] -= ins1;
            ndely[yy]++;
        }
    } else {
        if (col0[yy] - (ins0+ins1) >= dely[yy]) {
            dely[yy] = col0[yy] - (ins0+ins1);
            ndely[yy] = 1;
        } else
            ndely[yy]++;
    }

    /* update penalty for del in y seq;
    * favor new del over ongoing del
    */
    if (endgaps || ndelx < MAXGAP) {
        if (col1[yy-1] - ins0 >= delx) {
            delx = col1[yy-1] - (ins0+ins1);
            ndelx = 1;
        } else {
            delx -= ins1;
            ndelx++;
        }
    } else {
        if (col1[yy-1] - (ins0+ins1) >= delx) {
            delx = col1[yy-1] - (ins0+ins1);
            ndelx = 1;
        } else
            ndelx++;
    }

    /* pick the maximum score; we're favoring
    * mis over any del and delx over dely
    */

```

**Table 1 (cont')**

...nw

```

id = xx - yy + len1 - 1;
if (mis >= delx && mis >= dely[yy])
    coll[yy] = mis;
5   else if (delx >= dely[yy]) {
        coll[yy] = delx;
        ij = dx[id].ijmp;
        if (dx[id].jp.n[0] && (!dna || (ndelx >= MAXJMP
10   && xx > dx[id].jp.x[ij]+MX) || mis > dx[id].score+DINS0)) {
            dx[id].ijmp++;
            if (++ij >= MAXJMP) {
                writejumps(id);
                ij = dx[id].ijmp = 0;
                dx[id].offset = offset;
                offset += sizeof(struct jmp) + sizeof(offset);
15   }
            }
        dx[id].jp.n[ij] = ndelx;
        dx[id].jp.x[ij] = xx;
        dx[id].score = delx;
20   }
    else {
        coll[yy] = dely[yy];
        ij = dx[id].ijmp;
25   if (dx[id].jp.n[0] && (!dna || (ndely[yy] >= MAXJMP
        && xx > dx[id].jp.x[ij]+MX) || mis > dx[id].score+DINS0)) {
            dx[id].ijmp++;
            if (++ij >= MAXJMP) {
                writejumps(id);
                ij = dx[id].ijmp = 0;
                dx[id].offset = offset;
                offset += sizeof(struct jmp) + sizeof(offset);
30   }
            }
        }
        dx[id].jp.n[ij] = -ndely[yy];
        dx[id].jp.x[ij] = xx;
        dx[id].score = dely[yy];
35   }
    if (xx == len0 && yy < len1) {
        /* last col
        */
        if (endgaps)
            coll[yy] -= ins0+ins1*(len1-yy);
        if (coll[yy] > smax) {
45   smax = coll[yy];
            dmax = id;
        }
    }
}
50   if (endgaps && xx < len0)
        coll[yy-1] -= ins0+ins1*(len0-xx);
    if (coll[yy-1] > smax) {
        smax = coll[yy-1];
        dmax = id;
55   }
    tmp = col0; col0 = col1; col1 = tmp;
}
(void) free((char *)ndely);
(void) free((char *)dely);
(void) free((char *)col0);
60   (void) free((char *)coll);
    }

```

Table 1 (cont')

```

/*
 *
 * print() -- only routine visible outside this module
 *
5  * static:
 * getmat() -- trace back best path, count matches: print()
 * pr_align() -- print alignment of described in array p[]: print()
 * dumpblock() -- dump a block of lines with numbers, stars: pr_align()
 * nums() -- put out a number line: dumpblock()
10 * putline() -- put out a line (name, [num], seq, [num]): dumpblock()
 * stars() -- put a line of stars: dumpblock()
 * stripname() -- strip any path and prefix from a seqname
 */

15 #include "nw.h"

#define SPC      3
#define P_LINE  256 /* maximum output line */
#define P_SPC    3   /* space between name or num and seq */

20 extern _day[26][26];
int olen; /* set output line length */
FILE *fx; /* output file */

25 print()
{
    int lx, ly, firstgap, lastgap; /* overlap */

    if ((fx = fopen(ofile, "w")) == 0) {
30         fprintf(stderr, "%s: can't write %s\n", prog, ofile);
        cleanup(1);
    }
    fprintf(fx, "< first sequence: %s (length = %d)\n", namex[0], len0);
    fprintf(fx, "< second sequence: %s (length = %d)\n", namex[1], len1);
35     olen = 60;
    lx = len0;
    ly = len1;
    firstgap = lastgap = 0;
    if (dmax < len1 - 1) { /* leading gap in x */
40         pp[0].spc = firstgap = len1 - dmax - 1;
        ly -= pp[0].spc;
    }
    else if (dmax > len1 - 1) { /* leading gap in y */
45         pp[1].spc = firstgap = dmax - (len1 - 1);
        lx -= pp[1].spc;
    }
    if (dmax0 < len0 - 1) { /* trailing gap in x */
50         lastgap = len0 - dmax0 - 1;
        lx -= lastgap;
    }
    else if (dmax0 > len0 - 1) { /* trailing gap in y */
        lastgap = dmax0 - (len0 - 1);
        ly -= lastgap;
    }
55     getmat(lx, ly, firstgap, lastgap);
    pr_align();
}

60

```

print

**Table 1 (cont')**

```

/*
 * trace back the best path, count matches
 */
static
5 getmat(lx, ly, firstgap, lastgap)                                getmat
    int    lx, ly;                                /* "core" (minus endgaps) */
    int    firstgap, lastgap;                      /* leading trailing overlap */
{
    int    nm, i0, i1, siz0, siz1;
10    char    outx[32];
    double    pct;
    register    n0, n1;
    register char    *p0, *p1;

15    /* get total matches, score
    */
    i0 = i1 = siz0 = siz1 = 0;
    p0 = seqx[0] + pp[1].spc;
    p1 = seqx[1] + pp[0].spc;
20    n0 = pp[1].spc + 1;
    n1 = pp[0].spc + 1;

    nm = 0;
    while ( *p0 && *p1 ) {
25        if (siz0) {
            p1++;
            n1++;
            siz0--;
        }
30        else if (siz1) {
            p0++;
            n0++;
            siz1--;
        }
35        else {
            if (xbm[*p0-'A'] & xbm[*p1-'A'])
                nm++;
            if (n0++ == pp[0].x[i0])
                siz0 = pp[0].n[i0++];
40            if (n1++ == pp[1].x[i1])
                siz1 = pp[1].n[i1++];
            p0++;
            p1++;
        }
45    }

    /* pct homology:
    * if penalizing endgaps, base is the shorter seq
    * else, knock off overhangs and take shorter core
50    */
    if (endgaps)
        lx = (len0 < len1)? len0 : len1;
    else
        lx = (lx < ly)? lx : ly;
55    pct = 100.*(double)nm/(double)lx;
    fprintf(fx, "\n");
    fprintf(fx, "< %d match%s in an overlap of %d: %.2f percent similarity\n",
        nm, (nm == 1)? "" : "es", lx, pct);
60

```

**Table 1 (cont')**

```

fprintf(fx, "< gaps in first sequence: %d", gapx);
if (gapx) {
    (void) sprintf(outx, " (%d %s%s)",
        ngapx, (dna)? "base":"residue", (ngapx == 1)? "" : "s");
    fprintf(fx, "%s", outx);

    fprintf(fx, ", gaps in second sequence: %d", gapy);
    if (gapy) {
        (void) sprintf(outx, " (%d %s%s)",
            ngapy, (dna)? "base":"residue", (ngapy == 1)? "" : "s");
        fprintf(fx, "%s", outx);
    }
    if (dna)
        fprintf(fx,
            "\n<score: %d (match = %d, mismatch = %d, gap penalty = %d + %d per base)\n",
            smax, DMAT, DMIS, DINS0, DINS1);
    else
        fprintf(fx,
            "\n<score: %d (Dayhoff PAM 250 matrix, gap penalty = %d + %d per residue)\n",
            smax, PINS0, PINS1);
    if (endgaps)
        fprintf(fx,
            "<endgaps penalized. left endgap: %d %s%s, right endgap: %d %s%s\n",
            firstgap, (dna)? "base" : "residue", (firstgap == 1)? "" : "s",
            lastgap, (dna)? "base" : "residue", (lastgap == 1)? "" : "s");
    else
        fprintf(fx, "<endgaps not penalized\n");
}

static      nm;          /* matches in core -- for checking */
static      lmax;        /* lengths of stripped file names */
static      ij[2];       /* jmp index for a path */
static      nc[2];       /* number at start of current line */
static      ni[2];       /* current elem number -- for gapping */
static      siz[2];
static char *ps[2];      /* ptr to current element */
static char *po[2];      /* ptr to next output char slot */
static char out[2][P_LINE]; /* output line */
static char star[P_LINE]; /* set by stars() */

/*
 * print alignment of described in struct path pp[]
 */
static
pr_align()
{
    int      nn;          /* char count */
    int      more;
    register i;

    for (i = 0, lmax = 0; i < 2; i++) {
        nn = stripname(name[i]);
        if (nn > lmax)
            lmax = nn;

        nc[i] = 1;
        ni[i] = 1;
        siz[i] = ij[i] = 0;
        ps[i] = seqx[i];
        po[i] = out[i];
    }
}

```

...getmat

pr\_align

Table 1 (cont')

```

for (nn = nm = 0, more = 1; more; ) {
    for (i = more = 0; i < 2; i++) {
        /*
5         * do we have more of this sequence?
        */
        if (!*ps[i])
            continue;

10         more++;

        if (pp[i].spc) { /* leading space */
            *po[i]++ = ' ';
            pp[i].spc--;
15        }
        else if (siz[i]) { /* in a gap */
            *po[i]++ = '-';
            siz[i]--;
20        }
        else { /* we're putting a seq element
            */
            *po[i] = *ps[i];
            if (islower(*ps[i]))
                *ps[i] = toupper(*ps[i]);
25            po[i]++;
            ps[i]++;

            /*
            * are we at next gap for this seq?
            */
            if (ni[i] == pp[i].x[ij[i]]) {
                /*
                * we need to merge all gaps
                * at this location
                */
30                siz[i] = pp[i].n[ij[i] + +];
                while (ni[i] == pp[i].x[ij[i]])
                    siz[i] += pp[i].n[ij[i] + +];
35                }
                ni[i]++;
40            }
        }
        if (++nn == olen || !more && nn) {
            dumpblock();
            for (i = 0; i < 2; i++)
                po[i] = out[i];
            nn = 0;
45        }
    }
50 }

/*
 * dump a block of lines, including numbers, stars: pr_align()
 */
55 static
dumpblock()
{
    register i;

60    for (i = 0; i < 2; i++)
        *po[i]-- = '\0';

```

...pr\_align

dumpblock

Table 1 (cont')

...dumpblock

```

5      (void) putc('\n', fx);
      for (i = 0; i < 2; i++) {
          if (*out[i] && (*out[i] != ' ' || *(po[i]) != ' ')) {
              if (i == 0)
                  nums(i);
              if (i == 0 && *out[1])
                  stars();
10         putline(i);
              if (i == 0 && *out[1])
                  fprintf(fx, star);
              if (i == 1)
                  nums(i);
15         }
      }
}

/*
20  * put out a number line: dumpblock()
  */
static
nums(ix)                                nums
25  {
      int      ix;      /* index in out[] holding seq line */
      char      nline[P_LINE];
      register  i, j;
      register char *pn, *px, *py;

30      for (pn = nline, i = 0; i < lmax+P_SPC; i++, pn++)
          *pn = ' ';
      for (i = nc[ix], py = out[ix]; *py; py++, pn++) {
          if (*py == ' ' || *py == '-')
              *pn = ' ';
35          else {
              if (i%10 == 0 || (i == 1 && nc[ix] != 1)) {
                  j = (i < 0)? -i : i;
                  for (px = pn; j /= 10, px--)
                      *px = j%10 + '0';
40                  if (i < 0)
                      *px = '-';
              }
              else
                  *pn = ' ';
45              i++;
          }
      }
      *pn = '\0';
      nc[ix] = i;
50      for (pn = nline; *pn; pn++)
          (void) putc(*pn, fx);
      (void) putc('\n', fx);
}

55  /*
  * put out a line (name, [num], seq, [num]): dumpblock()
  */
static
putline(ix)                                putline
60  {
      int      ix;

```



Table 1 (cont')

...putline

```

5      int          i;
      register char *px;

      for (px = namex[ix], i = 0; *px && *px != ':'; px++, i++)
          (void) putc(*px, fx);
      for (; i < lmax+P_SPC; i++)
          (void) putc(' ', fx);

10     /* these count from 1:
       * ni[] is current element (from 1)
       * nc[] is number at start of current line
       */

15     for (px = out[ix]; *px; px++)
          (void) putc(*px&0x7F, fx);
      (void) putc('\n', fx);
  }

20  /*
   * put a line of stars (seqs always in out[0], out[1]): dumpblock()
   */
   static
25  stars()
   {
       int          i;
       register char *p0, *p1, cx, *px;

30     if (!*out[0] || (*out[0] == ' ' && *(p0[0]) == ' ') ||
        !*out[1] || (*out[1] == ' ' && *(p0[1]) == ' '))
           return;
       px = star;
       for (i = lmax+P_SPC; i; i--)
35         *px++ = ' ';

       for (p0 = out[0], p1 = out[1]; *p0 && *p1; p0++, p1++) {
           if (isalpha(*p0) && isalpha(*p1)) {

40                 if (xbm[*p0-'A']&xbm[*p1-'A']) {
                     cx = '*';
                     nm++;
                 }
                 else if (!dna && _day[*p0-'A'][*p1-'A'] > 0)
45                     cx = '.';
                 else
                     cx = ' ';
           }
           else
50                 cx = ' ';
           *px++ = cx;
       }
       *px++ = '\n';
       *px = '\0';
55  }

```

stars

60

**Table 1 (cont')**

```

/*
 * strip path or prefix from pn, return len: pr_align0
 */
static
5 stripname(pn)                                stripname
    char    *pn;    /* file name (may be path) */
{
    register char    *px, *py;
10     py = 0;
    for (px = pn; *px; px++)
        if (*px == '/')
            py = px + 1;
15     if (py)
        (void) strcpy(pn, py);
    return(strlen(pn));
}
20
25
30
35
40
45
50
55
60

```

Table 1 (cont')

```

/*
 * cleanup() -- cleanup any tmp file
 * getseq() -- read in seq, set dna, len, maxlen
 * g_calloc() -- calloc() with error checkin
5  * readjumps() -- get the good jumps, from tmp file if necessary
 * writejumps() -- write a filled array of jumps to a tmp file: nw()
 */
#include "nw.h"
#include <sys/file.h>

10 char    *jname = "/tmp/homgXXXXXX";          /* tmp file for jumps */
FILE      *fj;

int        cleanup();                          /* cleanup tmp file */
15 long     lseek();

/*
 * remove any tmp file if we blow
 */
20 cleanup(i)                                  cleanup
{
    int      i;

    if (fj)
        (void) unlink(jname);
25     exit(i);
}

/*
 * read, return ptr to seq, set dna, len, maxlen
 * skip lines starting with ';', '<', or '>'
 * seq in upper or lower case
 */
30 char      *
getseq(file, len)                             getseq
35     char    *file;    /* file name */
     int      *len;     /* seq len */
{
     char      line[1024], *pseq;
     register char *px, *py;
40     int      natgc, tlen;
     FILE      *fp;

     if ((fp = fopen(file, "r")) == 0) {
         fprintf(stderr, "%s: can't read %s\n", prog, file);
45         exit(1);
     }
     tlen = natgc = 0;
     while (fgets(line, 1024, fp)) {
         if (*line == ';' || *line == '<' || *line == '>')
50             continue;
         for (px = line; *px != '\n'; px++)
             if (isupper(*px) || islower(*px))
                 tlen++;
     }
55     if ((pseq = malloc((unsigned)(tlen+6))) == 0) {
         fprintf(stderr, "%s: malloc() failed to get %d bytes for %s\n", prog, tlen+6, file);
         exit(1);
     }
     pseq[0] = pseq[1] = pseq[2] = pseq[3] = '\0';
60

```

Table 1 (cont')

...getseq

```

py = pseq + 4;
*len = tlen;
rewind(fp);
5
while (fgets(line, 1024, fp)) {
    if (*line == ';' || *line == '<' || *line == '>')
        continue;
    for (px = line; *px != '\n'; px++) {
10        if (isupper(*px))
            *py++ = *px;
        else if (islower(*px))
            *py++ = toupper(*px);
        if (index("ATGCU",*(py-1)))
15            natgc++;
    }
    *py++ = '\0';
    *py = '\0';
20    (void) fclose(fp);
    dna = natgc > (tlen/3);
    return(pseq+4);
}

25 char *
g_alloc(msg, nx, sz)
char *msg; /* program, calling routine */
int nx, sz; /* number and size of elements */
{
30     char *px, *calloc();

    if ((px = calloc((unsigned)nx, (unsigned)sz)) == 0) {
        if (*msg) {
35             fprintf(stderr, "%s: g_alloc() failed %s (n=%d, sz=%d)\n", prog, msg, nx, sz);
            exit(1);
        }
    }
    return(px);
40 }

/*
 * get final jmps from dx[] or tmp file, set pp[], reset dmax: main()
 */
readjmps()
45 {
    int fd = -1;
    int siz, i0, i1;
    register i, j, xx;

50     if (!fj) {
        (void) fclose(fj);
        if ((fd = open(jname, O_RDONLY, 0)) < 0) {
            fprintf(stderr, "%s: can't open() %s\n", prog, jname);
            cleanup(1);
55         }
    }
    for (i = i0 = i1 = 0, dmax0 = dmax, xx = len0; i++) {
        while (1) {
60             for (j = dx[dmax].ijmp; j >= 0 && dx[dmax].jp.x[j] >= xx; j--)
                ;

```

g\_alloc

readjmps

Table 1 (cont')

...readjumps

```

5         if (j < 0 && dx[dmax].offset && fj) {
            (void) lseek(fd, dx[dmax].offset, 0);
            (void) read(fd, (char *)&dx[dmax].jp, sizeof(struct jmp));
            (void) read(fd, (char *)&dx[dmax].offset, sizeof(dx[dmax].offset));
            dx[dmax].ijmp = MAXJMP-1;
        }
        else
            break;
10    }
    if (i >= JMPS) {
        fprintf(stderr, "%s: too many gaps in alignment\n", prog);
        cleanup(1);
    }
15    if (j >= 0) {
        siz = dx[dmax].jp.n[j];
        xx = dx[dmax].jp.x[j];
        dmax += siz;
        if (siz < 0) { /* gap in second seq */
20            pp[1].n[i1] = -siz;
            xx += siz;
            /* id = xx - yy + len1 - 1
             */
            pp[1].x[i1] = xx - dmax + len1 - 1;
25            gapy++;
            ngapy -= siz;
            /* ignore MAXGAP when doing endgaps */
            siz = (-siz < MAXGAP || endgaps)? -siz : MAXGAP;
            i1++;
30        }
        else if (siz > 0) { /* gap in first seq */
            pp[0].n[i0] = siz;
            pp[0].x[i0] = xx;
            gapx++;
            ngapx += siz;
35            /* ignore MAXGAP when doing endgaps */
            siz = (siz < MAXGAP || endgaps)? siz : MAXGAP;
            i0++;
        }
40    }
    else
        break;
}

45    /* reverse the order of jumps
    */
    for (j = 0, i0--; j < i0; j++, i0--) {
        i = pp[0].n[j]; pp[0].n[j] = pp[0].n[i0]; pp[0].n[i0] = i;
        i = pp[0].x[j]; pp[0].x[j] = pp[0].x[i0]; pp[0].x[i0] = i;
50    }
    for (j = 0, i1--; j < i1; j++, i1--) {
        i = pp[1].n[j]; pp[1].n[j] = pp[1].n[i1]; pp[1].n[i1] = i;
        i = pp[1].x[j]; pp[1].x[j] = pp[1].x[i1]; pp[1].x[i1] = i;
55    }
    if (fd >= 0)
        (void) close(fd);
    if (fj) {
        (void) unlink(jname);
        fj = 0;
60    offset = 0;
    }
}

```

Table 1 (cont')

```

/*
 * write a filled jmp struct offset of the prev one (if any): nw()
 */
5  writejumps(ix)                                writejumps
    int    ix;
    {
        char    *mktemp();
10         if (!fj) {
            if (mktemp(jname) < 0) {
                fprintf(stderr, "%s: can't mktemp() %s\n", prog, jname);
                cleanup(1);
            }
15         if ((fj = fopen(jname, "w")) == 0) {
            fprintf(stderr, "%s: can't write %s\n", prog, jname);
            exit(1);
        }
20         }
        (void) fwrite((char *)&dx[ix].jp, sizeof(struct jmp), 1, fj);
        (void) fwrite((char *)&dx[ix].offset, sizeof(dx[ix].offset), 1, fj);
    }
25
30
35
40
45
50
55
60

```

**Table 2**

PRO	XXXXXXXXXXXXXXXXXX	(Length = 15 amino acids)
Comparison Protein	XXXXXXXXYYYYYYY	(Length = 12 amino acids)

5    % amino acid sequence identity =

(the number of identically matching amino acid residues between the two polypeptide sequences as determined by ALIGN-2) divided by (the total number of amino acid residues of the PRO polypeptide) =

10    5 divided by 15 = 33.3%

**Table 3**

PRO	XXXXXXXXXX	(Length = 10 amino acids)
Comparison Protein	XXXXXYYYYYYYZZYZ	(Length = 15 amino acids)

5    % amino acid sequence identity =

(the number of identically matching amino acid residues between the two polypeptide sequences as determined by ALIGN-2) divided by (the total number of amino acid residues of the PRO polypeptide) =

10    5 divided by 10 = 50%



**Table 4**

PRO-DNA	NNNNNNNNNNNNNNNN	(Length = 14 nucleotides)
Comparison DNA	NNNNNNLLLLLLLLLLL	(Length = 16 nucleotides)

5    % nucleic acid sequence identity =

(the number of identically matching nucleotides between the two nucleic acid sequences as determined by ALIGN-2) divided by (the total number of nucleotides of the PRO-DNA nucleic acid sequence) =

10    6 divided by 14 = 42.9%

**Table 5**

PRO-DNA	NNNNNNNNNNNN	(Length = 12 nucleotides)
Comparison DNA	NNNNLLL	(Length = 9 nucleotides)

5    % nucleic acid sequence identity =

(the number of identically matching nucleotides between the two nucleic acid sequences as determined by ALIGN-2) divided by (the total number of nucleotides of the PRO-DNA nucleic acid sequence) =

10    4 divided by 12 = 33.3%

## II. Compositions and Methods of the Invention

### A. Full-length SRT Polypeptides

The present invention provides newly identified and isolated polynucleotide sequences encoding at least a portion of full-length human polypeptides referred to in the present application as SRT polypeptides. In particular, cDNAs encoding at least a portion of SRT polypeptides have been identified and isolated, as disclosed in further detail in the Examples below. For sake of simplicity, in the present specification the polypeptides encoded by nucleic acid molecules disclosed herein as well as all further native homologues and variants included in the foregoing definition of SRT, will be referred to as "SRT", regardless of their origin or mode of preparation.

### B. SRT Polypeptide Variants

In addition to the native sequence SRT polypeptides described herein, it is contemplated that SRT variants can be prepared. SRT variants can be prepared by introducing appropriate nucleotide changes into the SRT DNA, and/or by synthesis of the desired SRT polypeptide. Those skilled in the art will appreciate that amino acid changes may alter post-translational processes of the SRT, such as changing the number or position of glycosylation sites or altering the membrane anchoring characteristics.

Variations in the native sequence SRT or in various domains of the SRT described herein, can be made, for example, using any of the techniques and guidelines for conservative and non-conservative mutations set forth, for instance, in U.S. Patent No. 5,364,934. Variations may be a substitution, deletion or insertion of one or more codons encoding the SRT that results in a change in the amino acid sequence of the SRT as compared with the native sequence SRT. Optionally the variation is by substitution of at least one amino acid with any other amino acid in one or more of the domains of the SRT. Guidance in determining which amino acid residue may be inserted, substituted or deleted without adversely affecting the desired activity may be found by comparing the sequence of the SRT with that of homologous known protein molecules and minimizing the number of amino acid sequence changes made in regions of high homology. Amino acid substitutions can be the result of replacing one amino acid with another amino acid having similar structural and/or chemical properties, such as the replacement of a leucine with a serine, i.e., conservative amino acid replacements. Insertions or deletions may optionally be in the range of about 1 to 5 amino acids. The variation allowed may be determined by systematically making insertions, deletions or substitutions of amino acids in the sequence and testing the resulting variants for activity exhibited by the full-length or mature native sequence.

SRT polypeptide fragments are provided herein. Such fragments may be truncated at the N-terminus or C-terminus, or may lack internal residues, for example, when compared with a full-length native protein. Certain fragments lack amino acid residues that are not essential for a desired biological activity of the SRT polypeptide.

SRT fragments may be prepared by any of a number of conventional techniques. Desired peptide fragments may be chemically synthesized. An alternative approach involves generating SRT fragments by enzymatic digestion, e.g., by treating the protein with an enzyme known to cleave proteins at sites defined by particular amino acid residues, or by digesting the DNA with suitable restriction enzymes and isolating the

desired fragment. Yet another suitable technique involves isolating and amplifying a DNA fragment encoding a desired polypeptide fragment, by polymerase chain reaction (PCR). Oligonucleotides that define the desired termini of the DNA fragment are employed at the 5' and 3' primers in the PCR. Preferably, SRT polypeptide fragments share at least one biological and/or immunological activity with the corresponding native SRT polypeptide.

In particular embodiments, conservative substitutions of interest are shown in Table 6 under the heading of preferred substitutions. If such substitutions result in a change in biological activity, then more substantial changes, denominated exemplary substitutions in Table 6, or as further described below in reference to amino acid classes, are introduced and the products screened.

Table 6

	<u>Original Residue</u>	<u>Exemplary Substitutions</u>	<u>Preferred Substitutions</u>
15	Ala (A)	val; leu; ile	val
	Arg (R)	lys; gln; asn	lys
	Asn (N)	gln; his; lys; arg	gln
	Asp (D)	glu	glu
	Cys (C)	ser	ser
20	Gln (Q)	asn	asn
	Glu (E)	asp	asp
	Gly (G)	pro; ala	ala
	His (H)	asn; gln; lys; arg	arg
	Ile (I)	leu; val; met; ala; phe; norleucine	leu
25	Leu (L)	norleucine; ile; val; met; ala; phe	ile
	Lys (K)	arg; gln; asn	arg
	Met (M)	leu; phe; ile	leu
30	Phe (F)	leu; val; ile; ala; tyr	leu
	Pro (P)	ala	ala
	Ser (S)	thr	thr
	Thr (T)	ser	ser
	Trp (W)	tyr; phe	tyr
35	Tyr (Y)	trp; phe; thr; ser	phe
	Val (V)	ile; leu; met; phe; ala; norleucine	leu

Substantial modifications in function or immunological identity of the SRT polypeptide are accomplished by selecting substitutions that differ significantly in their effect on maintaining (a) the structure of the polypeptide backbone in the area of the substitution, for example, as a sheet or helical conformation, (b) the charge or hydrophobicity of the molecule at the target site, or (c) the bulk of the side chain. Naturally occurring residues are divided into groups based on common side-chain properties:

(1) hydrophobic: norleucine, met, ala, val, leu, ile;

(2) neutral hydrophilic: cys, ser, thr;

(3) acidic: asp, glu;

(4) basic: asn, gln, his, lys, arg;

(5) residues that influence chain orientation: gly, pro; and

(6) aromatic: trp, tyr, phe.

Non-conservative substitutions will entail exchanging a member of one of these classes for another class. Such substituted residues also may be introduced into the conservative substitution sites or, more preferably, into the remaining (non-conserved) sites.

5       The variations can be made using methods known in the art such as oligonucleotide-mediated (site-directed) mutagenesis, alanine scanning, and PCR mutagenesis. Site-directed mutagenesis [Carter et al., Nucl. Acids Res., 13:4331 (1986); Zoller et al., Nucl. Acids Res., 10:6487 (1987)], cassette mutagenesis [Wells et al., Gene, 34:315 (1985)], restriction selection mutagenesis [Wells et al., Philos. Trans. R. Soc. London SerA, 317:415 (1986)] or other known techniques can be performed on the cloned DNA to produce the SRT variant  
10       DNA.

      Scanning amino acid analysis can also be employed to identify one or more amino acids along a contiguous sequence. Among the preferred scanning amino acids are relatively small, neutral amino acids. Such amino acids include alanine, glycine, serine, and cysteine. Alanine is typically a preferred scanning amino acid among this group because it eliminates the side-chain beyond the beta-carbon and is less likely to alter the main-  
15       chain conformation of the variant [Cunningham and Wells, Science, 244: 1081-1085 (1989)]. Alanine is also typically preferred because it is the most common amino acid. Further, it is frequently found in both buried and exposed positions [Creighton, The Proteins, (W.H. Freeman & Co., N.Y.); Chothia, J. Mol. Biol., 150:1 (1976)]. If alanine substitution does not yield adequate amounts of variant, an isoteric amino acid can be used.

#### 20       C. Modifications of SRT Polypeptides

      Covalent modifications of SRT polypeptides are included within the scope of this invention. One type of covalent modification includes reacting targeted amino acid residues of a SRT polypeptide with an organic derivatizing agent that is capable of reacting with selected side chains or the N- or C- terminal residues of the SRT. Derivatization with bifunctional agents is useful, for instance, for crosslinking SRT to a water-insoluble  
25       support matrix or surface for use in the method for purifying anti-SRT antibodies, and vice-versa. Commonly used crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, for example, esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-[(p-azidophenyl)dithio]propioimide.

30       Other modifications include deamidation of glutaminyl and asparaginy residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl or threonyl residues, methylation of the  $\alpha$ -amino groups of lysine, arginine, and histidine side chains [T.E. Creighton, Proteins: Structure and Molecular Properties, W.H. Freeman & Co., San Francisco, pp. 79-86 (1983)], acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.

35       Another type of covalent modification of the SRT polypeptide included within the scope of this invention comprises altering the native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended for purposes herein to mean deleting one or more carbohydrate moieties found in native sequence

SRT (either by removing the underlying glycosylation site or by deleting the glycosylation by chemical and/or enzymatic means), and/or adding one or more glycosylation sites that are not present in the native sequence SRT. In addition, the phrase includes qualitative changes in the glycosylation of the native proteins, involving a change in the nature and proportions of the various carbohydrate moieties present.

5 Addition of glycosylation sites to the SRT polypeptide may be accomplished by altering the amino acid sequence. The alteration may be made, for example, by the addition of, or substitution by, one or more serine or threonine residues to the native sequence SRT (for O-linked glycosylation sites). The SRT amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding the SRT polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

10 Another means of increasing the number of carbohydrate moieties on the SRT polypeptide is by chemical or enzymatic coupling of glycosides to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330 published 11 September 1987, and in Aplin and Wriston, CRC Crit. Rev. Biochem., pp. 259-306 (1981).

15 Removal of carbohydrate moieties present on the SRT polypeptide may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin et al., Arch. Biochem. Biophys., 259:52 (1987) and by Edge et al., Anal. Biochem. 118:131 (1981). Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo- and exo-glycosidases as described by Thotakura et al., Meth. Enzymol., 138:350 (1987).

20 Another type of covalent modification of SRT comprises linking the SRT polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol (PEG), polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Patent Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

The SRT polypeptides of the present invention may also be modified in a way to form chimeric molecules comprising SRT fused to another, heterologous polypeptide or amino acid sequence.

25 In one embodiment, such a chimeric molecule comprises a fusion of the SRT with a tag polypeptide which provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is generally placed at the amino- or carboxyl- terminus of the SRT. The presence of such epitope-tagged forms of the SRT can be detected using an antibody against the tag polypeptide. Also, provision of the epitope tag enables the SRT to be readily purified by affinity purification using an anti-tag antibody or another type of affinity matrix that binds to the epitope tag. Various tag polypeptides and their respective antibodies are well known in the art. Examples include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; the flu HA tag polypeptide and its antibody 12CA5 [Field et al., Mol. Cell. Biol., 8:2159-2165 (1988)]; the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies thereto [Evan et al., Molecular and Cellular Biology, 5:3610-3616 (1985)]; and the Herpes Simplex virus glycoprotein D (gD) tag and its antibody [Paborsky et al., Protein Engineering, 3(6):547-553 (1990)]. Other tag polypeptides include the Flag-peptide [Hopp et al., BioTechnology, 6:1204-1210 (1988)]; the KT3 epitope peptide [Martin et al., Science, 255:192-194 (1992)]; an  $\alpha$ -tubulin epitope peptide [Skinner et al., J. Biol. Chem., 266:15163-15166 (1991)]; and the T7 gene 10 protein peptide tag [Lutz-

30  
35

Freyermuth et al., Proc. Natl. Acad. Sci. USA, 87:6393-6397 (1990)].

In an alternative embodiment, the chimeric molecule may comprise a fusion of the SRT with an immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the chimeric molecule (also referred to as an "immunoadhesin"), such a fusion could be to the Fc region of an IgG molecule. The Ig fusions preferably include the substitution of a soluble (transmembrane domain deleted or inactivated) form of a SRT polypeptide in place of at least one variable region within an Ig molecule. In a particularly preferred embodiment, the immunoglobulin fusion includes the hinge, CH2 and CH3, or the hinge, CH1, CH2 and CH3 regions of an IgG1 molecule. For the production of immunoglobulin fusions see also US Patent No. 5,428,130 issued June 27, 1995.

#### D. Preparation of SRT Polypeptides

The description below relates primarily to production of SRT by culturing cells transformed or transfected with a vector containing SRT nucleic acid. It is, of course, contemplated that alternative methods, which are well known in the art, may be employed to prepare SRT. For instance, the SRT sequence, or portions thereof, may be produced by direct peptide synthesis using solid-phase techniques [see, e.g., Stewart et al., Solid-Phase Peptide Synthesis, W.H. Freeman Co., San Francisco, CA (1969); Merrifield, J. Am. Chem. Soc., 85:2149-2154 (1963)]. *In vitro* protein synthesis may be performed using manual techniques or by automation. Automated synthesis may be accomplished, for instance, using an Applied Biosystems Peptide Synthesizer (Foster City, CA) using manufacturer's instructions. Various portions of the SRT may be chemically synthesized separately and combined using chemical or enzymatic methods to produce the full-length SRT.

##### 1. Isolation of DNA Encoding SRT

DNA encoding SRT may be obtained from a cDNA library prepared from tissue believed to possess the SRT mRNA and to express it at a detectable level. Accordingly, human SRT DNA can be conveniently obtained from a cDNA library prepared from human tissue, such as described in the Examples. The SRT-encoding gene may also be obtained from a genomic library or by known synthetic procedures (e.g., automated nucleic acid synthesis).

Libraries can be screened with probes (such as antibodies to the SRT or oligonucleotides of at least about 20-80 bases) designed to identify the gene of interest or the protein encoded by it, wherein those probes may be based upon the polynucleotide sequences shown in the accompanying figures. Screening the cDNA or genomic library with the selected probe may be conducted using standard procedures, such as described in Sambrook et al., Molecular Cloning: A Laboratory Manual (New York: Cold Spring Harbor Laboratory Press, 1989). An alternative means to isolate the gene encoding SRT is to use PCR methodology [Sambrook et al., supra; Dieffenbach et al., PCR Primer: A Laboratory Manual (Cold Spring Harbor Laboratory Press, 1995)].

The Examples below describe techniques for screening a cDNA library. The oligonucleotide sequences selected as probes should be of sufficient length and sufficiently unambiguous that false positives are minimized. The oligonucleotide is preferably labeled such that it can be detected upon hybridization to DNA in the library being screened. Methods of labeling are well known in the art, and include the use of radiolabels like <sup>32</sup>P-labeled

ATP, biotinylation or enzyme labeling. Hybridization conditions, including moderate stringency and high stringency, are provided in Sambrook et al., supra.

Sequences identified in such library screening methods can be compared and aligned to other known sequences deposited and available in public databases such as GenBank or other private sequence databases. Sequence identity (at either the amino acid or nucleotide level) within defined regions of the molecule or across the full-length sequence can be determined using methods known in the art and as described herein.

Nucleic acid having protein coding sequence may be obtained by screening selected cDNA or genomic libraries using the deduced amino acid sequence disclosed herein for the first time, and, if necessary, using conventional primer extension procedures as described in Sambrook et al., supra, to detect precursors and processing intermediates of mRNA that may not have been reverse-transcribed into cDNA.

## 2. Selection and Transformation of Host Cells

Host cells are transfected or transformed with expression or cloning vectors described herein for SRT production and cultured in conventional nutrient media modified as appropriate for inducing promoters, selecting transformants, or amplifying the genes encoding the desired sequences. The culture conditions, such as media, temperature, pH and the like, can be selected by the skilled artisan without undue experimentation. In general, principles, protocols, and practical techniques for maximizing the productivity of cell cultures can be found in Mammalian Cell Biotechnology: a Practical Approach, M. Butler, ed. (IRL Press, 1991) and Sambrook et al., supra.

Methods of eukaryotic cell transfection and prokaryotic cell transformation are known to the ordinarily skilled artisan, for example,  $\text{CaCl}_2$ ,  $\text{CaPO}_4$ , liposome-mediated and electroporation. Depending on the host cell used, transformation is performed using standard techniques appropriate to such cells. The calcium treatment employing calcium chloride, as described in Sambrook et al., supra, or electroporation is generally used for prokaryotes. Infection with *Agrobacterium tumefaciens* is used for transformation of certain plant cells, as described by Shaw et al., Gene, 23:315 (1983) and WO 89/05859 published 29 June 1989. For mammalian cells without such cell walls, the calcium phosphate precipitation method of Graham and van der Eb, Virology, 52:456-457 (1978) can be employed. General aspects of mammalian cell host system transfections have been described in U.S. Patent No. 4,399,216. Transformations into yeast are typically carried out according to the method of Van Solingen et al., J. Bact., 130:946 (1977) and Hsiao et al., Proc. Natl. Acad. Sci. (USA), 76:3829 (1979). However, other methods for introducing DNA into cells, such as by nuclear microinjection, electroporation, bacterial protoplast fusion with intact cells, or polycations, e.g., polybrene, polyornithine, may also be used. For various techniques for transforming mammalian cells, see Keown et al., Methods in Enzymology, 185:527-537 (1990) and Mansour et al., Nature, 336:348-352 (1988).

Suitable host cells for cloning or expressing the DNA in the vectors herein include prokaryote, yeast, or higher eukaryote cells. Suitable prokaryotes include but are not limited to eubacteria, such as Gram-negative or Gram-positive organisms, for example, Enterobacteriaceae such as *E. coli*. Various *E. coli* strains are publicly available, such as *E. coli* K12 strain MM294 (ATCC 31,446); *E. coli* X1776 (ATCC 31,537); *E. coli* strain W3110 (ATCC 27,325) and K5 772 (ATCC 53,635). Other suitable prokaryotic host cells include



Enterobacteriaceae such as *Escherichia*, e.g., *E. coli*, *Enterobacter*, *Erwinia*, *Klebsiella*, *Proteus*, *Salmonella*, e.g., *Salmonella typhimurium*, *Serratia*, e.g., *Serratia marcescans*, and *Shigella*, as well as *Bacilli* such as *B. subtilis* and *B. licheniformis* (e.g., *B. licheniformis* 41P disclosed in DD 266,710 published 12 April 1989), *Pseudomonas* such as *P. aeruginosa*, and *Streptomyces*. These examples are illustrative rather than limiting. Strain W3110 is one particularly preferred host or parent host because it is a common host strain for recombinant DNA product fermentations. Preferably, the host cell secretes minimal amounts of proteolytic enzymes. For example, strain W3110 may be modified to effect a genetic mutation in the genes encoding proteins endogenous to the host, with examples of such hosts including *E. coli* W3110 strain 1A2, which has the complete genotype *tonA*; *E. coli* W3110 strain 9E4, which has the complete genotype *tonA ptr3*; *E. coli* W3110 strain 27C7 (ATCC 55,244), which has the complete genotype *tonA ptr3 phoA E15 (argF-lac)169 degP ompT kan'*; *E. coli* W3110 strain 37D6, which has the complete genotype *tonA ptr3 phoA E15 (argF-lac)169 degP ompT rbs7 ilvG kan'*; *E. coli* W3110 strain 40B4, which is strain 37D6 with a non-kanamycin resistant *degP* deletion mutation; and an *E. coli* strain having mutant periplasmic protease disclosed in U.S. Patent No. 4,946,783 issued 7 August 1990. Alternatively, *in vitro* methods of cloning, e.g., PCR or other nucleic acid polymerase reactions, are suitable.

In addition to prokaryotes, eukaryotic microbes such as filamentous fungi or yeast are suitable cloning or expression hosts for SRT-encoding vectors. *Saccharomyces cerevisiae* is a commonly used lower eukaryotic host microorganism. Others include *Schizosaccharomyces pombe* (Beach and Nurse, Nature, 290: 140 [1981]; EP 139,383 published 2 May 1985); *Kluyveromyces* hosts (U.S. Patent No. 4,943,529; Fleer et al., Bio/Technology, 9:968-975 (1991)) such as, e.g., *K. lactis* (MW98-8C, CBS683, CBS4574; Louvencourt et al., J. Bacteriol., 737 [1983]), *K. fragilis* (ATCC 12,424), *K. bulgaricus* (ATCC 16,045), *K. wickerhamii* (ATCC 24,178), *K. waltii* (ATCC 56,500), *K. drosophilae* (ATCC 36,906; Van den Berg et al., Bio/Technology, 8:135 (1990)), *K. thermotolerans*, and *K. marxianus*; *Yarrowia* (EP 402,226); *Pichia pastoris* (EP 183,070; Sreekrishna et al., J. Basic Microbiol., 28:265-278 [1988]); *Candida*; *Trichoderma reesia* (EP 244,234); *Neurospora crassa* (Case et al., Proc. Natl. Acad. Sci. USA, 76:5259-5263 [1979]); *Schwanniomyces* such as *Schwanniomyces occidentalis* (EP 394,538 published 31 October 1990); and filamentous fungi such as, e.g., *Neurospora*, *Penicillium*, *Tolypocladium* (WO 91/00357 published 10 January 1991), and *Aspergillus* hosts such as *A. nidulans* (Ballance et al., Biochem. Biophys. Res. Commun., 112:284-289 [1983]; Tilburn et al., Gene, 26:205-221 [1983]; Yelton et al., Proc. Natl. Acad. Sci. USA, 81: 1470-1474 [1984]) and *A. niger* (Kelly and Hynes, EMBO J., 4:475-479 [1985]). Methylotropic yeasts are suitable herein and include, but are not limited to, yeast capable of growth on methanol selected from the genera consisting of *Hansenula*, *Candida*, *Kloeckera*, *Pichia*, *Saccharomyces*, *Torulopsis*, and *Rhodotorula*. A list of specific species that are exemplary of this class of yeasts may be found in C. Anthony, The Biochemistry of Methylotrophs, 269 (1982).

Suitable host cells for the expression of glycosylated SRT are derived from multicellular organisms. Examples of invertebrate cells include insect cells such as *Drosophila* S2 and *Spodoptera* Sf9, as well as plant cells. Examples of useful mammalian host cell lines include Chinese hamster ovary (CHO) and COS cells. More specific examples include monkey kidney CV1 line transformed by SV40 (COS-7, ATCC CRL 1651); human embryonic kidney line (293 or 293 cells subcloned for growth in suspension culture, Graham et al., J.

Gen Virol., 36:59 (1977)); Chinese hamster ovary cells/-DHFR (CHO, Urlaub and Chasin, Proc. Natl. Acad. Sci. USA, 77:4216 (1980)); mouse sertoli cells (TM4, Mather, Biol. Reprod., 23:243-251 (1980)); human lung cells (W138, ATCC CCL 75); human liver cells (Hep G2, HB 8065); and mouse mammary tumor (MMT 060562, ATCC CCL51). The selection of the appropriate host cell is deemed to be within the skill in the art.

5

### 3. Selection and Use of a Replicable Vector

The nucleic acid (e.g., cDNA or genomic DNA) encoding SRT may be inserted into a replicable vector for cloning (amplification of the DNA) or for expression. Various vectors are publicly available. The vector may, for example, be in the form of a plasmid, cosmid, viral particle, or phage. The appropriate nucleic acid sequence may be inserted into the vector by a variety of procedures. In general, DNA is inserted into an appropriate restriction endonuclease site(s) using techniques known in the art. Vector components generally include, but are not limited to, one or more of a signal sequence, an origin of replication, one or more marker genes, an enhancer element, a promoter, and a transcription termination sequence. Construction of suitable vectors containing one or more of these components employs standard ligation techniques which are known to the skilled artisan.

15

The SRT may be produced recombinantly not only directly, but also as a fusion polypeptide with a heterologous polypeptide, which may be a signal sequence or other polypeptide having a specific cleavage site at the N-terminus of the mature protein or polypeptide. In general, the signal sequence may be a component of the vector, or it may be a part of the SRT-encoding DNA that is inserted into the vector. The signal sequence may be a prokaryotic signal sequence selected, for example, from the group of the alkaline phosphatase, penicillinase, lpp, or heat-stable enterotoxin II leaders. For yeast secretion the signal sequence may be, e.g., the yeast invertase leader, alpha factor leader (including *Saccharomyces* and *Kluyveromyces*  $\alpha$ -factor leaders, the latter described in U.S. Patent No. 5,010,182), or acid phosphatase leader, the *C. albicans* glucoamylase leader (EP 362,179 published 4 April 1990), or the signal described in WO 90/13646 published 15 November 1990. In mammalian cell expression, mammalian signal sequences may be used to direct secretion of the protein, such as signal sequences from secreted polypeptides of the same or related species, as well as viral secretory leaders.

25

Both expression and cloning vectors contain a nucleic acid sequence that enables the vector to replicate in one or more selected host cells. Such sequences are well known for a variety of bacteria, yeast, and viruses. The origin of replication from the plasmid pBR322 is suitable for most Gram-negative bacteria, the 2 $\mu$  plasmid origin is suitable for yeast, and various viral origins (SV40, polyoma, adenovirus, VSV or BPV) are useful for cloning vectors in mammalian cells.

30

Expression and cloning vectors will typically contain a selection gene, also termed a selectable marker. Typical selection genes encode proteins that (a) confer resistance to antibiotics or other toxins, e.g., ampicillin, neomycin, methotrexate, or tetracycline, (b) complement auxotrophic deficiencies, or (c) supply critical nutrients not available from complex media, e.g., the gene encoding D-alanine racemase for *Bacilli*.

35

An example of suitable selectable markers for mammalian cells are those that enable the identification of cells competent to take up the SRT-encoding nucleic acid, such as DHFR or thymidine kinase. An appropriate

host cell when wild-type DHFR is employed is the CHO cell line deficient in DHFR activity, prepared and propagated as described by Urlaub et al., Proc. Natl. Acad. Sci. USA, 77:4216 (1980). A suitable selection gene for use in yeast is the *trp1* gene present in the yeast plasmid YRp7 [Stinchcomb et al., Nature, 282:39 (1979); Kingsman et al., Gene, 7:141 (1979); Tschemper et al., Gene, 10:157 (1980)]. The *trp1* gene provides a selection marker for a mutant strain of yeast lacking the ability to grow in tryptophan, for example, ATCC No. 44076 or PEP4-1 [Jones, Genetics, 85:12 (1977)].

Expression and cloning vectors usually contain a promoter operably linked to the SRT-encoding nucleic acid sequence to direct mRNA synthesis. Promoters recognized by a variety of potential host cells are well known. Promoters suitable for use with prokaryotic hosts include the  $\beta$ -lactamase and lactose promoter systems [Chang et al., Nature, 275:615 (1978); Goeddel et al., Nature, 281:544 (1979)], alkaline phosphatase, a tryptophan (*trp*) promoter system [Goeddel, Nucleic Acids Res., 8:4057 (1980); EP 36,776], and hybrid promoters such as the *tac* promoter [deBoer et al., Proc. Natl. Acad. Sci. USA, 80:21-25 (1983)]. Promoters for use in bacterial systems also will contain a Shine-Dalgarno (S.D.) sequence operably linked to the DNA encoding SRT.

Examples of suitable promoting sequences for use with yeast hosts include the promoters for 3-phosphoglycerate kinase [Hitzeman et al., J. Biol. Chem., 255:2073 (1980)] or other glycolytic enzymes [Hess et al., J. Adv. Enzyme Reg., 7:149 (1968); Holland, Biochemistry, 17:4900 (1978)], such as enolase, glyceraldehyde-3-phosphate dehydrogenase, hexokinase, pyruvate decarboxylase, phosphofructokinase, glucose-6-phosphate isomerase, 3-phosphoglycerate mutase, pyruvate kinase, triosephosphate isomerase, phosphoglucose isomerase, and glucokinase.

Other yeast promoters, which are inducible promoters having the additional advantage of transcription controlled by growth conditions, are the promoter regions for alcohol dehydrogenase 2, isocytochrome C, acid phosphatase, degradative enzymes associated with nitrogen metabolism, metallothionein, glyceraldehyde-3-phosphate dehydrogenase, and enzymes responsible for maltose and galactose utilization. Suitable vectors and promoters for use in yeast expression are further described in EP 73,657.

SRT transcription from vectors in mammalian host cells is controlled, for example, by promoters obtained from the genomes of viruses such as polyoma virus, fowlpox virus (UK 2,211,504 published 5 July 1989), adenovirus (such as Adenovirus 2), bovine papilloma virus, avian sarcoma virus, cytomegalovirus, a retrovirus, hepatitis-B virus and Simian Virus 40 (SV40), from heterologous mammalian promoters, e.g., the actin promoter or an immunoglobulin promoter, and from heat-shock promoters, provided such promoters are compatible with the host cell systems.

Transcription of a DNA encoding the SRT by higher eukaryotes may be increased by inserting an enhancer sequence into the vector. Enhancers are cis-acting elements of DNA, usually about from 10 to 300 bp, that act on a promoter to increase its transcription. Many enhancer sequences are now known from mammalian genes (globin, elastase, albumin,  $\alpha$ -fetoprotein, and insulin). Typically, however, one will use an enhancer from a eukaryotic cell virus. Examples include the SV40 enhancer on the late side of the replication origin (bp 100-270), the cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of the replication origin, and adenovirus enhancers. The enhancer may be spliced into the vector at a position 5' or

3' to the SRT coding sequence, but is preferably located at a site 5' from the promoter.

Expression vectors used in eukaryotic host cells (yeast, fungi, insect, plant, animal, human, or nucleated cells from other multicellular organisms) will also contain sequences necessary for the termination of transcription and for stabilizing the mRNA. Such sequences are commonly available from the 5' and, occasionally 3', untranslated regions of eukaryotic or viral DNAs or cDNAs. These regions contain nucleotide segments transcribed as polyadenylated fragments in the untranslated portion of the mRNA encoding SRT.

Still other methods, vectors, and host cells suitable for adaptation to the synthesis of SRT in recombinant vertebrate cell culture are described in Gething et al., *Nature*, 293:620-625 (1981); Mantei et al., *Nature*, 281:40-46 (1979); EP 117,060; and EP 117,058.

#### 4. Detecting Gene Amplification/Expression

Gene amplification and/or expression may be measured in a sample directly, for example, by conventional Southern blotting, Northern blotting to quantitate the transcription of mRNA [Thomas, *Proc. Natl. Acad. Sci. USA*, 77:5201-5205 (1980)], dot blotting (DNA analysis), or *in situ* hybridization, using an appropriately labeled probe, based on the sequences provided herein. Alternatively, antibodies may be employed that can recognize specific duplexes, including DNA duplexes, RNA duplexes, and DNA-RNA hybrid duplexes or DNA-protein duplexes. The antibodies in turn may be labeled and the assay may be carried out where the duplex is bound to a surface, so that upon the formation of duplex on the surface, the presence of antibody bound to the duplex can be detected.

Gene expression, alternatively, may be measured by immunological methods, such as immunohistochemical staining of cells or tissue sections and assay of cell culture or body fluids, to quantitate directly the expression of gene product. Antibodies useful for immunohistochemical staining and/or assay of sample fluids may be either monoclonal or polyclonal, and may be prepared in any mammal. Conveniently, the antibodies may be prepared against a native sequence SRT polypeptide or against a synthetic peptide based on the DNA sequences provided herein or against exogenous sequence fused to SRT DNA and encoding a specific antibody epitope.

#### 5. Purification of Polypeptide

Forms of SRT may be recovered from culture medium or from host cell lysates. If membrane-bound, it can be released from the membrane using a suitable detergent solution (e.g. Triton-X 100) or by enzymatic cleavage. Cells employed in expression of SRT can be disrupted by various physical or chemical means, such as freeze-thaw cycling, sonication, mechanical disruption, or cell lysing agents.

It may be desired to purify SRT from recombinant cell proteins or polypeptides. The following procedures are exemplary of suitable purification procedures: by fractionation on an ion-exchange column; ethanol precipitation; reverse phase HPLC; chromatography on silica or on a cation-exchange resin such as DEAE; chromatofocusing; SDS-PAGE; ammonium sulfate precipitation; gel filtration using, for example, Sephadex G-75; protein A Sepharose columns to remove contaminants such as IgG; and metal chelating columns to bind epitope-tagged forms of the SRT. Various methods of protein purification may be employed and such

methods are known in the art and described for example in Deutscher, Methods in Enzymology, 182 (1990); Scopes, Protein Purification: Principles and Practice, Springer-Verlag, New York (1982). The purification step(s) selected will depend, for example, on the nature of the production process used and the particular SRT produced.

5                   E. Uses for SRT Polynucleotides and Polypeptides

SRT nucleotide sequences (and/or their complements) disclosed herein have various applications in the art of molecular biology, including for example uses as hybridization probes, in chromosome and gene mapping, in tissue typing, disease tissue detection, in PCR technologies, in screening for new therapeutic molecules and in the generation of anti-sense RNA and DNA. SRT nucleic acid will also be useful for the preparation of SRT polypeptides by the recombinant techniques described herein.

10                   The SRT polynucleotides disclosed herein, or portions thereof, may be used as hybridization probes for a cDNA library to isolate the full-length SRT cDNA or to isolate still other cDNAs (for instance, those encoding naturally-occurring variants of SRT or SRT from other species) which have a desired sequence identity to the SRT sequence of interest. Optionally, the length of the probes will be about 20 to about 50 bases. The hybridization probes may be derived from at least partially novel regions of the nucleotide sequences disclosed herein wherein those regions may be determined without undue experimentation or from genomic sequences including promoters, enhancer elements and introns of native sequence SRT. By way of example, a screening method will comprise isolating the coding region of the SRT gene using the known DNA sequence to synthesize a selected probe of about 40 bases. Hybridization probes may be labeled by a variety of labels, including radionucleotides such as <sup>32</sup>P or <sup>35</sup>S, or enzymatic labels such as alkaline phosphatase coupled to the probe via avidin/biotin coupling systems. Labeled probes having a sequence complementary to that of the SRT gene of the present invention can be used to screen libraries of human cDNA, genomic DNA or mRNA to determine which members of such libraries the probe hybridizes to. Hybridization techniques are described in further detail in the Examples below.

25                   PCR as described in U.S. Pat. Nos. 4,683,195; 4,800,195; and 4,965,188 provides additional uses for oligonucleotides based upon the polynucleotide sequences disclosed in the accompanying figures. Such oligomers are generally chemically synthesized, but they may be of recombinant origin or a mixture of both. Oligomers generally comprise two nucleotide sequences, one with sense orientation (5' to 3') and one with antisense (3' to 5') employed under optimized conditions for identification of a specific gene or diagnostic use. The same two oligomers, nested sets of oligomers, or even a degenerate pool of oligomers may be employed under less stringent conditions for identification and/or quantitation of closely related DNA or RNA sequences.

30                   Full length genes may be cloned utilizing partial nucleotide sequence and various methods known in the art. Gobinda et al. PCR Methods Applic. 2:318-322 (1993) disclose "restriction-site PCR" as a direct method which uses universal primers to retrieve unknown sequence adjacent to a known locus. First, genomic DNA is amplified in the presence of primer to linker and a primer specific to the known region. The amplified sequences are subjected to a second round of PCR with the same linker primer and another specific primer internal to the first one. Products of each round of PCR are transcribed with an appropriate RNA polymerase and sequenced

using reverse transcriptase. Gobinda et al present data concerning Factor IX for which they identified a conserved stretch of 20 nucleotides in the 3' noncoding region of the gene.

Inverse PCR is the first method to report successful acquisition of unknown sequences starting with primers based on a known region (Triglia et al., Nucleic Acids Res. 16:8186 (1988)). The method uses several restriction enzymes to generate a suitable fragment in the known region of a gene. The fragment is then circularized by intramolecular ligation and used as a PCR template. Divergent primers are designed from the known region. The multiple rounds of restriction enzyme digestions and ligations that are necessary prior to PCR make the procedure slow and expensive (Gobinda et al, *supra*).

Capture PCR (Lagerstrom et al., PCR Methods Applic. 1:111-119 (1991)) is a method for PCR amplification of DNA fragments adjacent to a known sequence in human and YAC DNA. As noted by Gobinda et al. (*supra*), capture PCR also requires multiple restriction enzyme digestions and ligations to place an engineered double-stranded sequence into an unknown portion of the DNA molecule before PCR. Although the restriction and ligation reactions are carried out simultaneously, the requirements for extension, immobilization and two rounds of PCR and purification prior to sequencing render the method cumbersome and time consuming.

Parker et al., Nucleic Acids Res. 19:3055-3060 (1991) teach walking PCR, a method for targeted gene walking which permits retrieval of unknown sequence. PromoterFinder™ is a new kit available from Clontech (Palo Alto, Calif.) which uses PCR and primers derived from p53 to walk in genomic DNA. Nested primers and special PromoterFinder libraries are used to detect upstream sequences such as promoters and regulatory elements. This process avoids the need to screen libraries and is useful in finding intron/exon junctions.

Another new PCR method, "Improved Method for Obtaining Full Length cDNA Sequences" (see U.S. Patent No. 5,817,479, issued October 6, 1998), employs XL-PCR (Perkin-Elmer, Foster City, Calif.) to amplify and extend partial nucleotide sequence into longer pieces of DNA. This method was developed to allow a single researcher to process multiple genes (up to 20 or more) at one time and to obtain an extended (possibly full-length) sequence within 6-10 days. This new method replaces methods which use labelled probes to screen plasmid libraries and allow one researcher to process only about 3-5 genes in 14-40 days.

In the first step, which can be performed in about two days, any two of a plurality of primers are designed and synthesized based on a known partial sequence. In step 2, which takes about six to eight hours, the sequence is extended by PCR amplification of a selected library. Steps 3 and 4, which take about one day, are purification of the amplified cDNA and its ligation into an appropriate vector. Step 5, which takes about one day, involves transforming and growing up host bacteria. In step 6, which takes approximately five hours, PCR is used to screen bacterial clones for extended sequence. The final steps, which take about one day, involve the preparation and sequencing of selected clones.

If the full length cDNA has not been obtained, the entire procedure is repeated using either the original library or some other preferred library. The preferred library may be one that has been size-selected to include only larger cDNAs or may consist of single or combined commercially available libraries, eg. lung, liver, heart and brain from Gibco/BRL (Gaithersburg, Md.). The cDNA library may have been prepared with oligo (dT) or random priming. Random primed libraries are preferred in that they will contain more sequences which contain 5' ends of genes. A randomly primed library may be particularly useful if an oligo (dT) library does not

yield a complete gene.

The nucleotide sequence for any particular polynucleotide shown in the accompanying figures can also be used to generate probes for mapping the native genomic sequence. The sequence may be mapped to a particular chromosome or to a specific region of the chromosome using well known techniques. These include *in situ* hybridization to chromosomal spreads (Verma et al., "Human Chromosomes: A Manual of Basic Techniques", Pergamon Press, New York City, 1988), flow-sorted chromosomal preparations, or artificial chromosome constructions such as yeast artificial chromosomes (YACs), bacterial artificial chromosomes (BACs), bacterial P1 constructions or single chromosome cDNA libraries.

*In situ* hybridization of chromosomal preparations and physical mapping techniques such as linkage analysis using established chromosomal markers are invaluable in extending genetic maps. Examples of genetic maps can be found in the 1994 Genome Issue of Science (265:1981f). Often the placement of a gene on the chromosome of another mammalian species may reveal associated markers even if the number or arm of a particular human chromosome is not known. New partial nucleotide sequences can be assigned to chromosomal arms, or parts thereof, by physical mapping. This provides valuable information to investigators searching for disease genes using positional cloning or other gene discovery techniques. Once a disease or syndrome, such as ataxia telangiectasia (AT), has been crudely localized by genetic linkage to a particular genomic region, for example, AT to 11q22-23 (Gatti et al., Nature 336:577-580 (1988), any sequences mapping to that area may represent genes for further investigation. The nucleotide sequences of the subject invention may also be used to detect differences in the chromosomal location of nucleotide sequences due to translocation, inversion, etc., between normal and carrier or affected individuals.

The partial nucleotide sequence encoding a particular SRT polypeptide may be used to produce an amino acid sequence using well known methods of recombinant DNA technology. The amino acid or peptide may be expressed in a variety of host cells, either prokaryotic or eukaryotic. Host cells may be from the same species from which the nucleotide sequence was derived or from a different species. Advantages of producing an amino acid sequence or peptide by recombinant DNA technology include obtaining adequate amounts for purification and the availability of simplified purification procedures.

Cells transformed with an SRT nucleotide sequence may be cultured under conditions suitable for the expression and recovery of peptide from cell culture as described above. The peptide produced by a recombinant cell may be secreted or may be contained intracellularly depending on the sequence itself and/or the vector used. In general, it is more convenient to prepare recombinant proteins in secreted form, and this is accomplished by ligating SRT to a recombinant nucleotide sequence which directs its movement through a particular prokaryotic or eukaryotic cell membrane. Other recombinant constructions may join SRT to nucleotide sequence encoding a polypeptide domain which will facilitate protein purification (Kroll et al., DNA Cell Biol. 12:441-53 (1993).

Other useful fragments of the SRT nucleic acids include antisense or sense oligonucleotides comprising a single-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target SRT mRNA (sense) or SRT DNA (antisense) sequences. Antisense or sense oligonucleotides, according to the present invention, comprise a fragment of the coding region of SRT DNA. Such a fragment generally comprises at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense

oligonucleotide, based upon a cDNA sequence encoding a given protein is described in, for example, Stein and Cohen (Cancer Res. 48:2659, 1988) and van der Krol et al. (BioTechniques 6:958, 1988).

Binding of antisense or sense oligonucleotides to target nucleic acid sequences results in the formation of duplexes that block transcription or translation of the target sequence by one of several means, including enhanced degradation of the duplexes, premature termination of transcription or translation, or by other means.

5 The antisense oligonucleotides thus may be used to block expression of SRT proteins. Antisense or sense oligonucleotides further comprise oligonucleotides having modified sugar-phosphodiester backbones (or other sugar linkages, such as those described in WO 91/06629) and wherein such sugar linkages are resistant to endogenous nucleases. Such oligonucleotides with resistant sugar linkages are stable *in vivo* (i.e., capable of resisting enzymatic degradation) but retain sequence specificity to be able to bind to target nucleotide sequences.

10 Other examples of sense or antisense oligonucleotides include those oligonucleotides which are covalently linked to organic moieties, such as those described in WO 90/10048, and other moieties that increases affinity of the oligonucleotide for a target nucleic acid sequence, such as poly-(L-lysine). Further still, intercalating agents, such as ellipticine, and alkylating agents or metal complexes may be attached to sense or antisense oligonucleotides to modify binding specificities of the antisense or sense oligonucleotide for the target  
15 nucleotide sequence.

Antisense or sense oligonucleotides may be introduced into a cell containing the target nucleic acid sequence by any gene transfer method, including, for example, CaPO<sub>4</sub>-mediated DNA transfection, electroporation, or by using gene transfer vectors such as Epstein-Barr virus. In a preferred procedure, an antisense or sense oligonucleotide is inserted into a suitable retroviral vector. A cell containing the target nucleic  
20 acid sequence is contacted with the recombinant retroviral vector, either *in vivo* or *ex vivo*. Suitable retroviral vectors include, but are not limited to, those derived from the murine retrovirus M-MuLV, N2 (a retrovirus derived from M-MuLV), or the double copy vectors designated DCT5A, DCT5B and DCT5C (see WO 90/13641).

Sense or antisense oligonucleotides also may be introduced into a cell containing the target nucleotide  
25 sequence by formation of a conjugate with a ligand binding molecule, as described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to, cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell surface receptors. Preferably, conjugation of the ligand binding molecule does not substantially interfere with the ability of the ligand binding molecule to bind to its corresponding molecule or receptor, or block entry of the sense or antisense oligonucleotide or its conjugated version into the cell.

30 Alternatively, a sense or an antisense oligonucleotide may be introduced into a cell containing the target nucleic acid sequence by formation of an oligonucleotide-lipid complex, as described in WO 90/10448. The sense or antisense oligonucleotide-lipid complex is preferably dissociated within the cell by an endogenous lipase.

The probes may also be employed in PCR techniques to generate a pool of sequences for identification of closely related SRT coding sequences.

35 Nucleotide sequences encoding an SRT can also be used to construct hybridization probes for mapping the gene which encodes that SRT and for the genetic analysis of individuals with genetic disorders. The nucleotide sequences provided herein may be mapped to a chromosome and specific regions of a chromosome



using known techniques, such as *in situ* hybridization, linkage analysis against known chromosomal markers, and hybridization screening with libraries.

When the coding sequences for SRT encode a protein which binds to another protein (example, where the SRT is a receptor), the SRT can be used in assays to identify the other proteins or molecules involved in the binding interaction. By such methods, inhibitors of the receptor/ligand binding interaction can be identified.

5 Proteins involved in such binding interactions can also be used to screen for peptide or small molecule inhibitors or agonists of the binding interaction. Also, the receptor SRT can be used to isolate correlative ligand(s). Screening assays can be designed to find lead compounds that mimic the biological activity of a native SRT or a receptor for SRT. Such screening assays will include assays amenable to high-throughput screening of chemical libraries, making them particularly suitable for identifying small molecule drug candidates. Small  
10 molecules contemplated include synthetic organic or inorganic compounds. The assays can be performed in a variety of formats, including protein-protein binding assays, biochemical screening assays, immunoassays and cell based assays, which are well characterized in the art.

Nucleic acids which encode SRT or its modified forms can also be used to generate either transgenic animals or "knock out" animals which, in turn, are useful in the development and screening of therapeutically  
15 useful reagents. A transgenic animal (e.g., a mouse or rat) is an animal having cells that contain a transgene, which transgene was introduced into the animal or an ancestor of the animal at a prenatal, e.g., an embryonic stage. A transgene is a DNA which is integrated into the genome of a cell from which a transgenic animal develops. In one embodiment, cDNA encoding SRT can be used to clone genomic DNA encoding SRT in accordance with established techniques and the genomic sequences used to generate transgenic animals that  
20 contain cells which express DNA encoding SRT. Methods for generating transgenic animals, particularly animals such as mice or rats, have become conventional in the art and are described, for example, in U.S. Patent Nos. 4,736,866 and 4,870,009. Typically, particular cells would be targeted for SRT transgene incorporation with tissue-specific enhancers. Transgenic animals that include a copy of a transgene encoding SRT introduced into the germ line of the animal at an embryonic stage can be used to examine the effect of increased expression  
25 of DNA encoding SRT. Such animals can be used as tester animals for reagents thought to confer protection from, for example, pathological conditions associated with its overexpression. In accordance with this facet of the invention, an animal is treated with the reagent and a reduced incidence of the pathological condition, compared to untreated animals bearing the transgene, would indicate a potential therapeutic intervention for the pathological condition.

30 Alternatively, non-human homologues of SRT can be used to construct a SRT "knock out" animal which has a defective or altered gene encoding SRT as a result of homologous recombination between the endogenous gene encoding SRT and altered genomic DNA encoding SRT introduced into an embryonic stem cell of the animal. For example, cDNA encoding SRT can be used to clone genomic DNA encoding SRT in accordance with established techniques. A portion of the genomic DNA encoding SRT can be deleted or replaced with  
35 another gene, such as a gene encoding a selectable marker which can be used to monitor integration. Typically, several kilobases of unaltered flanking DNA (both at the 5' and 3' ends) are included in the vector [see e.g., Thomas and Capecchi, Cell, 51:503 (1987) for a description of homologous recombination vectors]. The vector

is introduced into an embryonic stem cell line (e.g., by electroporation) and cells in which the introduced DNA has homologously recombined with the endogenous DNA are selected [see e.g., Li et al., Cell, 69:915 (1992)]. The selected cells are then injected into a blastocyst of an animal (e.g., a mouse or rat) to form aggregation chimeras [see e.g., Bradley, in *Teratocarcinomas and Embryonic Stem Cells: A Practical Approach*, E. J. Robertson, ed. (IRL, Oxford, 1987), pp. 113-152]. A chimeric embryo can then be implanted into a suitable pseudopregnant female foster animal and the embryo brought to term to create a "knock out" animal. Progeny harboring the homologously recombined DNA in their germ cells can be identified by standard techniques and used to breed animals in which all cells of the animal contain the homologously recombined DNA. Knockout animals can be characterized for instance, for their ability to defend against certain pathological conditions and for their development of pathological conditions due to absence of the SRT polypeptide.

Nucleic acid encoding the SRT polypeptides may also be used in gene therapy. In gene therapy applications, genes are introduced into cells in order to achieve *in vivo* synthesis of a therapeutically effective genetic product, for example for replacement of a defective gene. "Gene therapy" includes both conventional gene therapy where a lasting effect is achieved by a single treatment, and the administration of gene therapeutic agents, which involves the one time or repeated administration of a therapeutically effective DNA or mRNA. Antisense RNAs and DNAs can be used as therapeutic agents for blocking the expression of certain genes *in vivo*. It has already been shown that short antisense oligonucleotides can be imported into cells where they act as inhibitors, despite their low intracellular concentrations caused by their restricted uptake by the cell membrane. (Zamecnik et al., Proc. Natl. Acad. Sci. USA 83:4143-4146 [1986]). The oligonucleotides can be modified to enhance their uptake, e.g. by substituting their negatively charged phosphodiester groups by uncharged groups.

There are a variety of techniques available for introducing nucleic acids into viable cells. The techniques vary depending upon whether the nucleic acid is transferred into cultured cells *in vitro*, or *in vivo* in the cells of the intended host. Techniques suitable for the transfer of nucleic acid into mammalian cells *in vitro* include the use of liposomes, electroporation, microinjection, cell fusion, DEAE-dextran, the calcium phosphate precipitation method, etc. The currently preferred *in vivo* gene transfer techniques include transfection with viral (typically retroviral) vectors and viral coat protein-liposome mediated transfection (Dzau et al., Trends in Biotechnology 11, 205-210 [1993]). In some situations it is desirable to provide the nucleic acid source with an agent that targets the target cells, such as an antibody specific for a cell surface membrane protein or the target cell, a ligand for a receptor on the target cell, etc. Where liposomes are employed, proteins which bind to a cell surface membrane protein associated with endocytosis may be used for targeting and/or to facilitate uptake, e.g. capsid proteins or fragments thereof tropic for a particular cell type, antibodies for proteins which undergo internalization in cycling, proteins that target intracellular localization and enhance intracellular half-life. The technique of receptor-mediated endocytosis is described, for example, by Wu et al., J. Biol. Chem. 262, 4429-4432 (1987); and Wagner et al., Proc. Natl. Acad. Sci. USA 87, 3410-3414 (1990). For review of gene marking and gene therapy protocols see Anderson et al., Science 256, 808-813 (1992).

The SRT polypeptides described herein may also be employed as molecular weight markers for protein electrophoresis purposes.

The nucleic acid molecules encoding the SRT polypeptides or fragments thereof described herein are useful for chromosome identification. In this regard, there exists an ongoing need to identify new chromosome markers, since relatively few chromosome marking reagents, based upon actual sequence data are presently available. Each SRT nucleic acid molecule of the present invention can be used as a chromosome marker.

The SRT polypeptides and nucleic acid molecules of the present invention may also be used for tissue typing, wherein the SRT polypeptides of the present invention may be differentially expressed in one tissue as compared to another, for example in a diseased tissue versus a normal tissue. SRT nucleic acid molecules will find use for generating probes for PCR, Northern analysis, Southern analysis and Western analysis.

The SRT polypeptides described herein and antibodies thereagainst may also be employed as therapeutic agents. The SRT polypeptides of the present invention can be formulated according to known methods to prepare pharmaceutically useful compositions, whereby the SRT product hereof is combined in admixture with a pharmaceutically acceptable carrier vehicle. Therapeutic formulations are prepared for storage by mixing the active ingredient having the desired degree of purity with optional physiologically acceptable carriers, excipients or stabilizers (Remington's Pharmaceutical Sciences 16th edition, Osol, A. Ed. (1980)), in the form of lyophilized formulations or aqueous solutions. Acceptable carriers, excipients or stabilizers are nontoxic to recipients at the dosages and concentrations employed, and include buffers such as phosphate, citrate and other organic acids; antioxidants including ascorbic acid; low molecular weight (less than about 10 residues) polypeptides; proteins, such as serum albumin, gelatin or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone, amino acids such as glycine, glutamine, asparagine, arginine or lysine; monosaccharides, disaccharides and other carbohydrates including glucose, mannose, or dextrans; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; salt-forming counterions such as sodium; and/or nonionic surfactants such as TWEEN™, PLURONICS™ or PEG.

The formulations to be used for *in vivo* administration must be sterile. This is readily accomplished by filtration through sterile filtration membranes, prior to or following lyophilization and reconstitution.

Therapeutic compositions herein generally are placed into a container having a sterile access port, for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

The route of administration is in accord with known methods, e.g. injection or infusion by intravenous, intraperitoneal, intracerebral, intramuscular, intraocular, intraarterial or intralesional routes, topical administration, or by sustained release systems.

Dosages and desired drug concentrations of pharmaceutical compositions of the present invention may vary depending on the particular use envisioned. The determination of the appropriate dosage or route of administration is well within the skill of an ordinary physician. Animal experiments provide reliable guidance for the determination of effective doses for human therapy. Interspecies scaling of effective doses can be performed following the principles laid down by Mordenti, J. and Chappell, W. "The use of interspecies scaling in toxicokinetics" In *Toxicokinetics and New Drug Development*, Yacobi et al., Eds., Pergamon Press, New York 1989, pp. 42-96.

When *in vivo* administration of a SRT polypeptide or agonist or antagonist thereof is employed, normal dosage amounts may vary from about 10 ng/kg to up to 100 mg/kg of mammal body weight or more per day,

preferably about 1  $\mu\text{g/kg/day}$  to 10  $\text{mg/kg/day}$ , depending upon the route of administration. Guidance as to particular dosages and methods of delivery is provided in the literature; see, for example, U.S. Pat. Nos. 4,657,760; 5,206,344; or 5,225,212. It is anticipated that different formulations will be effective for different treatment compounds and different disorders, that administration targeting one organ or tissue, for example, may necessitate delivery in a manner different from that to another organ or tissue.

5       Where sustained-release administration of a SRT polypeptide is desired in a formulation with release characteristics suitable for the treatment of any disease or disorder requiring administration of the SRT polypeptide, microencapsulation of the SRT polypeptide is contemplated. Microencapsulation of recombinant proteins for sustained release has been successfully performed with human growth hormone (rhGH), interferon- (rhIFN- ), interleukin-2, and MN rgp120. Johnson et al., Nat. Med., 2:795-799 (1996); Yasuda, Biomed.  
10 Ther., 27:1221-1223 (1993); Hora et al., Bio/Technology, 8:755-758 (1990); Cleland, "Design and Production of Single Immunization Vaccines Using Polylactide Polyglycolide Microsphere Systems," in Vaccine Design: The Subunit and Adjuvant Approach, Powell and Newman, eds, (Plenum Press: New York, 1995), pp. 439-462; WO 97/03692, WO 96/40072, WO 96/07399; and U.S. Pat. No. 5,654,010.

15       The sustained-release formulations of these proteins were developed using poly-lactic-coglycolic acid (PLGA) polymer due to its biocompatibility and wide range of biodegradable properties. The degradation products of PLGA, lactic and glycolic acids, can be cleared quickly within the human body. Moreover, the degradability of this polymer can be adjusted from months to years depending on its molecular weight and composition. Lewis, "Controlled release of bioactive agents from lactide/glycolide polymer," in: M. Chasin and R. Langer (Eds.), Biodegradable Polymers as Drug Delivery Systems (Marcel Dekker: New York, 1990),  
20 pp. 1-41.

      This invention encompasses methods of screening compounds to identify those that mimic the SRT polypeptide (agonists) or prevent the effect of the SRT polypeptide (antagonists). Screening assays for antagonist drug candidates are designed to identify compounds that bind or complex with the SRT polypeptides encoded by the genes identified herein, or otherwise interfere with the interaction of the encoded polypeptides with other  
25 cellular proteins. Such screening assays will include assays amenable to high-throughput screening of chemical libraries, making them particularly suitable for identifying small molecule drug candidates.

      The assays can be performed in a variety of formats, including protein-protein binding assays, biochemical screening assays, immunoassays, and cell-based assays, which are well characterized in the art.

30       All assays for antagonists are common in that they call for contacting the drug candidate with a SRT polypeptide encoded by a nucleic acid identified herein under conditions and for a time sufficient to allow these two components to interact.

      In binding assays, the interaction is binding and the complex formed can be isolated or detected in the reaction mixture. In a particular embodiment, the SRT polypeptide encoded by the gene identified herein or the drug candidate is immobilized on a solid phase, e.g., on a microtiter plate, by covalent or non-covalent  
35 attachments. Non-covalent attachment generally is accomplished by coating the solid surface with a solution of the SRT polypeptide and drying. Alternatively, an immobilized antibody, e.g., a monoclonal antibody, specific for the SRT polypeptide to be immobilized can be used to anchor it to a solid surface. The assay is performed

by adding the non-immobilized component, which may be labeled by a detectable label, to the immobilized component, e.g., the coated surface containing the anchored component. When the reaction is complete, the non-reacted components are removed, e.g., by washing, and complexes anchored on the solid surface are detected. When the originally non-immobilized component carries a detectable label, the detection of label immobilized on the surface indicates that complexing occurred. Where the originally non-immobilized component does not carry a label, complexing can be detected, for example, by using a labeled antibody specifically binding the immobilized complex.

If the candidate compound interacts with but does not bind to a particular SRT polypeptide encoded by a gene identified herein, its interaction with that polypeptide can be assayed by methods well known for detecting protein-protein interactions. Such assays include traditional approaches, such as, e.g., cross-linking, co-immunoprecipitation, and co-purification through gradients or chromatographic columns. In addition, protein-protein interactions can be monitored by using a yeast-based genetic system described by Fields and co-workers (Fields and Song, Nature (London), 340:245-246 (1989); Chien et al., Proc. Natl. Acad. Sci. USA, 88:9578-9582 (1991)) as disclosed by Chevray and Nathans, Proc. Natl. Acad. Sci. USA, 89: 5789-5793 (1991). Many transcriptional activators, such as yeast GAL4, consist of two physically discrete modular domains, one acting as the DNA-binding domain, the other one functioning as the transcription-activation domain. The yeast expression system described in the foregoing publications (generally referred to as the "two-hybrid system") takes advantage of this property, and employs two hybrid proteins, one in which the target protein is fused to the DNA-binding domain of GAL4, and another, in which candidate activating proteins are fused to the activation domain. The expression of a GAL1-*lacZ* reporter gene under control of a GAL4-activated promoter depends on reconstitution of GAL4 activity via protein-protein interaction. Colonies containing interacting polypeptides are detected with a chromogenic substrate for  $\beta$ -galactosidase. A complete kit (MATCHMAKER™) for identifying protein-protein interactions between two specific proteins using the two-hybrid technique is commercially available from Clontech. This system can also be extended to map protein domains involved in specific protein interactions as well as to pinpoint amino acid residues that are crucial for these interactions.

Compounds that interfere with the interaction of a gene encoding a SRT polypeptide identified herein and other intra- or extracellular components can be tested as follows: usually a reaction mixture is prepared containing the product of the gene and the intra- or extracellular component under conditions and for a time allowing for the interaction and binding of the two products. To test the ability of a candidate compound to inhibit binding, the reaction is run in the absence and in the presence of the test compound. In addition, a placebo may be added to a third reaction mixture, to serve as positive control. The binding (complex formation) between the test compound and the intra- or extracellular component present in the mixture is monitored as described hereinabove. The formation of a complex in the control reaction(s) but not in the reaction mixture containing the test compound indicates that the test compound interferes with the interaction of the test compound and its reaction partner.

To assay for antagonists, the SRT polypeptide may be added to a cell along with the compound to be screened for a particular activity and the ability of the compound to inhibit the activity of interest in the presence

of the SRT polypeptide indicates that the compound is an antagonist to the SRT polypeptide. Alternatively, antagonists may be detected by combining the SRT polypeptide and a potential antagonist with membrane-bound SRT polypeptide receptors or recombinant receptors under appropriate conditions for a competitive inhibition assay. The SRT polypeptide can be labeled, such as by radioactivity, such that the number of SRT polypeptide molecules bound to the receptor can be used to determine the effectiveness of the potential antagonist. The gene encoding the receptor can be identified by numerous methods known to those of skill in the art, for example, ligand panning and FACS sorting. Coligan et al., Current Protocols in Immun., 1(2): Chapter 5 (1991). Preferably, expression cloning is employed wherein polyadenylated RNA is prepared from a cell responsive to the SRT polypeptide and a cDNA library created from this RNA is divided into pools and used to transfect COS cells or other cells that are not responsive to the SRT polypeptide. Transfected cells that are grown on glass slides are exposed to labeled SRT polypeptide. The SRT polypeptide can be labeled by a variety of means including iodination or inclusion of a recognition site for a site-specific protein kinase. Following fixation and incubation, the slides are subjected to autoradiographic analysis. Positive pools are identified and sub-pools are prepared and re-transfected using an interactive sub-pooling and re-screening process, eventually yielding a single clone that encodes the putative receptor.

As an alternative approach for receptor identification, labeled SRT polypeptide can be photoaffinity-linked with cell membrane or extract preparations that express the receptor molecule. Cross-linked material is resolved by PAGE and exposed to X-ray film. The labeled complex containing the receptor can be excised, resolved into peptide fragments, and subjected to protein micro-sequencing. The amino acid sequence obtained from micro-sequencing would be used to design a set of degenerate oligonucleotide probes to screen a cDNA library to identify the gene encoding the putative receptor.

In another assay for antagonists, mammalian cells or a membrane preparation expressing the receptor would be incubated with labeled SRT polypeptide in the presence of the candidate compound. The ability of the compound to enhance or block this interaction could then be measured.

More specific examples of potential antagonists include an oligonucleotide that binds to the fusions of immunoglobulin with SRT polypeptide, and, in particular, antibodies including, without limitation, poly- and monoclonal antibodies and antibody fragments, single-chain antibodies, anti-idiotypic antibodies, and chimeric or humanized versions of such antibodies or fragments, as well as human antibodies and antibody fragments. Alternatively, a potential antagonist may be a closely related protein, for example, a mutated form of the SRT polypeptide that recognizes the receptor but imparts no effect, thereby competitively inhibiting the action of the SRT polypeptide.

Another potential SRT polypeptide antagonist is an antisense RNA or DNA construct prepared using antisense technology, where, e.g., an antisense RNA or DNA molecule acts to block directly the translation of mRNA by hybridizing to targeted mRNA and preventing protein translation. Antisense technology can be used to control gene expression through triple-helix formation or antisense DNA or RNA, both of which methods are based on binding of a polynucleotide to DNA or RNA. For example, the 5' coding portion of the polynucleotide sequence, which encodes the mature SRT polypeptides herein, is used to design an antisense RNA oligonucleotide of from about 10 to 40 base pairs in length. A DNA oligonucleotide is designed to be

complementary to a region of the gene involved in transcription (triple helix - see Lee et al., Nucl. Acids Res., 6:3073 (1979); Cooney et al., Science, 241: 456 (1988); Dervan et al., Science, 251:1360 (1991)), thereby preventing transcription and the production of the SRT polypeptide. The antisense RNA oligonucleotide hybridizes to the mRNA *in vivo* and blocks translation of the mRNA molecule into the SRT polypeptide (antisense - Okano, Neurochem., 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression (CRC Press: Boca Raton, FL, 1988). The oligonucleotides described above can also be delivered to cells such that the antisense RNA or DNA may be expressed *in vivo* to inhibit production of the SRT polypeptide. When antisense DNA is used, oligodeoxyribonucleotides derived from the translation-initiation site, e.g., between about -10 and +10 positions of the target gene nucleotide sequence, are preferred.

Potential antagonists include small molecules that bind to the active site, the receptor binding site, or growth factor or other relevant binding site of the SRT polypeptide, thereby blocking the normal biological activity of the SRT polypeptide. Examples of small molecules include, but are not limited to, small peptides or peptide-like molecules, preferably soluble peptides, and synthetic non-peptidyl organic or inorganic compounds.

Ribozymes are enzymatic RNA molecules capable of catalyzing the specific cleavage of RNA. Ribozymes act by sequence-specific hybridization to the complementary target RNA, followed by endonucleolytic cleavage. Specific ribozyme cleavage sites within a potential RNA target can be identified by known techniques. For further details see, e.g., Rossi, Current Biology, 4:469-471 (1994), and PCT publication No. WO 97/33551 (published September 18, 1997).

Nucleic acid molecules in triple-helix formation used to inhibit transcription should be single-stranded and composed of deoxynucleotides. The base composition of these oligonucleotides is designed such that it promotes triple-helix formation via Hoogsteen base-pairing rules, which generally require sizeable stretches of purines or pyrimidines on one strand of a duplex. For further details see, e.g., PCT publication No. WO 97/33551, *supra*.

These small molecules can be identified by any one or more of the screening assays discussed hereinabove and/or by any other screening techniques well known for those skilled in the art.

#### F. Anti-SRT Polypeptide Antibodies

The present invention further provides anti-SRT antibodies. Exemplary antibodies include polyclonal, monoclonal, humanized, bispecific, and heteroconjugate antibodies.

##### 1. Polyclonal Antibodies

The anti-SRT antibodies may comprise polyclonal antibodies. Methods of preparing polyclonal antibodies are known to the skilled artisan. Polyclonal antibodies can be raised in a mammal, for example, by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include the SRT polypeptide or a fusion protein thereof. It may be useful to conjugate the immunizing agent to a protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine

thyroglobulin, and soybean trypsin inhibitor. Examples of adjuvants which may be employed include Freund's complete adjuvant and MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate). The immunization protocol may be selected by one skilled in the art without undue experimentation.

## 2. Monoclonal Antibodies

5 The anti-SRT antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler and Milstein, Nature, 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes may be immunized *in vitro*.

10 The immunizing agent will typically include the SRT polypeptide or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene glycol, to form a hybridoma cell [Goding, Monoclonal Antibodies: Principles and Practice, Academic Press, (1986) pp. 59-103]. Immortalized  
15 cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include  
20 hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

Preferred immortalized cell lines are those that fuse efficiently, support stable high level expression of antibody by the selected antibody-producing cells, and are sensitive to a medium such as HAT medium. More preferred immortalized cell lines are murine myeloma lines, which can be obtained, for instance, from the Salk  
25 Institute Cell Distribution Center, San Diego, California and the American Type Culture Collection, Manassas, Virginia. Human myeloma and mouse-human heteromyeloma cell lines also have been described for the production of human monoclonal antibodies [Kozbor, J. Immunol., 133:3001 (1984); Brodeur et al., Monoclonal Antibody Production Techniques and Applications, Marcel Dekker, Inc., New York, (1987) pp. 51-63].

The culture medium in which the hybridoma cells are cultured can then be assayed for the presence of  
30 monoclonal antibodies directed against SRT. Preferably, the binding specificity of monoclonal antibodies produced by the hybridoma cells is determined by immunoprecipitation or by an *in vitro* binding assay, such as radioimmunoassay (RIA) or enzyme-linked immunoabsorbent assay (ELISA). Such techniques and assays are known in the art. The binding affinity of the monoclonal antibody can, for example, be determined by the Scatchard analysis of Munson and Pollard, Anal. Biochem., 107:220 (1980).

35 After the desired hybridoma cells are identified, the clones may be subcloned by limiting dilution procedures and grown by standard methods [Goding, supra]. Suitable culture media for this purpose include, for example, Dulbecco's Modified Eagle's Medium and RPMI-1640 medium. Alternatively, the hybridoma cells



may be grown *in vivo* as ascites in a mammal.

The monoclonal antibodies secreted by the subclones may be isolated or purified from the culture medium or ascites fluid by conventional immunoglobulin purification procedures such as, for example, protein A-Sepharose, hydroxylapatite chromatography, gel electrophoresis, dialysis, or affinity chromatography.

5 The monoclonal antibodies may also be made by recombinant DNA methods, such as those described in U.S. Patent No. 4,816,567. DNA encoding the monoclonal antibodies of the invention can be readily isolated and sequenced using conventional procedures (e.g., by using oligonucleotide probes that are capable of binding specifically to genes encoding the heavy and light chains of murine antibodies). The hybridoma cells of the invention serve as a preferred source of such DNA. Once isolated, the DNA may be placed into expression vectors, which are then transfected into host cells such as simian COS cells, Chinese hamster ovary (CHO) cells, 10 or myeloma cells that do not otherwise produce immunoglobulin protein, to obtain the synthesis of monoclonal antibodies in the recombinant host cells. The DNA also may be modified, for example, by substituting the coding sequence for human heavy and light chain constant domains in place of the homologous murine sequences [U.S. Patent No. 4,816,567; Morrison et al., *supra*] or by covalently joining to the immunoglobulin coding sequence all or part of the coding sequence for a non-immunoglobulin polypeptide. Such a non-immunoglobulin polypeptide can be substituted for the constant domains of an antibody of the invention, or can be substituted for 15 the variable domains of one antigen-combining site of an antibody of the invention to create a chimeric bivalent antibody.

The antibodies may be monovalent antibodies. Methods for preparing monovalent antibodies are well known in the art. For example, one method involves recombinant expression of immunoglobulin light chain and modified heavy chain. The heavy chain is truncated generally at any point in the Fc region so as to prevent heavy chain crosslinking. Alternatively, the relevant cysteine residues are substituted with another amino acid residue or are deleted so as to prevent crosslinking. 20

*In vitro* methods are also suitable for preparing monovalent antibodies. Digestion of antibodies to produce fragments thereof, particularly, Fab fragments, can be accomplished using routine techniques known 25 in the art.

### 3. Human and Humanized Antibodies

The anti-SRT antibodies of the invention may further comprise humanized antibodies or human antibodies. Humanized forms of non-human (e.g., murine) antibodies are chimeric immunoglobulins, 30 immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')<sub>2</sub> or other antigen-binding subsequences of antibodies) which contain minimal sequence derived from non-human immunoglobulin. Humanized antibodies include human immunoglobulins (recipient antibody) in which residues from a complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a non-human species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In 35 some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, the humanized antibody will comprise

substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the FR regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin [Jones et al., Nature, 321:522-525 (1986); Riechmann et al., Nature, 332:323-329 (1988); and Presta, Curr. Op. Struct. Biol., 2:593-596 (1992)].

Methods for humanizing non-human antibodies are well known in the art. Generally, a humanized antibody has one or more amino acid residues introduced into it from a source which is non-human. These non-human amino acid residues are often referred to as "import" residues, which are typically taken from an "import" variable domain. Humanization can be essentially performed following the method of Winter and co-workers [Jones et al., Nature, 321:522-525 (1986); Riechmann et al., Nature, 332:323-327 (1988); Verhoeyen et al., Science, 239:1534-1536 (1988)], by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. Accordingly, such "humanized" antibodies are chimeric antibodies (U.S. Patent No. 4,816,567), wherein substantially less than an intact human variable domain has been substituted by the corresponding sequence from a non-human species. In practice, humanized antibodies are typically human antibodies in which some CDR residues and possibly some FR residues are substituted by residues from analogous sites in rodent antibodies.

Human antibodies can also be produced using various techniques known in the art, including phage display libraries [Hoogenboom and Winter, J. Mol. Biol., 227:381 (1991); Marks et al., J. Mol. Biol., 222:581 (1991)]. The techniques of Cole et al. and Boerner et al. are also available for the preparation of human monoclonal antibodies (Cole et al., Monoclonal Antibodies and Cancer Therapy, Alan R. Liss, p. 77 (1985) and Boerner et al., J. Immunol., 147(1):86-95 (1991)). Similarly, human antibodies can be made by introducing of human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, for example, in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks *et al.*, Bio/Technology 10, 779-783 (1992); Lonberg *et al.*, Nature 368 856-859 (1994); Morrison, Nature 368, 812-13 (1994); Fishwild *et al.*, Nature Biotechnology 14, 845-51 (1996); Neuberger, Nature Biotechnology 14, 826 (1996); Lonberg and Huszar, Intern. Rev. Immunol. 13 65-93 (1995).

#### 4. Bispecific Antibodies

Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens. In the present case, one of the binding specificities is for the SRT, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit.

Methods for making bispecific antibodies are known in the art. Traditionally, the recombinant production of bispecific antibodies is based on the co-expression of two immunoglobulin heavy-chain/light-chain

pairs, where the two heavy chains have different specificities [Milstein and Cuello, Nature, 305:537-539 (1983)]. Because of the random assortment of immunoglobulin heavy and light chains, these hybridomas (quadromas) produce a potential mixture of ten different antibody molecules, of which only one has the correct bispecific structure. The purification of the correct molecule is usually accomplished by affinity chromatography steps. Similar procedures are disclosed in WO 93/08829, published 13 May 1993, and in Traunecker et al., EMBO J., 10:3655-3659 (1991).

Antibody variable domains with the desired binding specificities (antibody-antigen combining sites) can be fused to immunoglobulin constant domain sequences. The fusion preferably is with an immunoglobulin heavy-chain constant domain, comprising at least part of the hinge, CH2, and CH3 regions. It is preferred to have the first heavy-chain constant region (CH1) containing the site necessary for light-chain binding present in at least one of the fusions. DNAs encoding the immunoglobulin heavy-chain fusions and, if desired, the immunoglobulin light chain, are inserted into separate expression vectors, and are co-transfected into a suitable host organism. For further details of generating bispecific antibodies see, for example, Suresh et al., Methods in Enzymology, 121:210 (1986).

According to another approach described in WO 96/27011, the interface between a pair of antibody molecules can be engineered to maximize the percentage of heterodimers which are recovered from recombinant cell culture. The preferred interface comprises at least a part of the CH3 region of an antibody constant domain. In this method, one or more small amino acid side chains from the interface of the first antibody molecule are replaced with larger side chains (e.g. tyrosine or tryptophan). Compensatory "cavities" of identical or similar size to the large side chain(s) are created on the interface of the second antibody molecule by replacing large amino acid side chains with smaller ones (e.g. alanine or threonine). This provides a mechanism for increasing the yield of the heterodimer over other unwanted end-products such as homodimers.

Bispecific antibodies can be prepared as full length antibodies or antibody fragments (e.g. F(ab')<sub>2</sub> bispecific antibodies). Techniques for generating bispecific antibodies from antibody fragments have been described in the literature. For example, bispecific antibodies can be prepared using chemical linkage. Brennan *et al.*, Science 229:81 (1985) describe a procedure wherein intact antibodies are proteolytically cleaved to generate F(ab')<sub>2</sub> fragments. These fragments are reduced in the presence of the dithiol complexing agent sodium arsenite to stabilize vicinal dithiols and prevent intermolecular disulfide formation. The Fab' fragments generated are then converted to thionitrobenzoate (TNB) derivatives. One of the Fab'-TNB derivatives is then reconverted to the Fab'-thiol by reduction with mercaptoethylamine and is mixed with an equimolar amount of the other Fab'-TNB derivative to form the bispecific antibody. The bispecific antibodies produced can be used as agents for the selective immobilization of enzymes.

Fab' fragments may be directly recovered from *E. coli* and chemically coupled to form bispecific antibodies. Shalaby *et al.*, J. Exp. Med. 175:217-225 (1992) describe the production of a fully humanized bispecific antibody F(ab')<sub>2</sub> molecule. Each Fab' fragment was separately secreted from *E. coli* and subjected to directed chemical coupling *in vitro* to form the bispecific antibody. The bispecific antibody thus formed was able to bind to cells overexpressing the ErbB2 receptor and normal human T cells, as well as trigger the lytic activity of human cytotoxic lymphocytes against human breast tumor targets.

Various technique for making and isolating bispecific antibody fragments directly from recombinant cell culture have also been described. For example, bispecific antibodies have been produced using leucine zippers. Kostelny *et al.*, J. Immunol. 148(5):1547-1553 (1992). The leucine zipper peptides from the Fos and Jun proteins were linked to the Fab' portions of two different antibodies by gene fusion. The antibody homodimers were reduced at the hinge region to form monomers and then re-oxidized to form the antibody heterodimers.

5 This method can also be utilized for the production of antibody homodimers. The "diabody" technology described by Hollinger *et al.*, Proc. Natl. Acad. Sci. USA 90:6444-6448 (1993) has provided an alternative mechanism for making bispecific antibody fragments. The fragments comprise a heavy-chain variable domain ( $V_H$ ) connected to a light-chain variable domain ( $V_L$ ) by a linker which is too short to allow pairing between the two domains on the same chain. Accordingly, the  $V_H$  and  $V_L$  domains of one fragment are forced to pair with  
10 the complementary  $V_L$  and  $V_H$  domains of another fragment, thereby forming two antigen-binding sites. Another strategy for making bispecific antibody fragments by the use of single-chain Fv (sFv) dimers has also been reported. See, Gruber *et al.*, J. Immunol. 152:5368 (1994).

Antibodies with more than two valencies are contemplated. For example, trispecific antibodies can be prepared. Tutt *et al.*, J. Immunol. 147:60 (1991).

15 Exemplary bispecific antibodies may bind to two different epitopes on a given SRT polypeptide herein. Alternatively, an anti-SRT polypeptide arm may be combined with an arm which binds to a triggering molecule on a leukocyte such as a T-cell receptor molecule (e.g. CD2, CD3, CD28, or B7), or Fc receptors for IgG (FcγR), such as FcγRI (CD64), FcγRII (CD32) and FcγRIII (CD16) so as to focus cellular defense mechanisms to the cell expressing the particular SRT polypeptide. Bispecific antibodies may also be used to localize cytotoxic  
20 agents to cells which express a particular SRT polypeptide. These antibodies possess a SRT-binding arm and an arm which binds a cytotoxic agent or a radionuclide chelator, such as EOTUBE, DPTA, DOTA, or TETA. Another bispecific antibody of interest binds the SRT polypeptide and further binds tissue factor (TF).

#### 5. Heteroconjugate Antibodies

25 Heteroconjugate antibodies are also within the scope of the present invention. Heteroconjugate antibodies are composed of two covalently joined antibodies. Such antibodies have, for example, been proposed to target immune system cells to unwanted cells [U.S. Patent No. 4,676,980], and for treatment of HIV infection [WO 91/00360; WO 92/200373; EP 03089]. It is contemplated that the antibodies may be prepared *in vitro* using known methods in synthetic protein chemistry, including those involving crosslinking agents. For  
30 example, immunotoxins may be constructed using a disulfide exchange reaction or by forming a thioether bond. Examples of suitable reagents for this purpose include iminothiolate and methyl-4-mercaptobutyrimidate and those disclosed, for example, in U.S. Patent No. 4,676,980.

#### 6. Effector Function Engineering

35 It may be desirable to modify the antibody of the invention with respect to effector function, so as to enhance, e.g., the effectiveness of the antibody in treating cancer. For example, cysteine residue(s) may be introduced into the Fc region, thereby allowing interchain disulfide bond formation in this region. The

homodimeric antibody thus generated may have improved internalization capability and/or increased complement-mediated cell killing and antibody-dependent cellular cytotoxicity (ADCC). See Caron *et al.*, J. Exp Med., 176: 1191-1195 (1992) and Shopes, J. Immunol., 148: 2918-2922 (1992). Homodimeric antibodies with enhanced anti-tumor activity may also be prepared using heterobifunctional cross-linkers as described in Wolff *et al.* Cancer Research, 53: 2560-2565 (1993). Alternatively, an antibody can be engineered that has dual Fc regions and may thereby have enhanced complement lysis and ADCC capabilities. See Stevenson *et al.*, Anti-Cancer Drug Design, 3: 219-230 (1989).

#### 7. Immunoconjugates

The invention also pertains to immunoconjugates comprising an antibody conjugated to a cytotoxic agent such as a chemotherapeutic agent, toxin (*e.g.*, an enzymatically active toxin of bacterial, fungal, plant, or animal origin, or fragments thereof), or a radioactive isotope (*i.e.*, a radioconjugate).

Chemotherapeutic agents useful in the generation of such immunoconjugates have been described above. Enzymatically active toxins and fragments thereof that can be used include diphtheria A chain, nonbinding active fragments of diphtheria toxin, exotoxin A chain (from *Pseudomonas aeruginosa*), ricin A chain, abrin A chain, modeccin A chain, alpha-sarcin, *Aleurites fordii* proteins, dianthin proteins, *Phytolaca americana* proteins (PAPI, PAPII, and PAP-S), momordica charantia inhibitor, curcin, crotin, sapaonaria officinalis inhibitor, gelonin, mitogellin, restrictocin, phenomycin, enomycin, and the tricothecenes. A variety of radionuclides are available for the production of radioconjugated antibodies. Examples include <sup>212</sup>Bi, <sup>131</sup>I, <sup>131</sup>In, <sup>90</sup>Y, and <sup>186</sup>Re.

Conjugates of the antibody and cytotoxic agent are made using a variety of bifunctional protein-coupling agents such as N-succinimidyl-3-(2-pyridyldithiol) propionate (SPDP), iminothiolane (IT), bifunctional derivatives of imidoesters (such as dimethyl adipimidate HCL), active esters (such as disuccinimidyl suberate), aldehydes (such as glutaraldehyde), bis-azido compounds (such as bis (p-azidobenzoyl) hexanediamine), bis-diazonium derivatives (such as bis-(p-diazoniumbenzoyl)-ethylenediamine), diisocyanates (such as tolyene 2,6-diisocyanate), and bis-active fluorine compounds (such as 1,5-difluoro-2,4-dinitrobenzene). For example, a ricin immunotoxin can be prepared as described in Vitetta *et al.*, Science, 238: 1098 (1987). Carbon-14-labeled 1-isothiocyanatobenzyl-3-methyldiethylene triaminepentaacetic acid (MX-DTPA) is an exemplary chelating agent for conjugation of radionucleotide to the antibody. See WO94/11026.

In another embodiment, the antibody may be conjugated to a "receptor" (such streptavidin) for utilization in tumor pretargeting wherein the antibody-receptor conjugate is administered to the patient, followed by removal of unbound conjugate from the circulation using a clearing agent and then administration of a "ligand" (*e.g.*, avidin) that is conjugated to a cytotoxic agent (*e.g.*, a radionucleotide).

#### 8. Immunoliposomes

The antibodies disclosed herein may also be formulated as immunoliposomes. Liposomes containing the antibody are prepared by methods known in the art, such as described in Epstein *et al.*, Proc. Natl. Acad. Sci. USA, 82: 3688 (1985); Hwang *et al.*, Proc. Natl. Acad. Sci. USA, 77: 4030 (1980); and U.S. Pat. Nos. 4,485,045 and 4,544,545. Liposomes with enhanced circulation time are disclosed in U.S. Patent No.

5,013,556.

Particularly useful liposomes can be generated by the reverse-phase evaporation method with a lipid composition comprising phosphatidylcholine, cholesterol, and PEG-derivatized phosphatidylethanolamine (PEG-PE). Liposomes are extruded through filters of defined pore size to yield liposomes with the desired diameter. Fab' fragments of the antibody of the present invention can be conjugated to the liposomes as described in Martin *et al.*, J. Biol. Chem., **257**: 286-288 (1982) via a disulfide-interchange reaction. A chemotherapeutic agent (such as Doxorubicin) is optionally contained within the liposome. See Gabizon *et al.*, J. National Cancer Inst., **81**(19): 1484 (1989).

#### 9. Pharmaceutical Compositions of Antibodies

Antibodies specifically binding a SRT polypeptide identified herein, as well as other molecules identified by the screening assays disclosed hereinbefore, can be administered for the treatment of various disorders in the form of pharmaceutical compositions.

If the SRT polypeptide is intracellular and whole antibodies are used as inhibitors, internalizing antibodies are preferred. However, lipofections or liposomes can also be used to deliver the antibody, or an antibody fragment, into cells. Where antibody fragments are used, the smallest inhibitory fragment that specifically binds to the binding domain of the target protein is preferred. For example, based upon the variable-region sequences of an antibody, peptide molecules can be designed that retain the ability to bind the target protein sequence. Such peptides can be synthesized chemically and/or produced by recombinant DNA technology. See, *e.g.*, Marasco *et al.*, Proc. Natl. Acad. Sci. USA, **90**: 7889-7893 (1993). The formulation herein may also contain more than one active compound as necessary for the particular indication being treated, preferably those with complementary activities that do not adversely affect each other. Alternatively, or in addition, the composition may comprise an agent that enhances its function, such as, for example, a cytotoxic agent, cytokine, chemotherapeutic agent, or growth-inhibitory agent. Such molecules are suitably present in combination in amounts that are effective for the purpose intended.

The active ingredients may also be entrapped in microcapsules prepared, for example, by coacervation techniques or by interfacial polymerization, for example, hydroxymethylcellulose or gelatin-microcapsules and poly-(methylmethacrylate) microcapsules, respectively, in colloidal drug delivery systems (for example, liposomes, albumin microspheres, microemulsions, nano-particles, and nanocapsules) or in macroemulsions. Such techniques are disclosed in Remington's Pharmaceutical Sciences, *supra*.

The formulations to be used for *in vivo* administration must be sterile. This is readily accomplished by filtration through sterile filtration membranes.

Sustained-release preparations may be prepared. Suitable examples of sustained-release preparations include semipermeable matrices of solid hydrophobic polymers containing the antibody, which matrices are in the form of shaped articles, *e.g.*, films, or microcapsules. Examples of sustained-release matrices include polyesters, hydrogels (for example, poly(2-hydroxyethyl-methacrylate), or poly(vinylalcohol)), polylactides (U.S. Pat. No. 3,773,919), copolymers of L-glutamic acid and  $\gamma$  ethyl-L-glutamate, non-degradable ethylene-vinyl acetate, degradable lactic acid-glycolic acid copolymers such as the LUPRON DEPOT<sup>TM</sup> (injectable

microspheres composed of lactic acid-glycolic acid copolymer and leuprolide acetate), and poly-D-(-)-3-hydroxybutyric acid. While polymers such as ethylene-vinyl acetate and lactic acid-glycolic acid enable release of molecules for over 100 days, certain hydrogels release proteins for shorter time periods. When encapsulated antibodies remain in the body for a long time, they may denature or aggregate as a result of exposure to moisture at 37°C, resulting in a loss of biological activity and possible changes in immunogenicity. Rational strategies can be devised for stabilization depending on the mechanism involved. For example, if the aggregation mechanism is discovered to be intermolecular S-S bond formation through thio-disulfide interchange, stabilization may be achieved by modifying sulfhydryl residues, lyophilizing from acidic solutions, controlling moisture content, using appropriate additives, and developing specific polymer matrix compositions.

#### G. Uses for anti-SRT Antibodies

The anti-SRT antibodies of the invention have various utilities. For example, anti-SRT antibodies may be used in diagnostic assays for SRT, *e.g.*, detecting its expression in specific cells, tissues, or serum. Various diagnostic assay techniques known in the art may be used, such as competitive binding assays, direct or indirect sandwich assays and immunoprecipitation assays conducted in either heterogeneous or homogeneous phases [Zola, Monoclonal Antibodies: A Manual of Techniques, CRC Press, Inc. (1987) pp. 147-158]. The antibodies used in the diagnostic assays can be labeled with a detectable moiety. The detectable moiety should be capable of producing, either directly or indirectly, a detectable signal. For example, the detectable moiety may be a radioisotope, such as <sup>3</sup>H, <sup>14</sup>C, <sup>32</sup>P, <sup>35</sup>S, or <sup>125</sup>I, a fluorescent or chemiluminescent compound, such as fluorescein isothiocyanate, rhodamine, or luciferin, or an enzyme, such as alkaline phosphatase, beta-galactosidase or horseradish peroxidase. Any method known in the art for conjugating the antibody to the detectable moiety may be employed, including those methods described by Hunter et al., Nature, 144:945 (1962); David et al., Biochemistry, 13:1014 (1974); Pain et al., J. Immunol. Meth., 40:219 (1981); and Nygren, J. Histochem. and Cytochem., 30:407 (1982).

Anti-SRT antibodies also are useful for the affinity purification of SRT from recombinant cell culture or natural sources. In this process, the antibodies against SRT are immobilized on a suitable support, such as Sephadex resin or filter paper, using methods well known in the art. The immobilized antibody then is contacted with a sample containing the SRT to be purified, and thereafter the support is washed with a suitable solvent that will remove substantially all the material in the sample except the SRT, which is bound to the immobilized antibody. Finally, the support is washed with another suitable solvent that will release the SRT from the antibody.

The following examples are offered for illustrative purposes only, and are not intended to limit the scope of the present invention in any way.

All patent and literature references cited in the present specification are hereby incorporated by reference in their entirety.

### EXAMPLES

Commercially available reagents referred to in the examples were used according to manufacturer's instructions unless otherwise indicated. The source of those cells identified in the following examples, and throughout the specification, by ATCC accession numbers is the American Type Culture Collection, Manassas, VA.

5

#### EXAMPLE 1

##### Isolation of SRT cDNAs

##### 1. Preparation of oligo dT primed cDNA library

mRNA was isolated from human tissue using reagents and protocols from Invitrogen, San Diego, CA (Fast Track 2). This RNA was used to generate an oligo dT primed cDNA library in the vector pRK5D using reagents and protocols from Life Technologies, Gaithersburg, MD (Super Script Plasmid System). In this procedure, the double stranded cDNA was sized to greater than 1000 bp and the SalI/NotI linker cDNA was cloned into XhoI/NotI cleaved vector. pRK5D is a cloning vector that has an sp6 transcription initiation site followed by an SfiI restriction enzyme site preceding the XhoI/NotI cDNA cloning sites.

15

##### 2. Preparation of random primed cDNA library

A secondary cDNA library was generated in order to preferentially represent the 5' ends of the primary cDNA clones. Sp6 RNA was generated from the primary library (described above), and this RNA was used to generate a random primed cDNA library in the vector pSST-AMY.0 using reagents and protocols from Life Technologies (Super Script Plasmid System, referenced above). In this procedure the double stranded cDNA was sized to 500-1000 bp, linker with blunt to NotI adaptors, cleaved with SfiI, and cloned into SfiI/NotI cleaved vector. pSST-AMY.0 is a cloning vector that has a yeast alcohol dehydrogenase promoter preceding the cDNA cloning sites and the mouse amylase sequence (the mature sequence without the secretion signal) followed by the yeast alcohol dehydrogenase terminator, after the cloning sites. Thus, cDNAs cloned into this vector that are fused in frame with the amylase sequence will lead to the secretion of amylase from appropriately transfected yeast colonies.

25

##### 3. Transformation and Detection

DNA from the library described in paragraph 2 above was chilled on ice to which was added electrocompetent DH10B bacteria (Life Technologies, 20 ml). The bacteria and vector mixture was then electroporated as recommended by the manufacturer. Subsequently, SOC media (Life Technologies, 1 ml) was added and the mixture was incubated at 37°C for 30 minutes. The transformants were then plated onto 20 standard 150 mm LB plates containing ampicillin and incubated for 16 hours (37°C). Positive colonies were scraped off the plates and the DNA was isolated from the bacterial pellet using standard protocols, e.g. CsCl-gradient. The purified DNA was then carried on to the yeast protocols below.

35

The yeast methods were divided into three categories: (1) Transformation of yeast with the plasmid/cDNA combined vector; (2) Detection and isolation of yeast clones secreting amylase; and (3) PCR



amplification of the insert directly from the yeast colony and purification of the DNA for sequencing and further analysis.

The yeast strain used was HD56-5A (ATCC-90785). This strain has the following genotype: MAT alpha, ura3-52, leu2-3, leu2-112, his3-11, his3-15, MAL<sup>+</sup>, SUC<sup>+</sup>, GAL<sup>+</sup>. Preferably, yeast mutants can be employed that have deficient post-translational pathways. Such mutants may have translocation deficient alleles in *sec71*, *sec72*, *sec62*, with truncated *sec71* being most preferred. Alternatively, antagonists (including antisense nucleotides and/or ligands) which interfere with the normal operation of these genes, other proteins implicated in this post translation pathway (e.g., SEC61p, SEC72p, SEC62p, SEC63p, TDJ1p or SSA1p-4p) or the complex formation of these proteins may also be preferably employed in combination with the amylase-expressing yeast.

Transformation was performed based on the protocol outlined by Gietz et al., Nucl. Acid. Res., 20:1425 (1992). Transformed cells were then inoculated from agar into YEPD complex media broth (100 ml) and grown overnight at 30°C. The YEPD broth was prepared as described in Kaiser et al., Methods in Yeast Genetics, Cold Spring Harbor Press, Cold Spring Harbor, NY, p. 207 (1994). The overnight culture was then diluted to about  $2 \times 10^6$  cells/ml (approx. OD<sub>600</sub>=0.1) into fresh YEPD broth (500 ml) and regrown to  $1 \times 10^7$  cells/ml (approx. OD<sub>600</sub>=0.4-0.5).

The cells were then harvested and prepared for transformation by transfer into GS3 rotor bottles in a Sorval GS3 rotor at 5,000 rpm for 5 minutes, the supernatant discarded, and then resuspended into sterile water, and centrifuged again in 50 ml falcon tubes at 3,500 rpm in a Beckman GS-6KR centrifuge. The supernatant was discarded and the cells were subsequently washed with LiAc/TE (10 ml, 10 mM Tris-HCl, 1 mM EDTA pH 7.5, 100 mM Li<sub>2</sub>OOCCH<sub>3</sub>), and resuspended into LiAc/TE (2.5 ml).

Transformation took place by mixing the prepared cells (100 µl) with freshly denatured single stranded salmon testes DNA (Lofstrand Labs, Gaithersburg, MD) and transforming DNA (1 µg, vol. < 10 µl) in microfuge tubes. The mixture was mixed briefly by vortexing, then 40% PEG/TE (600 µl, 40% polyethylene glycol-4000, 10 mM Tris-HCl, 1 mM EDTA, 100 mM Li<sub>2</sub>OOCCH<sub>3</sub>, pH 7.5) was added. This mixture was gently mixed and incubated at 30°C while agitating for 30 minutes. The cells were then heat shocked at 42°C for 15 minutes, and the reaction vessel centrifuged in a microfuge at 12,000 rpm for 5-10 seconds, decanted and resuspended into TE (500 µl, 10 mM Tris-HCl, 1 mM EDTA pH 7.5) followed by recentrifugation. The cells were then diluted into TE (1 ml) and aliquots (200 µl) were spread onto the selective media previously prepared in 150 mm growth plates (VWR).

Alternatively, instead of multiple small reactions, the transformation was performed using a single, large scale reaction, wherein reagent amounts were scaled up accordingly.

The selective media used was a synthetic complete dextrose agar lacking uracil (SCD-Ura) prepared as described in Kaiser et al., Methods in Yeast Genetics, Cold Spring Harbor Press, Cold Spring Harbor, NY, p. 208-210 (1994). Transformants were grown at 30°C for 2-3 days.

The detection of colonies secreting amylase was performed by including red starch in the selective growth media. Starch was coupled to the red dye (Reactive Red-120, Sigma) as per the procedure described by Biely et al., Anal. Biochem., 172:176-179 (1988). The coupled starch was incorporated into the SCD-Ura agar

plates at a final concentration of 0.15% (w/v), and was buffered with potassium phosphate to a pH of 7.0 (50-100 mM final concentration).

The positive colonies were picked and streaked across fresh selective media (onto 150 mm plates) in order to obtain well isolated and identifiable single colonies. Well isolated single colonies positive for amylase secretion were detected by direct incorporation of red starch into buffered SCD-Ura agar. Positive colonies were determined by their ability to break down starch resulting in a clear halo around the positive colony visualized directly.

#### 4. Isolation of DNA by PCR Amplification

When a positive colony was isolated, a portion of it was picked by a toothpick and diluted into sterile water (30  $\mu$ l) in a 96 well plate. At this time, the positive colonies were either frozen and stored for subsequent analysis or immediately amplified. An aliquot of cells (5  $\mu$ l) was used as a template for the PCR reaction in a 25  $\mu$ l volume containing: 0.5  $\mu$ l Klentaq (Clontech, Palo Alto, CA); 4.0  $\mu$ l 10 mM dNTP's (Perkin Elmer-Cetus); 2.5  $\mu$ l Klentaq buffer (Clontech); 0.25  $\mu$ l forward oligo 1; 0.25  $\mu$ l reverse oligo 2; 12.5  $\mu$ l distilled water. The sequence of the forward oligonucleotide 1 was:

5'-TGTAACGACGGCCAGTTAAATAGACCTGCAATTATTAATCT-3' (SEQ ID NO:563)

The sequence of reverse oligonucleotide 2 was:

5'-CAGGAAACAGCTATGACCACCTGCACACCTGCAAATCCATT-3' (SEQ ID NO:564)

PCR was then performed as follows:

a.	Denature	92°C, 5 minutes
b.	3 cycles of:	
	Denature	92°C, 30 seconds
	Anneal	59°C, 30 seconds
	Extend	72°C, 60 seconds
c.	3 cycles of:	
	Denature	92°C, 30 seconds
	Anneal	57°C, 30 seconds
	Extend	72°C, 60 seconds
d.	25 cycles of:	
	Denature	92°C, 30 seconds
	Anneal	55°C, 30 seconds
	Extend	72°C, 60 seconds
e.	Hold	4°C

The underlined regions of the oligonucleotides disclosed above annealed to the ADH promoter region and the amylase region, respectively, and amplified a 307 bp region from vector pSST-AMY.0 when no insert was present. Typically, the first 18 nucleotides of the 5' end of these oligonucleotides contained annealing sites for the sequencing primers. Thus, the total product of the PCR reaction from an empty vector was 343 bp. However, signal sequence-fused cDNA resulted in considerably longer nucleotide sequences.

Following the PCR, an aliquot of the reaction (5  $\mu$ l) was examined by agarose gel electrophoresis in a 1% agarose gel using a Tris-Borate-EDTA (TBE) buffering system as described by Sambrook et al., *supra*. Clones resulting in a single strong PCR product larger than 400 bp were further analyzed by DNA sequencing

after purification with a 96 Qiaquick PCR clean-up column (Qiagen Inc., Chatsworth, CA).

cDNA molecules isolated from this amylase screen are shown in Figures 1-562 (SEQ ID NOS:1-562, respectively), wherein the nucleotides "N" and "X" represent any nucleotide. The cDNA libraries from which these cDNA molecules were obtained are as follows:

- 5 (a) Human liver tissue  
Figures 1-19, 124 and 130.
- (b) Human placenta tissue  
Figures 20-73.
- (c) Human retina tissue  
Figures 74-75, 81, 107-108, 139-140 and 340-341.
- 10 (d) Human salivary gland tissue  
Figures 76-78.
- (e) Human umbilical vein endothelial cells  
Figures 79-80, 97, 110, 245-252, 254-260, 263-265, 413-421, 433-437, 444-449, 454-456, 462-467, 477-478, 480-485, 492-493, 515 and 548.
- 15 (f) Human thyroid tissue  
Figures 82-84, 90-91, 96, 109, 141-143 and 268.
- (g) Human small intestine tissue  
Figures 85-86, 144-161 and 267.
- (h) Human colon carcinoma tissue  
20 Figure 87.
- (i) Human lung endothelial cells  
Figures 88 and 93-95.
- (j) Human hypothalamus tissue  
Figure 89.
- 25 (k) Human breast carcinoma tissue  
Figures 92, 111-115, 206-213, 228-232, 269-270, 450-453, 534-547, 556 and 559.
- (l) Human aortic endothelial cells  
Figures 98-102, 125-129, 136-138, 216-217, 253, 261-262, 300-301, 327-330, 365-367 and 385-387.
- (m) Human uterus tissue  
30 Figures 103-106, 170-173, 176-183, 233-235, 238, 242-244, 266, 311-312 and 557.
- (n) Human lung carcinoma tissue  
Figures 106-108, 201-205, 221-227, 271-274, 334-339, 342-348, 350-351, 360-364, 372, 388-408, 411, 431-432, 479, 558 and 560-561.
- (o) Human mammary epithelial cells  
35 Figures 119-121, 214 and 316-320.
- (p) Human chronic myelogenous leukemia tissue  
Figures 122-123 and 131-135.

- (q) Human spinal cord tissue  
Figures 162, 167-169, 198-200, 236 and 315.
- (r) Human fetal brain tissue  
Figures 163-166, 174-175, 332-333, 422-430 and 494-502.
- (s) Human fetal kidney tissue  
Figures 184-197, 409-410 and 412.
- (t) Human prostate tissue  
Figures 215, 237, 239-241 and 349.
- (u) Human mammary gland tissue  
Figures 218-220, 275-276 and 331.
- (v) Human adenocarcinoma tissue  
Figures 277-299 and 302-310.
- (w) Human fetal small intestine tissue  
Figures 313-314.
- (x) Human fetal lung tissue  
Figures 321-326.
- (y) Human testis tissue  
Figures 352-359, 368-371, 377-384, 438-443, 457-461, 486-491, 513-514, 516-527 and 562.
- (z) Human MCF-7 cells  
Figures 373-376, 468-476, 503-512, 528-533 and 549-555.

## EXAMPLE 2

### Identification of full-length cDNA molecules

Oligonucleotide probes may be generated from the sequence of any of the SRT polynucleotide sequences disclosed herein, including those shown in Figures 1 to 562 and used to screen human cDNA libraries prepared as described in paragraph 1 of Example 1 above. The cloning vector may be pRK5B (pRK5B is a precursor of pRK5D that does not contain the SfiI site; see, Holmes et al., Science 253:1278-1280 (1991)), and the cDNA size cut may be less than 2800 bp. The oligonucleotide probes may be synthesized: 1) to identify by PCR a cDNA library that contained the sequence of interest, and 2) for use as probes to isolate a clone of the full-length coding sequence for SRT. Forward and reverse PCR primers generally range from 20 to 30 nucleotides and are often designed to give a PCR product of about 100-1000 bp in length. The probe sequences are typically 40-55 bp in length. In order to screen several libraries for a full-length clone, DNA from the libraries may be screened by PCR amplification, as per Ausubel et al., Current Protocols in Molecular Biology, *supra*, with the PCR primer pair. A positive library may then be used to isolate clones encoding the gene of interest using the probe oligonucleotide and one of the primer pairs.

## EXAMPLE 3

Use of SRT polynucleotides as hybridization probes

The following method describes use of a nucleotide sequence encoding SRT as a hybridization probe.

DNA comprising the coding sequence of full-length or mature SRT is employed as a probe to screen for homologous DNAs (such as those encoding naturally-occurring variants of SRT) in human tissue cDNA libraries or human tissue genomic libraries.

Hybridization and washing of filters containing either library DNAs is performed under the following high stringency conditions. Hybridization of radiolabeled SRT-derived probe to the filters is performed in a solution of 50% formamide, 5x SSC, 0.1% SDS, 0.1% sodium pyrophosphate, 50 mM sodium phosphate, pH 6.8, 2x Denhardt's solution, and 10% dextran sulfate at 42°C for 20 hours. Washing of the filters is performed in an aqueous solution of 0.1x SSC and 0.1% SDS at 42°C.

DNAs having a desired sequence identity with the DNA encoding full-length native sequence SRT can then be identified using standard techniques known in the art.

## EXAMPLE 4

Expression of SRT in *E. coli*

This example illustrates preparation of an unglycosylated form of SRT by recombinant expression in *E. coli*.

The DNA sequence encoding SRT is initially amplified using selected PCR primers. The primers should contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector. A variety of expression vectors may be employed. An example of a suitable vector is pBR322 (derived from *E. coli*; see Bolivar et al., Gene, 2:95 (1977)) which contains genes for ampicillin and tetracycline resistance. The vector is digested with restriction enzyme and dephosphorylated. The PCR amplified sequences are then ligated into the vector. The vector will preferably include sequences which encode for an antibiotic resistance gene, a trp promoter, a polyhis leader (including the first six STII codons, polyhis sequence, and enterokinase cleavage site), the SRT coding region, lambda transcriptional terminator, and an argU gene.

The ligation mixture is then used to transform a selected *E. coli* strain using the methods described in Sambrook et al., supra. Transformants are identified by their ability to grow on LB plates and antibiotic resistant colonies are then selected. Plasmid DNA can be isolated and confirmed by restriction analysis and DNA sequencing.

Selected clones can be grown overnight in liquid culture medium such as LB broth supplemented with antibiotics. The overnight culture may subsequently be used to inoculate a larger scale culture. The cells are then grown to a desired optical density, during which the expression promoter is turned on.

After culturing the cells for several more hours, the cells can be harvested by centrifugation. The cell pellet obtained by the centrifugation can be solubilized using various agents known in the art, and the solubilized SRT protein can then be purified using a metal chelating column under conditions that allow tight binding of the protein.

SRT may be expressed in *E. coli* in a poly-His tagged form, using the following procedure. The DNA encoding SRT is initially amplified using selected PCR primers. The primers will contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector, and other useful sequences providing for efficient and reliable translation initiation, rapid purification on a metal chelation column, and proteolytic removal with enterokinase. The PCR-amplified, poly-His tagged sequences are then  
5 ligated into an expression vector, which is used to transform an *E. coli* host based on strain 52 (W3110 fuhA(tonA) lon galE rpoHts(htpRts) clpP(lacIq). Transformants are first grown in LB containing 50 mg/ml carbenicillin at 30°C with shaking until an O.D.600 of 3-5 is reached. Cultures are then diluted 50-100 fold into CRAP media (prepared by mixing 3.57 g (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, 0.71 g sodium citrate•2H<sub>2</sub>O, 1.07 g KCl, 5.36 g Difco yeast extract, 5.36 g Sheffield hycase SF in 500 mL water, as well as 110 mM MPOS, pH 7.3, 0.55% (w/v)  
10 glucose and 7 mM MgSO<sub>4</sub>) and grown for approximately 20-30 hours at 30°C with shaking. Samples are removed to verify expression by SDS-PAGE analysis, and the bulk culture is centrifuged to pellet the cells. Cell pellets are frozen until purification and refolding.

*E. coli* paste from 0.5 to 1 L fermentations (6-10 g pellets) is resuspended in 10 volumes (w/v) in 7 M guanidine, 20 mM Tris, pH 8 buffer. Solid sodium sulfite and sodium tetrathionate is added to make final  
15 concentrations of 0.1M and 0.02 M, respectively, and the solution is stirred overnight at 4°C. This step results in a denatured protein with all cysteine residues blocked by sulfitolization. The solution is centrifuged at 40,000 rpm in a Beckman Ultracentrifuge for 30 min. The supernatant is diluted with 3-5 volumes of metal chelate column buffer (6 M guanidine, 20 mM Tris, pH 7.4) and filtered through 0.22 micron filters to clarify. The clarified extract is loaded onto a 5 ml Qiagen Ni-NTA metal chelate column equilibrated in the metal chelate  
20 column buffer. The column is washed with additional buffer containing 50 mM imidazole (Calbiochem, Utrol grade), pH 7.4. The protein is eluted with buffer containing 250 mM imidazole. Fractions containing the desired protein are pooled and stored at 4°C. Protein concentration is estimated by its absorbance at 280 nm using the calculated extinction coefficient based on its amino acid sequence.

The proteins are refolded by diluting the sample slowly into freshly prepared refolding buffer consisting  
25 of: 20 mM Tris, pH 8.6, 0.3 M NaCl, 2.5 M urea, 5 mM cysteine, 20 mM glycine and 1 mM EDTA. Refolding volumes are chosen so that the final protein concentration is between 50 to 100 micrograms/ml. The refolding solution is stirred gently at 4°C for 12-36 hours. The refolding reaction is quenched by the addition of TFA to a final concentration of 0.4% (pH of approximately 3). Before further purification of the protein, the solution is filtered through a 0.22 micron filter and acetonitrile is added to 2-10% final concentration. The  
30 refolded protein is chromatographed on a Poros R1/H reversed phase column using a mobile buffer of 0.1% TFA with elution with a gradient of acetonitrile from 10 to 80%. Aliquots of fractions with A280 absorbance are analyzed on SDS polyacrylamide gels and fractions containing homogeneous refolded protein are pooled. Generally, the properly refolded species of most proteins are eluted at the lowest concentrations of acetonitrile since those species are the most compact with their hydrophobic interiors shielded from interaction with the  
35 reversed phase resin. Aggregated species are usually eluted at higher acetonitrile concentrations. In addition to resolving misfolded forms of proteins from the desired form, the reversed phase step also removes endotoxin from the samples.

Fractions containing the desired folded SRT polypeptide are pooled and the acetonitrile removed using a gentle stream of nitrogen directed at the solution. Proteins are formulated into 20 mM Hepes, pH 6.8 with 0.14 M sodium chloride and 4% mannitol by dialysis or by gel filtration using G25 Superfine (Pharmacia) resins equilibrated in the formulation buffer and sterile filtered.

5

## EXAMPLE 5

Expression of SRT in mammalian cells

This example illustrates preparation of a potentially glycosylated form of SRT by recombinant expression in mammalian cells.

The vector, pRK5 (see EP 307,247, published March 15, 1989), is employed as the expression vector. 10 Optionally, the SRT DNA is ligated into pRK5 with selected restriction enzymes to allow insertion of the SRT DNA using ligation methods such as described in Sambrook et al., supra. The resulting vector is called pRK5-SRT.

In one embodiment, the selected host cells may be 293 cells. Human 293 cells (ATCC CCL 1573) are grown to confluence in tissue culture plates in medium such as DMEM supplemented with fetal calf serum and optionally, nutrient components and/or antibiotics. About 10  $\mu$ g pRK5-SRT DNA is mixed with about 1  $\mu$ g DNA encoding the VA RNA gene [Thimmappaya et al., Cell, 31:543 (1982)] and dissolved in 500  $\mu$ l of 1 mM Tris-HCl, 0.1 mM EDTA, 0.227 M  $\text{CaCl}_2$ . To this mixture is added, dropwise, 500  $\mu$ l of 50 mM HEPES (pH 7.35), 280 mM NaCl, 1.5 mM  $\text{NaPO}_4$ , and a precipitate is allowed to form for 10 minutes at 25°C. The precipitate is suspended and added to the 293 cells and allowed to settle for about four hours at 37°C. The culture medium is aspirated off and 2 ml of 20% glycerol in PBS is added for 30 seconds. The 293 cells are then washed with serum free medium, fresh medium is added and the cells are incubated for about 5 days. 15 20

Approximately 24 hours after the transfections, the culture medium is removed and replaced with culture medium (alone) or culture medium containing 200  $\mu$ Ci/ml  $^{35}\text{S}$ -cysteine and 200  $\mu$ Ci/ml  $^{35}\text{S}$ -methionine. After a 12 hour incubation, the conditioned medium is collected, concentrated on a spin filter, and loaded onto a 15% SDS gel. The processed gel may be dried and exposed to film for a selected period of time to reveal the presence of SRT polypeptide. The cultures containing transfected cells may undergo further incubation (in serum free medium) and the medium is tested in selected bioassays. 25

In an alternative technique, SRT may be introduced into 293 cells transiently using the dextran sulfate method described by Sompayrac et al., Proc. Natl. Acad. Sci., 12:7575 (1981). 293 cells are grown to maximal density in a spinner flask and 700  $\mu$ g pRK5-SRT DNA is added. The cells are first concentrated from the spinner flask by centrifugation and washed with PBS. The DNA-dextran precipitate is incubated on the cell pellet for four hours. The cells are treated with 20% glycerol for 90 seconds, washed with tissue culture medium, and re-introduced into the spinner flask containing tissue culture medium, 5  $\mu$ g/ml bovine insulin and 0.1  $\mu$ g/ml bovine transferrin. After about four days, the conditioned media is centrifuged and filtered to remove cells and debris. The sample containing expressed SRT can then be concentrated and purified by any selected method, such as dialysis and/or column chromatography. 30 35

In another embodiment, SRT can be expressed in CHO cells. The pRK5-SRT can be transfected into CHO cells using known reagents such as CaPO<sub>4</sub> or DEAE-dextran. As described above, the cell cultures can be incubated, and the medium replaced with culture medium (alone) or medium containing a radiolabel such as <sup>35</sup>S-methionine. After determining the presence of SRT polypeptide, the culture medium may be replaced with serum free medium. Preferably, the cultures are incubated for about 6 days, and then the conditioned medium is harvested. The medium containing the expressed SRT can then be concentrated and purified by any selected method.

Epitope-tagged SRT may also be expressed in host CHO cells. The SRT may be subcloned out of the pRK5 vector. The subclone insert can undergo PCR to fuse in frame with a selected epitope tag such as a poly-his tag into a Baculovirus expression vector. The poly-his tagged SRT insert can then be subcloned into a SV40 driven vector containing a selection marker such as DHFR for selection of stable clones. Finally, the CHO cells can be transfected (as described above) with the SV40 driven vector. Labeling may be performed, as described above, to verify expression. The culture medium containing the expressed poly-His tagged SRT can then be concentrated and purified by any selected method, such as by Ni<sup>2+</sup>-chelate affinity chromatography.

SRT may also be expressed in CHO and/or COS cells by a transient expression procedure or in CHO cells by another stable expression procedure.

Stable expression in CHO cells is performed using the following procedure. The proteins are expressed as an IgG construct (immunoadhesin), in which the coding sequences for the soluble forms (e.g. extracellular domains) of the respective proteins are fused to an IgG1 constant region sequence containing the hinge, CH2 and CH2 domains and/or is a poly-His tagged form.

Following PCR amplification, the respective DNAs are subcloned in a CHO expression vector using standard techniques as described in Ausubel et al., Current Protocols of Molecular Biology, Unit 3.16, John Wiley and Sons (1997). CHO expression vectors are constructed to have compatible restriction sites 5' and 3' of the DNA of interest to allow the convenient shuttling of cDNA's. The vector used expression in CHO cells is as described in Lucas et al., Nucl. Acids Res. 24:9 (1774-1779 (1996), and uses the SV40 early promoter/enhancer to drive expression of the cDNA of interest and dihydrofolate reductase (DHFR). DHFR expression permits selection for stable maintenance of the plasmid following transfection.

Twelve micrograms of the desired plasmid DNA is introduced into approximately 10 million CHO cells using commercially available transfection reagents Superfect<sup>®</sup> (Quiagen), Dosper<sup>®</sup> or Fugene<sup>®</sup> (Boehringer Mannheim). The cells are grown as described in Lucas et al., supra. Approximately 3 x 10<sup>7</sup> cells are frozen in an ampule for further growth and production as described below.

The ampules containing the plasmid DNA are thawed by placement into water bath and mixed by vortexing. The contents are pipetted into a centrifuge tube containing 10 mLs of media and centrifuged at 1000 rpm for 5 minutes. The supernatant is aspirated and the cells are resuspended in 10 mL of selective media (0.2 μm filtered PS20 with 5% 0.2 μm diafiltered fetal bovine serum). The cells are then aliquoted into a 100 mL spinner containing 90 mL of selective media. After 1-2 days, the cells are transferred into a 250 mL spinner filled with 150 mL selective growth medium and incubated at 37°C. After another 2-3 days, 250 mL, 500 mL and 2000 mL spinners are seeded with 3 x 10<sup>5</sup> cells/mL. The cell media is exchanged with fresh media by



centrifugation and resuspension in production medium. Although any suitable CHO media may be employed, a production medium described in U.S. Patent No. 5,122,469, issued June 16, 1992 may actually be used. A 3L production spinner is seeded at  $1.2 \times 10^6$  cells/mL. On day 0, the cell number pH is determined. On day 1, the spinner is sampled and sparging with filtered air is commenced. On day 2, the spinner is sampled, the temperature shifted to 33°C, and 30 mL of 500 g/L glucose and 0.6 mL of 10% antifoam (e.g., 35% polydimethylsiloxane emulsion, Dow Corning 365 Medical Grade Emulsion) taken. Throughout the production, the pH is adjusted as necessary to keep it at around 7.2. After 10 days, or until the viability dropped below 70%, the cell culture is harvested by centrifugation and filtering through a 0.22  $\mu$ m filter. The filtrate was either stored at 4°C or immediately loaded onto columns for purification.

For the poly-His tagged constructs, the proteins are purified using a Ni-NTA column (Qiagen). Before purification, imidazole is added to the conditioned media to a concentration of 5 mM. The conditioned media is pumped onto a 6 ml Ni-NTA column equilibrated in 20 mM Hepes, pH 7.4, buffer containing 0.3 M NaCl and 5 mM imidazole at a flow rate of 4-5 ml/min. at 4°C. After loading, the column is washed with additional equilibration buffer and the protein eluted with equilibration buffer containing 0.25 M imidazole. The highly purified protein is subsequently desalted into a storage buffer containing 10 mM Hepes, 0.14 M NaCl and 4% mannitol, pH 6.8, with a 25 ml G25 Superfine (Pharmacia) column and stored at -80°C.

Immunoadhesin (Fc-containing) constructs are purified from the conditioned media as follows. The conditioned medium is pumped onto a 5 ml Protein A column (Pharmacia) which had been equilibrated in 20 mM Na phosphate buffer, pH 6.8. After loading, the column is washed extensively with equilibration buffer before elution with 100 mM citric acid, pH 3.5. The eluted protein is immediately neutralized by collecting 1 ml fractions into tubes containing 275  $\mu$ L of 1 M Tris buffer, pH 9. The highly purified protein is subsequently desalted into storage buffer as described above for the poly-His tagged proteins. The homogeneity is assessed by SDS polyacrylamide gels and by N-terminal amino acid sequencing by Edman degradation.

## EXAMPLE 6

### Expression of SRT in yeast

The following method describes recombinant expression of SRT in yeast.

First, yeast expression vectors are constructed for intracellular production or secretion of SRT from the ADH2/GAPDH promoter. DNA encoding SRT and the promoter is inserted into suitable restriction enzyme sites in the selected plasmid to direct intracellular expression of SRT. For secretion, DNA encoding SRT can be cloned into the selected plasmid, together with DNA encoding the ADH2/GAPDH promoter, a native SRT signal peptide or other mammalian signal peptide, or, for example, a yeast alpha-factor or invertase secretory signal/leader sequence, and linker sequences (if needed) for expression of SRT.

Yeast cells, such as yeast strain AB110, can then be transformed with the expression plasmids described above and cultured in selected fermentation media. The transformed yeast supernatants can be analyzed by precipitation with 10% trichloroacetic acid and separation by SDS-PAGE, followed by staining of the gels with Coomassie Blue stain.

Recombinant SRT can subsequently be isolated and purified by removing the yeast cells from the fermentation medium by centrifugation and then concentrating the medium using selected cartridge filters. The concentrate containing SRT may further be purified using selected column chromatography resins.

## EXAMPLE 7

5

### Expression of SRT in baculovirus-infected insect cells

The following method describes recombinant expression of SRT in Baculovirus-infected insect cells.

The sequence coding for SRT is fused upstream of an epitope tag contained within a baculovirus expression vector. Such epitope tags include poly-his tags and immunoglobulin tags (like Fc regions of IgG). A variety of plasmids may be employed, including plasmids derived from commercially available plasmids such as pVL1393 (Novagen). Briefly, the sequence encoding SRT or the desired portion of the coding sequence of SRT such as the sequence encoding the extracellular domain of a transmembrane protein or the sequence encoding the mature protein if the protein is extracellular is amplified by PCR with primers complementary to the 5' and 3' regions. The 5' primer may incorporate flanking (selected) restriction enzyme sites. The product is then digested with those selected restriction enzymes and subcloned into the expression vector.

15

Recombinant baculovirus is generated by co-transfecting the above plasmid and BaculoGold™ virus DNA (Pharmingen) into *Spodoptera frugiperda* ("Sf9") cells (ATCC CRL 1711) using lipofectin (commercially available from GIBCO-BRL). After 4 - 5 days of incubation at 28°C, the released viruses are harvested and used for further amplifications. Viral infection and protein expression are performed as described by O'Reilley et al., Baculovirus expression vectors: A Laboratory Manual, Oxford: Oxford University Press (1994).

20

Expressed poly-his tagged SRT can then be purified, for example, by Ni<sup>2+</sup>-chelate affinity chromatography as follows. Extracts are prepared from recombinant virus-infected Sf9 cells as described by Rupert et al. Nature, 362:175-179 (1993). Briefly, Sf9 cells are washed, resuspended in sonication buffer (25 mL Hepes, pH 7.9; 12.5 mM MgCl<sub>2</sub>; 0.1 mM EDTA; 10% glycerol; 0.1% NP-40; 0.4 M KCl), and sonicated twice for 20 seconds on ice. The sonicates are cleared by centrifugation, and the supernatant is diluted 50-fold in loading buffer (50 mM phosphate, 300 mM NaCl, 10% glycerol, pH 7.8) and filtered through a 0.45 μm filter. A Ni<sup>2+</sup>-NTA agarose column (commercially available from Qiagen) is prepared with a bed volume of 5 mL, washed with 25 mL of water and equilibrated with 25 mL of loading buffer. The filtered cell extract is loaded onto the column at 0.5 mL per minute. The column is washed to baseline A<sub>280</sub> with loading buffer, at which point fraction collection is started. Next, the column is washed with a secondary wash buffer (50 mM phosphate; 300 mM NaCl, 10% glycerol, pH 6.0), which elutes nonspecifically bound protein. After reaching A<sub>280</sub> baseline again, the column is developed with a 0 to 500 mM Imidazole gradient in the secondary wash buffer. One mL fractions are collected and analyzed by SDS-PAGE and silver staining or Western blot with Ni<sup>2+</sup>-NTA-conjugated to alkaline phosphatase (Qiagen). Fractions containing the eluted His<sub>10</sub>-tagged SRT are pooled and dialyzed against loading buffer.

35

Alternatively, purification of the IgG tagged (or Fc tagged) SRT can be performed using known chromatography techniques, including for instance, Protein A or protein G column chromatography.

## EXAMPLE 8

Preparation of antibodies that bind SRT

This example illustrates preparation of monoclonal antibodies which can specifically bind SRT.

Techniques for producing the monoclonal antibodies are known in the art and are described, for instance, in Goding, *supra*. Immunogens that may be employed include purified SRT, fusion proteins containing SRT, and cells expressing recombinant SRT on the cell surface. Selection of the immunogen can be made by the skilled artisan without undue experimentation.

Mice, such as Balb/c, are immunized with the SRT immunogen emulsified in complete Freund's adjuvant and injected subcutaneously or intraperitoneally in an amount from 1-100 micrograms. Alternatively, the immunogen is emulsified in MPL-TDM adjuvant (Ribi Immunochemical Research, Hamilton, MT) and injected into the animal's hind foot pads. The immunized mice are then boosted 10 to 12 days later with additional immunogen emulsified in the selected adjuvant. Thereafter, for several weeks, the mice may also be boosted with additional immunization injections. Serum samples may be periodically obtained from the mice by retro-orbital bleeding for testing in ELISA assays to detect anti-SRT antibodies.

After a suitable antibody titer has been detected, the animals "positive" for antibodies can be injected with a final intravenous injection of SRT. Three to four days later, the mice are sacrificed and the spleen cells are harvested. The spleen cells are then fused (using 35% polyethylene glycol) to a selected murine myeloma cell line such as P3X63AgU.1, available from ATCC, No. CRL 1597. The fusions generate hybridoma cells which can then be plated in 96 well tissue culture plates containing HAT (hypoxanthine, aminopterin, and thymidine) medium to inhibit proliferation of non-fused cells, myeloma hybrids, and spleen cell hybrids.

The hybridoma cells will be screened in an ELISA for reactivity against SRT. Determination of "positive" hybridoma cells secreting the desired monoclonal antibodies against SRT is within the skill in the art.

The positive hybridoma cells can be injected intraperitoneally into syngeneic Balb/c mice to produce ascites containing the anti-SRT monoclonal antibodies. Alternatively, the hybridoma cells can be grown in tissue culture flasks or roller bottles. Purification of the monoclonal antibodies produced in the ascites can be accomplished using ammonium sulfate precipitation, followed by gel exclusion chromatography. Alternatively, affinity chromatography based upon binding of antibody to protein A or protein G can be employed.

## EXAMPLE 9

Purification of SRT polypeptides using specific antibodies

Native or recombinant SRT polypeptides may be purified by a variety of standard techniques in the art of protein purification. For example, pro-SRT polypeptide, mature SRT polypeptide, or pre-SRT polypeptide is purified by immunoaffinity chromatography using antibodies specific for the SRT polypeptide of interest. In general, an immunoaffinity column is constructed by covalently coupling the anti-SRT polypeptide antibody to an activated chromatographic resin.

Polyclonal immunoglobulins are prepared from immune sera either by precipitation with ammonium sulfate or by purification on immobilized Protein A (Pharmacia LKB Biotechnology, Piscataway, N.J.). Likewise, monoclonal antibodies are prepared from mouse ascites fluid by ammonium sulfate precipitation or

chromatography on immobilized Protein A. Partially purified immunoglobulin is covalently attached to a chromatographic resin such as CnBr-activated SEPHAROSE™ (Pharmacia LKB Biotechnology). The antibody is coupled to the resin, the resin is blocked, and the derivative resin is washed according to the manufacturer's instructions.

Such an immunoaffinity column is utilized in the purification of SRT polypeptide by preparing a fraction from cells containing SRT polypeptide in a soluble form. This preparation is derived by solubilization of the whole cell or of a subcellular fraction obtained via differential centrifugation by the addition of detergent or by other methods well known in the art. Alternatively, soluble SRT polypeptide containing a signal sequence may be secreted in useful quantity into the medium in which the cells are grown.

A soluble SRT polypeptide-containing preparation is passed over the immunoaffinity column, and the column is washed under conditions that allow the preferential absorbance of SRT polypeptide (*e.g.*, high ionic strength buffers in the presence of detergent). Then, the column is eluted under conditions that disrupt antibody/SRT polypeptide binding (*e.g.*, a low pH buffer such as approximately pH 2-3, or a high concentration of a chaotrope such as urea or thiocyanate ion), and SRT polypeptide is collected.

#### EXAMPLE 10

##### Drug screening

This invention is particularly useful for screening compounds by using SRT polypeptides or binding fragment thereof in any of a variety of drug screening techniques. The SRT polypeptide or fragment employed in such a test may either be free in solution, affixed to a solid support, borne on a cell surface, or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the SRT polypeptide or fragment. Drugs are screened against such transformed cells in competitive binding assays. Such cells, either in viable or fixed form, can be used for standard binding assays. One may measure, for example, the formation of complexes between SRT polypeptide or a fragment and the agent being tested. Alternatively, one can examine the diminution in complex formation between the SRT polypeptide and its target cell or target receptors caused by the agent being tested.

Thus, the present invention provides methods of screening for drugs or any other agents which can affect a SRT polypeptide-associated disease or disorder. These methods comprise contacting such an agent with an SRT polypeptide or fragment thereof and assaying (i) for the presence of a complex between the agent and the SRT polypeptide or fragment, or (ii) for the presence of a complex between the SRT polypeptide or fragment and the cell, by methods well known in the art. In such competitive binding assays, the SRT polypeptide or fragment is typically labeled. After suitable incubation, free SRT polypeptide or fragment is separated from that present in bound form, and the amount of free or uncomplexed label is a measure of the ability of the particular agent to bind to SRT polypeptide or to interfere with the SRT polypeptide/cell complex.

Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to a polypeptide and is described in detail in WO 84/03564, published on September 13, 1984. Briefly stated, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. As applied to a SRT polypeptide, the peptide test compounds are reacted

with SRT polypeptide and washed. Bound SRT polypeptide is detected by methods well known in the art. Purified SRT polypeptide can also be coated directly onto plates for use in the aforementioned drug screening techniques. In addition, non-neutralizing antibodies can be used to capture the peptide and immobilize it on the solid support.

5 This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of binding SRT polypeptide specifically compete with a test compound for binding to SRT polypeptide or fragments thereof. In this manner, the antibodies can be used to detect the presence of any peptide which shares one or more antigenic determinants with SRT polypeptide.

#### EXAMPLE 11

##### 10 Rational drug design

The goal of rational drug design is to produce structural analogs of biologically active polypeptide of interest (*i.e.*, a SRT polypeptide) or of small molecules with which they interact, *e.g.*, agonists, antagonists, or inhibitors. Any of these examples can be used to fashion drugs which are more active or stable forms of the SRT polypeptide or which enhance or interfere with the function of the SRT polypeptide *in vivo* (*c.f.*, Hodgson, 15 Bio/Technology, 2: 19-21 (1991)).

In one approach, the three-dimensional structure of the SRT polypeptide, or of an SRT polypeptide-inhibitor complex, is determined by x-ray crystallography, by computer modeling or, most typically, by a combination of the two approaches. Both the shape and charges of the SRT polypeptide must be ascertained to elucidate the structure and to determine active site(s) of the molecule. Less often, useful information regarding 20 the structure of the SRT polypeptide may be gained by modeling based on the structure of homologous proteins. In both cases, relevant structural information is used to design analogous SRT polypeptide-like molecules or to identify efficient inhibitors. Useful examples of rational drug design may include molecules which have improved activity or stability as shown by Braxton and Wells, Biochemistry, 31:7796-7801 (1992) or which act as inhibitors, agonists, or antagonists of native peptides as shown by Athauda *et al.*, J. Biochem., 113:742-746 25 (1993).

It is also possible to isolate a target-specific antibody, selected by functional assay, as described above, and then to solve its crystal structure. This approach, in principle, yields a pharmacore upon which subsequent drug design can be based. It is possible to bypass protein crystallography altogether by generating anti-idiotypic antibodies (anti-ids) to a functional, pharmacologically active antibody. As a mirror image of a mirror image, 30 the binding site of the anti-ids would be expected to be an analog of the original receptor. The anti-id could then be used to identify and isolate peptides from banks of chemically or biologically produced peptides. The isolated peptides would then act as the pharmacore.

By virtue of the present invention, sufficient amounts of the SRT polypeptide may be made available to perform such analytical studies as X-ray crystallography. In addition, knowledge of the SRT polypeptide 35 amino acid sequence provided herein will provide guidance to those employing computer modeling techniques in place of or in addition to x-ray crystallography.

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by the construct deposited, since the deposited embodiment is intended as a single illustration of certain aspects of the invention and any constructs that are functionally equivalent are within the scope of this invention. The deposit of material herein does not constitute an admission that the written description herein contained is inadequate to enable the practice of any aspect of the invention, including the best mode thereof, nor is it to be construed as limiting the scope of the claims to the specific illustrations that it represents. Indeed, various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims.

**WHAT IS CLAIMED IS:**

1. An isolated nucleic acid molecule comprising a nucleotide sequence having at least about 80% nucleic acid sequence identity to (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a).

5 2. The isolated nucleic acid molecule of Claim 1 comprising the nucleotide sequence shown in any one of Figure 1 to 562, or the complement thereof.

10 3. The isolated nucleic acid molecule of Claim 1 consisting essentially of a nucleotide sequence having at least about 80% nucleic acid sequence identity to (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a).

4. The isolated nucleic acid molecule of Claim 1 consisting essentially of the nucleotide sequence shown in any one of Figure 1 to 562, or the complement thereof.

15 5. The isolated nucleic acid molecule of Claim 1 consisting of a nucleotide sequence having at least about 80% nucleic acid sequence identity to (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a).

20 6. The isolated nucleic acid molecule of Claim 1 consisting of the nucleotide sequence shown in any one of Figure 1 to 562, or the complement thereof.

7. An isolated nucleic acid molecule which hybridizes to (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a).

25 8. The isolated nucleic acid molecule of Claim 7 which hybridizes to the complement of the DNA molecule of any one of Figure 1 to 562.

30 9. The isolated nucleic acid molecule of Claim 7, wherein said hybridization occurs under stringent hybridization conditions.

10. An isolated nucleic acid molecule comprising at least about 10 consecutive nucleotides contained within (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a).

35 11. The isolated nucleic acid molecule of Claim 10 comprising at least about 10 consecutive nucleotides contained within the complement of the DNA molecule of any one of Figure 1 to 562.

12. The isolated nucleic acid molecule of Claim 10 which is from about 10 to about 1000 nucleotides in length.

13. The isolated nucleic acid molecule of Claim 10 which is from about 10 to about 500 nucleotides in length.

14. The isolated nucleic acid molecule of Claim 10 which is from about 10 to about 100 nucleotides in length.

15. The isolated nucleic acid molecule of Claim 10 which is from about 10 to about 50 nucleotides in length.

16. The isolated nucleic acid molecule of Claim 11 which is fully complementary to the DNA molecule of any one of Figure 1 to 562.

17. The isolated nucleic acid molecule of Claim 10 which is detectably labeled.

18. A method of detecting the presence of a cDNA molecule which encodes a mammalian polypeptide in a mammalian cDNA library, said method comprising:

contacting said cDNA library with an oligonucleotide probe that hybridizes to the DNA molecule of any one of Figure 1 to 562, wherein said contacting is performed under conditions suitable for hybridization of said probe to a cDNA molecule in said library and wherein hybridization of said probe to a cDNA molecule in said library is indicative of the presence of cDNA molecule which encodes a mammalian polypeptide in said cDNA library.

19. The method of Claim 18, wherein said hybridization is performed under stringent hybridization conditions.

20. The method of Claim 18, wherein said oligonucleotide probe comprises at least about 10 consecutive nucleotides contained within the complement of the DNA molecule of any one of Figure 1 to 562.

21. The method of Claim 18, wherein said mammalian polypeptide is a human polypeptide.

22. A vector comprising the nucleic acid molecule of Claim 1.

23. The vector of Claim 22, wherein said nucleic acid molecule is operably linked to control sequences recognized by a host cell transformed with the vector.



24. A host cell comprising the vector of Claim 22.
25. The host cell of Claim 24, wherein said cell is a CHO cell.
26. The host cell of Claim 24, wherein said cell is an *E. coli*.
27. The host cell of Claim 24, wherein said cell is a yeast cell.
28. An isolated SRT polypeptide encoded by the nucleic acid molecule of Claim 1.
29. An antibody which binds to the isolated SRT polypeptide of Claim 28.
30. The antibody of Claim 29 which is a monoclonal antibody.
31. The antibody of Claim 29 which is a humanized antibody.

1/562

**FIGURE 1**

AGTTTGTTAAAAATAATAATGCCAATAATATATGTTATTTTACGTATGTTTATACAGATGCAC  
GCTTATTTTATACTTATGTGTAAGTGAAATAAATGGCAAAAATGATACAAGGCATAGGAAGAAG  
AAATTAGGATTATATGCTATGTAAGAAGCAGTATAGTGTTTTTTGAAAATAGACTTGAATTAG  
TTGGAAATCCATATTGAAAACNTCGGGCAAACATTTTAAAAAATAAAAAAATGATATGCTA  
AGAAAGAAGAGAAAACGGAATTACACAAAATGNTCAATTAAAACCACAAAAGGAAGCAAAAGT  
GTGGAAACAAAAAGGGGAACAAAGAATAAGGCAACAAACAGAAAACAGTAACAAATATGGTA  
AGCATTAATCCAACCTATATTAATAATCACTTTAAATATCAATGGTNTAAATATGTCAATTATA  
AGACAGAGATTACCAGAGTGGACACATTATATAAGCT

2/562

**FIGURE 2**

ACGTTTCGCGGTTTCGAGGTTAGGGCCCCGGAAGCCCGCAGTAATTNCACGTNTTCCCGCCCGNT  
TCCGGCCCCCAGTGCCGCCCTTCGCGGGCCGGAGGCGCGAGTCTGGGCTTTGGCGCCTTCGC  
AGCCGCAGGCGACATCCTCTTTCCTAGCTAAAGCCCCAAACGCCAGGTGGCTTCCTGGGAGA  
GCACGGCTGAGCCTCCGCCTTCAGATCAGAACAGGCAGAGCCTCCAAGGGCGGCTTGGGCCCA  
GTGCCTGCTTATCCTGCCCGTCTCTCCACACTTCTTCTTCCCTGTCCGTTGGAGTCCATTCC  
TTCCTGGAAAAGCCAAAGCCGCGCTCCCCTAAGAGTCATGTGTTACTGGATTAATTGAAATTC  
TTGATAGGTAACAGAGTTTTATCATCAGCTTATGATTGCCTATGACTAGCTCAAAGTTAAGTT  
TTAATAAACTAGTAAGTACAATAAACCTCATTCCTAAATACAAGGAAAAGAACTATATAATGA  
ATACTTGTCTCTATGCCCCCTCTCGCATAGATAACAATAATTTAGGTTTACCTTTAAATGAACT  
GCATTTAAATGAAATTAATTTAAATGATTGTTTCACGGCACAGTTTCATCAATGGTCTACGGT  
ATCCCTTATTTATGTATACATCAGTTTGTATACATCTGTATCTATGTATTTG

3/562

**FIGURE 3**

NAGAANGGAAGNGAAGGAGGAAGAGGNGNNNAAGAGGGAGGGGAAAAGNGGGANGGNGNAGNNG  
AGNANGGNGGNGGANNNNAGGNGNAGNAGGNCCNAGANGGNAAGNGNTTGNAAGAAAGGGAN  
NGCCNGGTAAAANAGNACCNNCCCAAGAAGNGATTANGGNGGNTTCCTNGNTGAAGGNTGTGG  
ATCCCANNTNTTTCCCGGGANTTATNGNTNGGNAACAANATTTCNANGNGNNACNNAGGCAAA  
CAATNAANTTNCCAAGGTNTTGGTAGNATTTCCCNCGGXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXNGATNTNGGGGTTTNTCCCCTTTCCCCTTCCCCTTTCCCCACCCCGGG  
GGTTCNGGTTGGTNAAGAAAAAAAAAAAAAAAAAAGAATTNTGGCGCGGCCTCGGCGGAGNTGG  
TGATCGGCTGGTGCATANTCGGCNTCTTACTACTGGNTATTTTGGCATTCTGCTGGANANATG  
TTNGTAAATACCAAAGTCGGCGGGAAAGNGAAGTTGTTTCCACCATAACAGCAATTTNTTTTTT  
TAGCAATTGCANTTATCACNTCAGCACTTGNACCAGAGGAAATATTTTNGGTTTCTTACATGN  
AAAATCAAAATGGTACATTTAAGGANTGGGNTAATGNTAANGTCAGCAGACAGNTTGAGGACA  
CTGTATTANACGGTTACTATACTTTATATTCTGTTATATTGTTCTGTGTGTTNTTCTGGATCC  
CTTTTGTCTACTTATATTATGAAGAAAAGGATGATGATGATACTAGTAGATGTANTCAAATTA  
AAACXXXXXXXXXXXXX

4/562

**FIGURE 4**

AGTTTGTTAAAAATAATAATGCCAATAATATATGTTATTTAACGTATGTTTATAACAGATGCA  
CGCTTATTTATACTTATGTGTAAGTGAAATAAATGGCAAAAATGATACAAGGCATAGGAAGAA  
GAAATTAGGATTATATGCTATGTAAGAAGCAGTATAGTGTTTTTTGAAAATAGANTTGAATTA  
GTTGGAAATCCATATTGAAAACNTNCGGGCAAACATTTTTTAAAAAATAAAAAAATGATATGNT  
AAGAAAGAAGAGAAAACGGAATTACACAAAATGCTCAATTTAAACCACAAAAGGAAGCAAAAG  
TGTGGAAAACAAAAGGGGNACAAAGAATNNGGCNACAAACNGCAAACAGTAACAATTNTGGT  
AANCATTANTCCAATTATANTTNCNATTACTCTAAATATCAATGTTTTNAATATGTCTATTGT  
NAGACNGAGNTTACCAGAGAGNACACATTATATAAGGTCNGANGNGTNGG

5/562

**FIGURE 5**

TTCNTTGTCAANNGTTTTTGGTTCCCCCTTNTTCCNNGGNTTNNTNTTTNGGAANAAAAATTT  
NAAGNTATACCAAGNAAAAAATTAAATTCCAAGNATTGGATTGAATTCCCNGGGGATCTTNN  
GAGATCCCTTNGACTTTGACCNAAGGGTCCGGCTTTAGGGGAAGAAGTTGGTGTTTNGNTGGG  
CCCTGGTACTGAAGACGCGTTCCGGGTAGCCCAAAGANGTTTCNTANTNACCCAAAGCCCCGC  
ACCCGCCTTTTNTNTNTTTTCTTNTGGCAGGATGAGGCGTGCAGGCCTGGGTGAAGGAGTACT  
TCCTGGNAANTATGGGAANTATGGNTATGNTAATAGTGGGTATAGTGCCTGTGAAGAAGAAAA  
TGAGAGGCTCACTGAAAGTTTGAGAAGCAAAGTAACTGNTATAAAATNTNTTTCCCATTTGAAA  
TAGGCCATGAAGTTAAAACCCAGAATAAATNANNAGCGGANNNGGATTAAAAAGACGANTNNA  
CAACNNTGATTTTGTANGTATAACTATGGGCATAANTGNAGATTTTTTCCAGANGGAGCTAAA  
CAAAGATGTTGTGAGATATGNNGAGGNTATNATTAATTNTCAAGTTTGNTCACATAGGCGAGC  
NTNAAAC

6/562

**FIGURE 6**

CCCCTTTTCCNNGGTTTTTTTTTNGGAAAAAATTCAGGGGTANCCNGGGNAAAATTTAAA  
NTCCAGGGTTTGGGGGGATTTCCTCCCGGGTNCTTTTGGAGTTCCTTTGGACCTGNAACAAAGG  
GTTGGAANTAAAANAAAAATTAAAAANCGGGTTTTTNGGGGAAANTTNANAATGNGNTTGGG  
GNCAAGAAAAATGGGTTTTTNGGGAGGGNAANGNNGGTTCAATTCCAAATNGNAGGGGGGNAA  
AAATTTNAGGCTTNNGGGNAGGNGGAAAAAATTTTCGTAGCCTCNAGGTTGNNATTTTTTAAA  
CCTNCAGAAGGTGGCCAGCCCCGNNTCANCNGNTGATNAAGGCAGATGGGAAAAGGGGGATAT  
GGGGTNATAAGGGTACCTNTCACCTTTTTNGAAGGAAAAAAAGTGGTCCACAGNATTTTTTGT  
TACCCAAGGGTAANANATGGAATTTTGTNGAANATAGGNGAATGGTGAGGCATTTGGAAANAN  
GGGGGGGGTTTTTNTTGAANGGGGGAGTAGGGGTATGGTATTTTATGGGAAAANAGTTTTTT  
GGCACTAAACCNTTTTGAATTACCTAATANATTTATGTGGAAACCTGTCCTTTTTTTTNCAGNT  
NAANAAAAATTTTTNCCCNTGAAANTNATTTTTTAGNAAGNATATNAAAAGNATTTTTTTTTTC  
AAGNGTCAGAAACCTTTTAGCATCATTGAAGTTAAAATGACTGTCCATAAACTTTTCAGAAAT  
AGTAGGCATTTNAGGCNACNAGATTTGTANANGGNATNTTCATAGAATTATACCAAGTGANTTN  
ACCACCTGAANCCTCTTGATCCCGTAAGCATTCTTTGCNACAAGGAAGGGAGGTATNCNGGG  
TAANTCCTTGAANTTTTGGACNGGAACNATNACTTNGAATTTNAXXXXXXXXXXXXXXXXXXN  
NGCCGCNGGGNCNTTTNTCGNGNN

7/562

**FIGURE 7**

NGNTTNGTTCCCTTTTTTCCCNGGTTTTNTTTTTGGNAAAAAATTTNAGGNTTAACCCAGG  
NAAANATTAAATTCCAAGGGNTTTGGNNNGAATTCCCCGGGGGTTNCTTTTAGGGGTTCCTTT  
GACNTTGAACCAAAGGTTTCNGGCCNGGAGGGGGGGGGGACCGGTTTTTCCCCNGCGTTTC  
CCCCGGGGNTGGGGGTTGGGGNGCCCATTTGNNGAAGTNAGTGGGGAGGNGGANTGGGAACCC  
GGNAGTTTTGGAGAAAGGNAGGTTCCCTTCCTTAACCCTGGGGGTTCCNGGNGCCCNNGGAGNG  
GCAGTTNGGGGAATANTGTTNAGNGGTTNGGGGGGTTTTCTTNGGGTCCCGCCAAGGGGGNG  
GTNCTTNATAAAAGGGTGCCTTTTTCCCCACAGNTTCCAGGTCNGAGAGGAGCCGCACCGTCG  
GGTTGGAGATNGCGCGCAAGGNGGCTTNTGGTTNGGATTTGCCCCGCATCGGCCACAGGAAAA  
GCCTGGTCCCTAGGCACGGTTGTGGTTCGAGCTTTTNGTTTTNTCGAACATTGAGGTATTTCG  
TCAGCCCACCACGTTGTCNTCGGGGTTATTAGGCCCCAGTCACAAGCCCTATGATGTTTTTCAG  
ACTTCCCAGGTGGAGATAAGGAAAATTTTACTATTTCTGCAGAACTTCTGTTGATGTACAGCA  
TTGTATTTAGCAACTTCTGTGTAGATCTGAAAATAAATACATTACCAATTGTTAGTTGCGTTT  
TTATTAATATAATTTTAGAGNAGNNGANNNGNTGTTAGACNTACNNAGGTAAATTATGTGGC  
ACTTTNGCATTNTTGTGNTNCATGTTCCCCTGNANTTTGCTTNGNGATTTCNATTTATTCCA  
AANTCANNATAGAATGTAATTTCCNAACCCACAGTCCGXXXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXNN



8/562

**FIGURE 8**

GGANNNGNTTNCAAAATGGGATTTTTAAACCAAANTANGGNAGAGAAAAGTTTAAGTGTTTTGC  
CAAAAAAATTCCAAGGAAAATAANGCGGAGTTTGATTTTTTCAGAGTTCAACAGGAAAAANGNG  
AACAAANNGCCNGGAGNTTTNAAAGTTTTGGGAAAGCCANTTTTNATNTGTTCAAGGAACAGT  
TTTTATTTGNGATGCCAATCAGAATTTTGGACCCAGTATAATCAAGGTCAGANTTTCAACCTA  
AGCCTGGACCNGACCCATAATAACGGAAAGTTTAACAATGACTCACATTNTCNTAAAGTTTCC  
AGCCAGAATAGGACACGNTCATTGGTTCATTTCCCGGTCCAGAGTTNTTGGATGTAGAGAAA  
ANTAGCTTTTCCCAGGAACAATTTTGTGATTCCGCAGGAGAAGGNTNTGAAAGAATACATCAA  
GATTTTGAATTTGGTGATGAANTTAGCAGCAGCTCCACTGAACAGATAAGGGCAACCACACCT  
CCAAATCAAGGAAGGCCAGATTNTCCTGTNTATGNTAACCTTNNAGAANTGNAAATNTCCCAG  
TATGGTCTTCCCCCANTTCTTGGGAGCCTGGTAATTNAGNTTATTGGNGCNTGNGANACTNAT  
ATAGACANCTNNNGGNGNTGTTANNATNANCACAGNGGGACATNGNATNGAAGTTGGNNACCT  
CTTGCTTGGANTCGGGNXXXXXXXXXXXXXXXXXCNCCGCNGGGNCNTTTNTNGNGNN

9/562

**FIGURE 9**

AGTTTGTTAAAAATAATAATGCCAATAATATATGTTATTTTACGTATGTTTATACAGATGCAC  
GCTTATTTATACTTATGTGTAAGTGAAATAAATGGCAAAAATGATACAAGGCATAGGAAGAAG  
AAATTAGGATTATATGCTATGTAAGAAGCAGTATAGTGTTTTTTGAAAATAGACTTGAATTAG  
TTGGAAATCCATATTGAAAACCTCTCGGGCAAACATTTTTTAAAAAATAAAAAAATGATATGCTA  
AGAAAGAAGAGAAAACGGAATTACACAAAATGCTCAATTAAAACCACAAAAGGAAGCAAAAGT  
GTGGAAAACAAAAGGGGAACAAAGAATAAGGCAACAAACAGAAAACAGTAACAAATATGGTA  
AGCATTAATCCAACCTATATTAATAATCACTTTAAATATCAATGGTCTAAATATGTCAATTATA  
AGACAGAGATTACCAGAGTGGACACATTATATAAGCT

10/562

**FIGURE 10**

TTTTTTTTTTTTTTTTTTTTGAGACGGAGTCTTGCTCTGTTACCCAGGCGGAGTGCAGTGGCCA  
TGATCTCGGCTCACTGCACTCCAGCCNGGATGACAGAATGAGACTCTGTCTCCAAAAATAAAA  
TAAATAAAATAAAAGTGATATGAACATAAAAGTACCTTAGGTCCAAACAATGATAACAATA  
ATATTTATTGGGCGCTTACTGTGGTATGCATTGTGTTAAGCATTTACATGTATTTACTCATT  
TAATCCTCACAACCATCCTAAAAGGTC

11/562

**FIGURE 11**

GTTCCACGTTGCTTGAAATTGAAAATCAAGATAAAAATGTTCAACAATTAAGCTCCTTCTTTTT  
ATTG TTCCTCTAGTTATTTCTCCAGAATTGATCAAGACAATTCATCATTTGATTCTCTATCT  
CCAGAGCCAAAATCAAGATTTGCTATGTTAGACGATGTAAAAATT

12/562

**FIGURE 12**

CGGAATTACTGTTCCAGCCGGCTCGGGTGGTTTTTCCTTGCGTTCCCGCCACGNGGCGGCTCNT  
CACTAAAAGGCTGCCCTTCTCCCCACAGCTCCAGGTCCCNAGAGNNGCCGCACCGTCTGGGTT  
GGAGATCNCGCTCAAGGGTGNCCTCTGGGTCTNCATCTGCCCCNNCATCGGCCACAGGAAAAG  
CCCTGGTCCCCTAGGCACGNTCGTGGTTCGAGCTTTTCGTTCTCTCGCACATTGAGGTATTCTG  
CTCAGCCCACCACGTTGTCCCTNCGGGGTATTAGGCCCCAGTCACAAGCCNTATGGATGTTT  
TCCAGACTTCCCAGGTGGAGATAAGGAAAATTTTACTATTTCTGCAGAACTTCTGTTGATGTA  
CAGCCATTGTATTTAGCAACTTCGTGTAGATCTGAAAATAAATACATTACCAATTGTTAGTTG  
CGTTTTTATTAATATAAATCTTAGAGTACTTGATTTTGCTGTTAGCTTTACTTAGGTAAATTA  
TGTGGCACTCTAGCATTTTTGTTGTTGCATGTTCCATTGAACTTTGCTCTGTGTTTTCCATTT  
ATTCCAAATTCAAATAGACTGTAAGTTCCCAATTTATTCTATGTTCC

13/562

**FIGURE 13**

AACGGACATAGCTCAGAGGGGTAAAGTGATCAGTGCAGGTTACATAACTAAGTAATGACACA  
GATGGGACCTGAACCTGGGTCTCAGGAGGCTCTGGTCCCTGGCCAACTATGTGACTATGTAC  
ATCCACCTGGTTTCTGCTCATGGGTTAGTGTGTGACAGGAACATTCCATGATGGCTGCAGCCT  
CCATCCCAGGGGCACTTGGAGAAGCCATTCCACTCAGCCCCCTTGACCAGAAGAACCCTTGGG  
ATGGAAAAGGGAATCCTGATTCTGCAACTACGTGCTCCCATGAGATCTGATTTTCAGCCAGGG  
CTGATCCGTGGCTGCCAGCAAGGAAGCCACATCATCTCATTGTTACTAGACTGGCCCCGGCTGA  
AAGATTAGACAACAACGTTTACTTTGCCATTAGCCCTGCCTGGCACTCAGTATGGTATTGCCT  
GGCTTTCAGGGGCACTGGTTACAGTGTCTCCGATGCAGGGCAGCCCCCTGCCAAGGGCACAGGT  
GTTCATAAATATTCCATGAACCAATCAAATCAGCCATGGAATGAGATCTAAGGAACCTATTCTN  
CGGCAAGCCTGAGACGAACACTTAAGCATGATAATGTTATCAACCTGGTCTGATAGGCATTGG  
GGCACTGGTCCCTCGCATTTTCAATCAGGGTCTCACCCAGGGACNGATCTCCAACACCAAAAA  
AACTTGTTTTTCCATNCCCATTCCAAACTGGGCTCTCCNCCAAATGCCCTTAGGGCATTGGG  
GGCAAGCTGGTCCCCTTGGCAGGTTTTTTCATTTCGAGGTTCTCACCCCCGGGGGACCGGGGAT  
CTTCCAACACCNNNGGGGAACCTTGTGTTTTTCCACTCCCCAGTCCCAGACGTGGGCTGCTTCT  
CCAGAGATGCCCGCAGGTTTTAAAAGTTAAATTGATGATAACTTTTTTGGCTCAAGTATAGAA  
GTAATACATTATCCATTGTAGATTATTTATAGGTAAATAAAAATTTTTTAAATGACTTTTAACC  
CCACTACCCAGAACTAACCACCACTGGNGGTAGTAAATGAATATATTGATTTACTTACAAATA  
TAGGACCACAAGATATGGCACATGTTTTGCAACCAACCTGTTTTGATAGGCCAGCTTGCTTC  
TGCTGCGCTACTTTATTTGCAACCCAAACCCGCTTTTAAAAGAAAAATCATGGTCTTGTATTT  
TACAAGTGAT

14/562

**FIGURE 14**

ATCGATTATAAAAGCAGAAATTTACCTGGCTGCCCACCCCAATTTTCAGTTTTCTCTAAGAG  
TTAGCCACTATTATCCCTTCAGAGTGGATATTCAGGCTTTTCTTTCCTGGCATGGACATACAT  
ATGTAAATGTACATATATAAAAATAATTAGTGACACCATGCATGGTAGCTCACGCCTGTAATC  
CCAGCACTTTGGGACGCTGAGGTGAGAGAATTGCTTGAGGCCATCAGTTTGAAGCTGCAGTGA  
TCTATGATTGTGCCTCTACACTCCAGCCTGGGTGACAGGGTGAGACCCTGTCTCTTAAAAAAA  
AATTCGTATTTGGGGTTAGTAGTAGTACCTACCTCATAGGTTATTATGGGATCAGTACAGTAG  
GCCAGACAAAGTGCGTATGCTATTATTTTGCATGTAGTAAGTACCAGCATATACTACCTGTTA  
TCCAGAAATTTGCTGAAATGTCCCTTGATTTTCTCTCTTTCGATTTTGATCAGTCTTCCTAG  
AAGTCATCAGTTTGAGTTTTTTCAAAGAACCAGTGGTTGGTTTAATGNATTTGGTTTGTTTTC  
TTTTCCAANGATTTCTGCTTTACTCCTTAATAATTCCTTTTCTGCTGGCTTTGGGTTCATT  
TGTTCTTCTGTCTCTTCTAGTTTCTTAAGGTAAAGGCTTAGATCATTGACTTCAGATTTTTTG  
TCTTTTCTAACAAGTGTTCAAACTATAATATAAATTTCCCTCTAAGCATTGTTTAGCCACAT  
TTCACAAATTTGGAAATGTTTATTCATTTTCAC

15/562

**FIGURE 15**

TTTTATTAATTTTATTTTTTTTTTAATACAGATTTTCCAGTGAGGGGCTTTTCAACCCCAT  
GGTTCTATTTTCTTGTATTTTCCATTTAATTGCTTCATAACTTAAACCAAGTCTCTTCTAG  
TCTTAGGTATTATTTCTCGATTTTGTGCTGATGGGCATGTTTATAAGAAGTGGAGAGGTGATT  
TATTGGAATGAACATACTGACTTCCTCCATTCCCCTCTTCCTTTTGACATGAATTTTACTAC  
TTCACAAATGAAGAATGATGTTATGAAGTTACCGTGGCAAAG



16/562

**FIGURE 16**

CCCACGCGCCGCTAACCCAATGTTCTTTTTTAGAATTCAGGTTGTGGCATCCACTGAGTATG  
CAGCTACTATGGTTTTTGTATGGGACGTATAAATACTTGATTATATACGACAGATTTTAATGT  
CTTTAAAGACTTCCTGCTGTATTAACATATTGTAATGGAGTCTTTTAAATACTAGGTTGAATT  
TAATTGAAGTCACACACATCTTGAAGTGGTAACTGCATAGTAAATACTACCAAGAGTTTTTTT  
CACGTGGGAGTATCCTAAAACTCTGCCATGGGTGTAAATGTTTTACATTAATTCATAATTGG  
ACAGACCCTGCATTTAGCGAAAACATTTTGTTTTGAAAGTGTGTTCTTTTTGTGCGCACTGTTA  
CTGCGTAACACTTCTCAACATTCTGTAAGTTAAATTATTTTAAAATAACTATGGTGAATTCAT  
GTTTATTTTTTTTTTACTTTGAAAATTGTAGTACTCAGGTGGTATTTAATGGGAAAGGATCCTT  
TGGGTATAAA

17/562

**FIGURE 17**

AATGTCCTTTTTTAGGAATTCCAGGTTNTGGCATCCACGGGGGTGCCGCCTACTANGGNTTT  
TGTAAGGGGACCGTATAAATAACTGGATTATATNCGACAGATTTTAAATGTCTTTAAAGACTT  
CCTGCTGTATTAAACATATTGTAATGGATCTTTTAAATACTAGGTTGAATTTAATTGAAGTCAC  
ACACATCTTGAAGTGGTAACTGCATAGTAAATACTACCAAGAGTTTTTTTTCACGTGGGAGTAT  
CCTAAAACTCTGCCATGGGTGTAAATGTTTTACATTAATTTTCATAATTGGACAGACCCTGCAT  
TTAGCGAAAACATTTTGTTTTGAAAGTGTTCTTTTTGTCGCACTGTTACTGCGTAACACTT  
CTCAACATTCTGTAAGTTAAATTATTTTAAATAACTATGGTGAATTCATGTTTATTTTTTTT  
TACTTTGAAAATTGTAGTACTCAGGTGGTATTTAATGGGAAAGGATCCTTTGGGTATAAA

18/562

**FIGURE 18**

CTTCATAACTTAAACCAAGTCTCTTCNAGTCTTAGGTATTANTTCTCGATTTTGTGNTGATGG  
GCATGTTTATAAGAAGTGGAGAGGTAATTTATTGGAATGAACTAACTGACTTCCTCCATTCCC  
CTCTTCCTTTTTGACATGAATTTTACTACTTCACAAATGAAGAATGATGTTATGAAGTTACCG  
TGGCAAAG

19/562

**FIGURE 19**

TGGGGCCCCCACAACCCGGCNGGTATCCAAGGAAAAAATTTTTATTATGGGGTTTCCNGGA  
ACTATTTGGGNCCTATGGAAATAGCCCTTAAAGNGCTTACATTCATGNGCTACTTTAACATGA  
ATGGAGAAAATCCGTTTATGGAAGTACAGTGACAATTGNCCCAATCACTCTGTCCATCAAACC  
ACTCAGGCTAGTTTGTACNAGTAGAGTTTTGNTTCNANTTTTATTTTTATTAATTTTATTTT  
TTTTTAATACAGATTTTCAGTGAGGGGCTTTTTCAACCCCATTTGGTTCTATTTTCTTGTATTT  
TTCCATTTAATTTGCTTCATAACTTAAACCAAGTCTCTTCNAGTCTTAGGTATTANTTCTCGA  
TTTTGTGCTGATGGGCATGNTTATAAGAACTGGAGAGGTAATTTATTGGAATGAACTAACTGA  
CTTCCTCCATTCCCCTCTTCCTTTTTTGACATGAATTTTACTACTTCACAAATGAAGAATGATG  
TTATGAAGTTACCGTGGCAAAG

20/562

**FIGURE 20**

CAGCTCCGGAAGACTATGCACCCAAGCACCAAACCTCCANCCAGAGAGAGAGACGTCCTCCGA  
TAACAAAAATCCTTGCTTCCTCTGTCTGTGACTTTACACNCAGTTGTTCAAAGTTGTTAAANG  
NCAAGAGTCAATCACATCCCTAGGACTACCTCCCAACTCTCCTGACTCTTATGTTATTGAAAA  
AACAAACAAACAAANACTCCTTTATGATGNTATTCAACTTGAGTGGGGTTTTTTTTTCCACTT  
TGGTCCTGGATATAATGAAATGATACATATTAGGATAAATTTTCACTGTGTATAGTAGCAATA  
CGAACACACATGCCAATGTATCAACATATCTACTTGGTTACATTTTGGTTTATGATAATCGANN

21/562

**FIGURE 21**

TGGAATAACTGGAAATTTATTGGATCCAGGTCCACATTGGCAGTTTGGAACTACTACCAA  
AAGATTCACCAATTTACAACCTCCATCATTAGTAAGAANGCCTGTTTGCCTATAGTCTGCCAA  
CCTGAACCCTTAAAAATTTTGCCAANCTGGTAGGCAAAANTCTTCTTTTCTTTGAATATTA  
ATGAGGAGGAACATCTTTTCATGTTTCTTGGCCATTTGCANTTCCTATTATGAATTGCTTCNG  
GCCCATTTTCCTTTTTTTAATTATGAAAGTCTAATGACTACCTTCTCATTGTATAAAAAACAC  
AGTTCTTTGAATAGAGAGACCCTTTTCTCCAATGCTACCAATCACATTCCACTTACCACAGTT  
TAACATACATCCTCTAGTCACCTTTCCCGA

22/562

**FIGURE 22**

TAGGGTCCTATTGGTTGCCTAAGCATACTTNTTAACTTGTGCCATTGGCCTTTACTTTTATGG  
AGTTTTTCAGGAACTATTTTATANCATCTAGTTATTTAGTCTACGTATCTCTATTTAGTGGAG  
CCTTTTCCCCTCAAATAATATATTTTATCATTTTGGACTTATATAAANCATAATTAAATAAA  
TTTTTCTTAATACTGTTGGACTTTGTATATACAAGTTCAGATAACTTTTTCGAAGATAGTTT  
CTTATATAAANGTAATTTAATTTTTTTTACTCTTCTATACAGTTNNTTAGATGTAAAGGAATT  
AGCACAATCTCTGGCAGTTTTATAAAAGCTGTTGAAGCTCTTGTCTGCACTGTCTTTAGGTA  
TCATAGGTATCAGGTTTGCTTTGTGTTAATGCCACTTCAAGTCATTATTTGGTTTCTGCTATT  
TTTTTACCTGAG

23/562

**FIGURE 23**

ATACATATATATGTGTGTGTGTGTGTGTGTGTGTATGTATANATNTAATCATTTACACTCTTT  
TGGGGGTCAAGAATTTGAATGAAGAAAAACAAATCCAATTAATTTTGGCTTCCAGTTACTTCT  
GATAAAATCAGTGAAGGTTCTTGGATTTTGAAATCTCAGTTGTGCATTGCTTTTTTTTAGATCC  
TGCCAGGTTACNNTTTTTTAAATAACATGTACAAATTCATCTTTTTCAGTATAGACTATTGTA  
AGTTTTTGGAATTGTTATAGTCATAGAACCATGATCACTAACAAGATATATCCCCCACTCC  
AAAGTCCTATGTGTTCTTTTGTAGTTAACCTGTCACCCAC



24/562

**FIGURE 24**

ACCCTTGACCCAACGCGGCCCCCGACCGNTTCATGGCCAAACGCGGGNCTCCAGCTGTTGGG  
CTTCATTCTCCCCTTCCTGGGATGGACCGGCGCCCATCNTCAGCACTGCCCTGCCCCAGTGGA  
GGATTTACTCCTATNCCGGCNACAACATCGTGACCGCCCAGGCCNTGTACGAGGGGCTGTGGA  
TGTCTGCGTGTCGCAGAGCACCGGGCAGATCCAGTGCAAAGTCTTTGACTCCCTTGCTGAAT  
CTGAGCAGCACATTGCAAGCAACCCGTGCCTTGATGGTGGTTGGCATCCTCCTGGGAGTGATA  
GCAATCTTNNTGGCCACCGTTGTNNNTGAAGTGTATGAAGTGCTTGAAGACGATGAGGTGCA  
GAAGATGAGGATGGCTGTCATTGGGGGCGCGATATTTCTTCTTGCAGGTCTGGCTATTTTAGT  
TGCCACAGCATGGTATGGCAATAGAATCGTTCAAGAATTCTATGACCCTATGACCGA

25/562

**FIGURE 25**

TTTTCTTTTTCTCTTTTTTAAATTACCTTTGTTTTGCGGTAAGGAGTTGGGGAATTTGTGGT  
GGCAGGGAAGTAATGTAAGTTGCTTTATAACTCACTGTCTAACAAAGTTTGGAAAATTTGTCT  
GATATGTAATTAGGTACTTTAGGGTTATTAGGTTTTCATAAAAATTCTGGTTAGGGCTCTTGC  
CCTGCTCCCAATGAAAGCCTTTCCACAGGGCAAATATAAAAGAGAGAGTAGAGGGAATCCCC  
TGAGGTTTAAATAAGTCAAACCAGTAAGTAATAGTGCTAAGTTTGTCAGTGNCCTCTCTTCT  
TACTGTACTTAACATCTAAAGGGCACCTCATTTATTTTCAGCTAATTATGTTCTTTATGAGTG  
ACTGTCAAATCAGGGAAGGGTGTGACGATCATGTGGAGATACCTTTTCTAATTAATAGCTGCC  
TTGCTCCTCAAGATTCTGACGAACC

26/562

**FIGURE 26**

CTTCTTGACACTGCCCTTTCCCTTCCCCNTCCCANCTGCCCGACCCATGCCCGCGGGCGTG  
CCCANGTCCCACCNTACTTGAAAAATGTTTCGCCAGCCAGTCTCCTTGGCCCATGTNCGCAGGG  
GCAGAAAGTGGTGCCACAGGTACTACCGACCGGACCTGACAATACCTGAAATTCCCACCAAAGC  
GTGGAGAACTCAAAACGGAGCTTTTGGGACTGAAAGAAAGAAACNCAAACCTCAAGTNTNNN  
CAACAGGAGGAACTTAAATAACTACGTCCAAGAATTCTGTGAATAATATAAGTCTTAAATATG  
TATTTCTTAATTTATTGCATCAAACACTTGTCTTAAGCACTTAGTCTAATGCTAACTGCAA  
GAGGAGGTGCTCAGTGGATGTTTAGCCGCGA

27/562

**FIGURE 27**

CGTGAAACACCCCTTTATTCCTTCATAACTACTCANTATGNCTATTCCTTCACCAGATGNA  
AGCTCCTGAGCTCAGNCNCTGACTGTCTTTTTCAACACTGACTAGTACATAACAGGCACCCAA  
TANTTNNTTAATTGTGGTAAAATATACATAACAAAGTTACCATTTTAAGNATNTAATTCAGCA  
GCGTTACATACATTCAAATTGTTGTGCAACCATCACCACNNTCCATCTCCGGAACTTTNTATC  
TTCCCAAGCTAAGGCTCTTGGCCCATTAACAATAACTTCTAATTGCACCCTTCCCTGTCCAC  
CCTGGTGACCATCATCTGCACTCTATGAATTTGGCTACTTTATGTCCCCCAAATAAGTNGAA  
TCATACCGACCC

28/562

**FIGURE 28**

TGGCATGTGGGCCCATTTCAGTTTCCCTACATGTTCCCAAANTTATTTAAATTACTGTGTCC  
AAAATTATGAGGACAGTGTTCATTCATTCACCATAGTTTATANTCTTAGTTANATATCAAACCT  
CCTTGGCACCTAGGATAAGAACATTTCTTTTGAAGTTATCCAATTTTTTTTTTATTTTTACTTG  
ACTTGAAGGAAAGTTGGAAAATATGGTGGAAAAAATCTCCGCATTAAAAGGGTCNNTAAAAC  
ACAACCATTTACGATCTCAGTCAGCAGATTTACTCTACTCAAGGAAAAAAGAAACAATCTTA  
TTGGAAGCAGATGTTGACACTGTGTCAGTTATTGAAGACGGAAGGAGTTCACTTGAGCCATTG  
CAGTTACAAAGGGGTATTGATCGA

29/562

**FIGURE 29**

TCTGCCCCTGAAATATACAAGGGTCATGCCCAAATTAANACAGGTTNACCTTTGTAGAGGTAA  
ATATGTTGGCATTATTTATTGACATTTATGCTTCAAGCATGTCTTATTNTATGTAATTTTAAG  
AAATACTNTATTTAANTNGTGANATATACCTAAAAGCATACTAGTTAGCTNTTAGANTCTCAC  
TTAGGGAGGGTAAAGAAACATCACTGATGCCAATATGAAGATTTNTAAACAAATCCTTTGTNT  
AGAANTTTTTTCTTTTCGTGCACCTCACAACACANTTACCATCGNACC

30/562

**FIGURE 30**

GGCCGGTTCCTTTAAGATCTTTGACCTGANCCAAAGTTTCGGGGAAGGGGGGGTTGCCCAGGT  
GGAGTGCATGGGGGATTTTGGNTTAATGCAAGTTCCCCTTCCNGTGTTAANGCCATTTTCCTG  
CTTCAGCTTTTTTGAGTAGNTGGAAANACAGGCGCCCGCCAANACACCTGGNTAATTTTTTGT  
ATTTTCAGTAGAGACGGGGTTTCACCGTGGTTTCAATNTCCNGACNTTGTGATCCGCCCCGCCT  
NGGNTTGCCAAAGTGNTGGGATTATAAGCGTGAGCCACCGCGCCCGGCCGAGATGTTTTGATA  
CAGGCATGCAATGTGAAATAATCAGATNATAGACAATGAGGTATCCATCCCCTCGAANTTTTA  
TCCTTTGTGTTACTAACAATCCCGTGAACACTTTTTTAGTTATTTTAAAATGTATAATTAGTT  
ANTACTGACTATAGTCAACCCTGTTATGCTGTCAAATAATAGATNTTATTCATTCTTACTGTT  
TTTTTTGTACTCATTAAGTGTCTCANGCCGAACC

31/562

## **FIGURE 31**

GTTTTTTTTTTTTGAAGCGAACTTTTGCTATATTGCTAAGGCTAGTTTTGAACTCNTGGGNTC  
AAGCAATACTGCCTTGACCTCCTAAAGTGCTTGGATTACAGGCATGAGNTACTGCGCCTGGCC  
TGCAATATGTATTTTAAGCTACTTTTTTTNTTATTCCGNACC



32/562

**FIGURE 32**

TGTCGACGCGAATGCCCCGCGGGCGGAGAACTGGGCTCCCACCGAGGAGGCTGGAGGCAGGTT  
CGCTGTGGTTCCCCCTCCCGACCTGGCAGAGCTGNCGGGAGCTCTCTGAGGTCCNTCGAGAGT  
ACCGGAAGGAGCACCAGACTACGTGTTCCCTGCTCTTCTGCGGCGCCTACCTCTACAAACAGG  
GCTTTGCCATCCCCGGCTCCAGCTTCCTGAAGTTTTAGCTGGTGCCCTTGTTTGGGCCCATGG  
CTGGGGCTTCTGCTGTGCTGTGTGTTGACCTCGGTGGGTGCCACATGCTGCTACCTGCTCTCC  
AGTATTTTTGGCAAACAGTTGGTGGTGTCTACTTTCCTGATAAAGTGGCCCTGCTGCAGAGA  
AAGGTGGAGGAGAACAGAAACAGCTTGTTTTTTTTCTTATTGTTTTTGAGACTTTTCCCCATG  
ACACCAAACGGTTCTTGAACCTCTCGGCCCAATTCTGAACATTCCCATCGTGCAGTTCTTN  
TTCTCAGTNCTTATCGGTTTGATCCCCGGA

33/562

**FIGURE 33**

AAAAAAAAAAAAAACTGCCTTTCTTCCCCTCAGTCAACTTTTGTGCTCCAGAAAATTTTCTAT  
TCTGTAAGTCTGAGCGTAAACTTCAGTATTAAAATAATTTGTACATGTAGAGAGAAAAATGA  
CTTTTTCAAAAATATACAGGGGCAGCTGCCAAATTGATGTATTATATATTGTGGTTTCTGTTT  
CTTGAAAGAATTTTTTTCGTTATTTTACATCTAACAAAGTAAAAAATTAAAAAGAGGGTAA  
GAAACGATTCCGGTGGGATGATTTTAACATGCAAAATGTCCCTGGGGGTTTCTTCTTTGCTTG  
CTTTCTTCCTCCTTACCCTACCCCCCACTCACACACACACACAC

34/562

**FIGURE 34**

ACCCGGCATTAGGGAGGCGAGGTGNGCAATGTCTTAACCCCGGGCTCAACCAGTCCTCCGGCT  
TCTGCTTCCCAAGGTGTNNGGATTGCCAGGCTGGAGCCCATTGNGCCCAGTCTATTGTATAGT  
TTTAAAAAACAACCAAAAGGCTAATAAATGGCACCCCTTTGCAAGCTCTTCCCCCTCCCT  
TTCTTTTTCCTTCCCAGTGTCTCCTACTTCTCTGACCTAGTTGACAGCATTATACTTTTGGAT  
GTTGGTAGCATGTATAAAGTACATTATTACATAACAAGTTAATATAACATAATAGTTTCAAGG  
GTTTTGCCACTTAATTATACTAAGTTACTTAACCTCTCAATNCCTTATCTGTAGATTTTGT  
TTGATAGGGTGGGATAGTAATAGTAACTACAAGGTTTCACAAGGTTGTGAAATTGAATGAGAA  
ATACATGGCACTTTAACAAGTCACTATGGATTATTTAATTTCTTTTCTTCTTCTTGCTGCT  
GCTTCTCCC

35/562

**FIGURE 35**

ACTATGGTAAATAGTTATACTGTATTGGTTTAGGAAATAATGGCCATTTTTAAAAGTCTGTAC  
ATGTTCAGTACAGACACAGTCTTTTTGAAGTATTTTTTATCCCTCCTTTGTTGAATCCCATGG  
ATGCAGAACCATGGATATGAAGGGCTGACTATATTCTCACAGTTATATTCAAGTTGTATTTG  
AATGATTTTATGACAATCTTTTACCAAAGGGCCAAGTGTATTCTCATGTTTATTATTCAAGTT  
GTATGACAATTTTCATATCAGCCCCCAGAGAGTTGGCATTGATTGAAATCATACTGAGTCT  
CTAGATTAATTTAGGGAGAAGTGACATCTTTATAATTTTGAATCTTCCTATCCATGTATATGC  
GAGTGTTTTGTATTTTCAGTGGCATTTCAAATTTCTTCAGGTAGGTCTCTTAGTGTTTATTC  
CCGA

36/562

**FIGURE 36**

ATTCTCCCCTCCTGGATGGATCGCNCCACCGTCACATTGCCTTCCCCCANTGGAGGATTNACT  
CCTATGCTGGCGACAACATCGTGACCCCCCAGGCCATTTACCGAGGGGCTTTGGATGTCNTGC  
NTGTCGCAGAGCACCGGGCAGATCCCAGTGCAAAGTCTTTGACTCCTTGCTGAATCTGAGCAG  
CACATTGCAAGCAACCCGTGCCTTGATGGGGTTGGCATCCTCCTGGGAGTGATAGCAACCTTT  
GTGGCCACCGTTGGCATGAAGTGTATGAAGTGCTTGGAAGACGATGAGGTGCCAGAAGATGAG  
GATGGCTGTCATTGGGGGCGCGATATTTCTTGTTGCAGGTCTGGCTATTTTAGTNGCCACAGC  
ATGGTATGGCAATAGANTNNTTCNNGNNNTCTATGACCCTATGACCCCAGTCAATGCCAGGTA  
CGAATTTGGTCAGGCTCTCTTCACTGGCTGGGCTGCTGCTTCTCTCTGCCTTCTGGGAGGTGC  
CCTACTTTGCTGTTCCCTGTCCC

37/562

**FIGURE 37**

TTTTTTTCTTGTTTAAGCTGACTCTTGCTCTAATTTTGGAAAAAAGAAATGTGAAGGGTC  
AACTCCCACGTATGTGGTTATCTGTGAAAGTTGCACAGCGTGGCTTTTCCTAAACTGGTGTTT  
TTCCCCCGCATTTGGTGGATTTTTTATTATTATTCAAAAACATAACTGAGTTTTTTAAAAGAG  
GAGAAAATTTATATCTGGGTAAAGTGTTCATATATATGGGTACTTTGTAATATCTAAAAA  
CTTAGAAACGGAAATGGAATCCTGCTCACAAAATCACTTTAAGATCTTTTCGAAGCTGTTAAT  
TTTTCTTAGTGTTGTGGACACTGCAGACTTGTCCAGTGCTCCCACGGCCTGTACGGACAC

38/562

**FIGURE 38**

CCCAACTTGGAGGTGGAGACTATGGAGNTGATCGGATGGGCCCCGGGGCAGACTTTCCCCTTGG  
NGCTGTTCTCGTGATAGTGAATAAGGCTCACCAGATCAGGTTTAAAAGTGTGTAGCCTCCCCA  
TTCTCTCTCTTCCTCATCCAGCCATGTAAGACNTGCCTGCTTCCCCCTCACCTTCTGCCAGGG  
TTGTAAGTTTTCTGAGGCCTCCCAGCCATGCTTCCCTGTACAGCCTGTAGAACCATGAGCCAA  
TTAAACCTATTTTCTTTATAAATTATCCAGTCTCAGGCATTTCTTTATAGCAGTGTGAGAGTG  
GACTAATAGAGCTAGTTATTAGTAGAGCCAAGATTTAAATTCGAGCTTGCTGGCTCCCGAGTT  
CTACTTTCTCAAACCCTATGTTAAGCTATTGTCCACAGCATTCAACATTGTTGAATTATCTTT  
GTCAACTAACCTTGGAAGTCTTAAATTTGTCCTAATCCTGTCCCCTATTCC

39/562

## **FIGURE 39**

TTTTTTTTTTTTTTTTCTTTGTACTGAGCTCAGCATAGACTAATACTACCTTAATGTTAAAA  
TCTGAATTTCTTTTAGCATTTTGCTTAAAAGCAATATGCTATTTGCTTATTCCGTGCGAA



40/562

## **FIGURE 40**

TTTTTTTTTTTTTTTTCTTTGTACTGAGCTCAGCATAGACTAATACTACCTTAATGTTAAAA  
TCTGAATTTCTTTTAGCATTTTGCTTAAAAGCAATATGCTATTTGCTTATTCCGTG

41/562

**FIGURE 41**

AGAGCACCGGCAGATCCCAGTNCAAAGTCTTTGACCCTTGCTGAATCTGAGCAGCACATTNCA  
AGCAACCCCTTGCCCTGAAGGTGGTTGNCATCCCCCCTGGGAGTGAATAGCAATCTTTGTGGC  
CACCGTTGGCATGAAGTNTATGAAGTGCTTGGAAGACGATGAGGTGCAGAAGATGAGGATGGC  
TGTCATTGGGGGCGCGATATTTCTTCTTGCAAGTCTGGCTATTTTAGTNNCCACAGCATGGTA  
TGGCAATAGNATNNTTCGNGGNTTCTATGACCCTATGACCCCAGTCAATGCCAGGTACGAATT  
TGGTCAGGCTCTCTTCACTGGCTGGGCTGCTGCTTCTCTCTGCCTTCTGGGAGGTGCCCTACT  
TTGCTGTTCTGTCCCCGAA

42/562

**FIGURE 42**

AGGTAGTCCTTAAAAAAAAGTCTCCTCTCTGTACCCTTCTTCACCCAATCTACAAC TAGGTTT  
TTTGGTAGGAATTTTATTATTAGNTACCAAACANGGTAACATCTTTACATGCCAGATTCCAAA  
GATACCCTAGAAGAGCCAGAGGGTTGCACTTCCTCTCTCTCACTTTGCATTCCCTCCTAAGAA  
ATACTTGCCCCTAACTCAAAGGGCAGAAGGAGTCCAGGGCTCTTTCAGCATTAAAATTCTCTA  
TAGTTTTCTGGGAGAGGCACATGTTCTGAGTGTGAGGAGAACTGTTCTGGTTATTGTTTATAA  
ATTGTTTTCTATCTTCTATTTCTTATAACAGATTATAAATTTATGTTTTCTGATGCTTCATACT  
ATTATGAGGATTTGGTTGGCAAATTATCTTACAATAACCACCCATATATTCATGCATGG

43/562

**FIGURE 43**

CCACCAAGAGCCTGAAGGCAGTCNCTGTGTTCCCCTTCCGACCTGGCAGAGCTGCGGGAGCTC  
TCTGAGGTCCTTCGAGANTACCGGAAGGANACCAGGCCTACGTGTTCCCTGCTCTTCTGCGGC  
GCCTACCTCTACAAACAGGGCTTNGCCATCCCCGGCTCCAGCTTCCTGAATGTTTTAGCTGGT  
GCTTGTTTGGGCCATGGCTGGGGCTTCTGCTGTGCTGTGTGTTGACCTCGGTGGGTGCCACAT  
GCTGCTACCTGCTCTCCAGTATTTTTGGCAAACAGTTGGTGGTGTCTACTTTCCTGATAAAG  
TGGCCCTGCTGCAGAGAAAGGTGGNGGAGAACAGAAACAGCTTGTTTTTTTTCTTATTGTTTT  
TGAGACTTTTCCCCATGACACCAAACCTGGTTCTTGAACCTCTCGGCCCCAATTCTGAACATTC  
CCATCGTGCAGTTCTTCTTCTCAGTTCTTATCGGTTTGATCCCATATAATTTTCATCGA

44/562

**FIGURE 44**

GGGTTTCCAGGACTCCCCCNACCCCGGCCACTCNACTGGTGGAAATGCCTCTGCCCAATA  
GACTTGCTGTCCTAACCCTCGTTTAGGACTTCTCATTTACTGCAGATATTGGTACACATAGGT  
AGTGGGCGGCTGCCTGAGAGAGACCATTGTTGGTACTTCTTTTCTTATCTCAAAGCTGCTTCAGT  
CTTTGTGCACAGGGGATGCTCAGAAGCGTGCCTTCTTTCAGGGAGACTGGCCATGCGCCTGAG  
TTAGATGATAACATGGAGGTTTCATCACACGCTGTCTACTTGAGTGTGTTTTTGAATTCTCCA  
TAATAAAAAGTTAAAAAATACAATTGATAGGTAAGAGTAATTGAAGTAGTTTCAAATTGGTTA  
GCTATAAAATGCAACTATGAAGAGGATTGTAGGTAATTAAAATACTAAGATTGTATTGAGGAG  
AAATATATTATTTCAGAACAATACCTGTGACATGGCATTAGTGACAAATATGAC

45/562

**FIGURE 45**

TTCAGAGCCAGAAGGGCCTCGAGCTGCNAGCCCCNTGGAATGAAGCAGGCCTGGGCTGAGGCT  
GGAAGGGAANCCCCCTCTAAGCTGGNCCGGGGGCGGGAAAACCTACCACCAGGGGACTCGAGAT  
GGGGAAGGAAAGGTCAGAAAGAGGAGNAGGCCCAGGCACGGGGTGTGGGCGGCCTGCAGAGCT  
GGAGCCAGNTGCTCCGCCCAGAGCCAGGCATGCACACTCAGAGTAGGTGGCCTGTGCCACCGG  
GGAAGAGGGGCGGGTCGGCGTGCTGCTGAAGATGCCAGGNAGCTGCCGGCCTGCTCTGTGCGT  
GCTGAAAGGTGTGGTGAGAAGCACTTACAAAAGAAATGGACTGTGTTAGGATTGCACATTTT  
ACTTTGTTTCTCCCAAATACGTTCTCTTTGAATTTTTTTTCCTTCCAGGGCCAGGACTGGAGTG  
ATGGTTGAGACAGGCACGCACTGGGTCTTGTCTGCATTTACATTTTGAGATTTTGTTCAGCAT  
GGATTTTATGGCGTTTTTTTTGTTTGTGTTGTTGTTTCGTTTTCAAATACTGCACCGA

46/562

**FIGURE 46**

CCAGATTTNGTTTCTTTCTTTTTNAAAAAAGAAAAAAXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXATCCTTGGGTGTGGGCTGATCACCTTGACCTCAGGTCTTTGTGCTATTGCCCTC  
TCTGCTTTTGGGCACCTTGACCTCAGGTCTTTGTGCTATTGCCCTCTCTGCNTNCGGGCACCT  
TGACCTCAGGTCTTTGTGCTGTTGCCCTCTCTGCTTTGGGCACCTTGACCTCAGGTCTTTGTG  
CTGTTGCCCTCTCTGCTTTGGGCACCTTGACCTCAGGTCTTTGTGCTATTGCCCTTTCTGCTT  
TGGGCACCTTGACCTCAGGTCTTTGTGCCGTTGCCCTCTNNGCTTTGGGCACCTTGACCTCAG  
GTCTTTGTGCTGTTGCCCTCTGTGCTTTGGGCACTCTTCCTCAGACCTGTGCATCACATTCCC  
TCTCTTCAGCTCTCTGCTCAAATGTCACCTCCTTCCTGACATCTTCCCTGACCATCCTAGCCA  
AAATACC

47/562

**FIGURE 47**

CGCCCTAGCCCTCTGTGATTTTCATAATGCTGGAAGTATGCTTTTTTAAAAAGTTTAAATTCTT  
GCCCAATTTTACTGTAGCGGGAATAAATACATGCTAGTATTCTGAGAGTNTTATGAACTAGA  
CATAAAACAAGTTAAAATTAATGGGGAAATGGCTAGATGTCCATGACTGTCAGAGTCAGTACA  
TTGTCAGTATCCTCCAGAAATGTCACTGATATTAAGCAAGCTGAGTTATTTCCGGCGTTGAAT  
CCATGAAGAATGATAAATGTTTTCTCATCATACTTATTCTTAGAATGTTGTGATACTTTTGAT  
ATTTCAAGTTACTCGTCTTTAAAAGGGGAGTGCCCTTCCCTGGGCCTTGCCTAAGAGAAGAAAG  
AAAGACTATATTAAGACAGAAAACATGGACATTTTAAAGAGACGAATACACTGCTATGTGAAA  
TACCAGTTNTACTCAGTAAACTCCCTCGA



48/562

**FIGURE 48**

GCAGGCCCAAAGAAGAAGCTCAGGCTGAAATGAACCGTACCGCCTNCCGAGGGAGAAAGAATT  
CNNGGCCAAGGAAGCTNCGGCATTGGGATCCCTTGGCAGTTGCAGCCACTGAAGTGGAGAAGG  
AGACCCAGGAGAAGATGNCCTCCTCCAGACATACTTCCGGCAGAACGGGATGAAGTCTGGACA  
ACCTCTTGGCTTTTGTCTGTGACATTCGGCCAGAATCCCTGAAAACACCGCATAAATGGATA  
GAAGAGAGAAGCACCTGTGCTGTGGAGTGGCATTTTAGATGCCCTCACGAATATGAGCTTAGC  
ACAGCTCTAGTTACATCTTATGATATGGCATTAAATTATTTCCATATATTATATAATAGGTCC  
TTCCACTTTTTTGGAGAGTAGCAAATCTAGCTTTTTTGTACAGACTTAGAAATTATCTAAAGAT  
TTCATCTTTTTACCTCATATTTCTTAGGAATTTAATGGTTATATGTTGTCTTTTTTTCCTATG  
TCTTTTGGCTCAAGCAACATGTATATCAGTGTTGACCGA

49/562

**FIGURE 49**

CGGACGCTTGGGCNGCGCCAGCGGCCAGCGCTAGTCGGTCTGGTAAGTGCCTGATGCCGAGTT  
CCGTCTCTCGGGTCTTTTCCTGGTCCCAGGCAAAGCGGAGCGGAGATCCTCAAACGGCCTAGT  
GCTTCGCGCTTCCGGAGAAAATCAGCGGTCTAATTAATTCCTCTGGTTTGTTGAAGCAGTTAC  
CAAGAATCTTCAACCCTTTCCACAAAAGCTAATTGAGTACACGTTCCCTGTTGAGTACACGTT  
CCTGTTGATTTACAAAAGGTGCAGGTATGAGCAGGTCTGAAGACTAACATTTTGTGAAGTTGT  
AAACAGAAAACCTGTTAGAAATGTGGTGGTTTCAGCAAGGCCTCAGTTTCCTTCCTTCAGCC  
CTTGTAATTTGGACATCTGCTGCTTTCATATTTTCATACATTACTGCAGTAACACTCCACCAT  
ATAGACCCGGCTTTACCTTATATCAGTGACACTGGTACAGTANC

50/562

**FIGURE 50**

CATGGTGGTGCGCAACTGTAGTCCCAGGTA CTTGAGAGGCTGAGGTGGGAGGATCATCTTAAC  
CCCGGGGAGATGGAGGCTAAAATGAGCTGTGTTCCACCCACTGTACCCAGCCTGGGCAACAG  
AATAAGACGCTGTTTCAAACAAAAATGTGTA ACTCAAAAACAGCAAAATGCTTAGTTCTTTGT  
AAATGCAACATTTTAGGCTACTGTTTATTTGCCAATAGAACTTTTTTTCTCTCTCTCTCCTT  
ATNTGTAACTTAGCTATATATGTTTCTCACTCTTGGGTCTGTGTACTTCAAAATCTTTTAGA  
AATXXXXXXXXXXXXXXXXXXXXXXXXXAAAAA AATGGAATAATACAAAATTATACTAAGATTCATTC  
ATGTTATTTTTTGTGGCTGCAGTGCATTCATTTCCACTATATAGTATTTTCATTGTCTGATGTA  
CCAGAATTTATCCACTCTCTTTTGGATGCATGTTTGGATTTGCAGTCTTTTGCTTTATGAAAA  
GTGCTGCTGTAAAAATTATTA

51/562

**FIGURE 51**

TTTTTTTTTTTTTTTTGGTTTGTGTTGTTGTAGTAGTCTGGTGCTGGCCACATTTAAGTCT  
TAAAAATTTTAAATTTTGTGTTGATGTTTGTAGACAGCCCTGTTGTTGAAATCATGGCTTT  
ATTCATTTTATTTATTTTCGAACC

52/562

## **FIGURE 52**

TTAATAGTTATTCGTCTTCTGTTGTATAGNCATTTAAGTTGNTTATATGTTTCTGTTATTAA  
CCCTTTGTCCCACGTATGATTTGCAAATATTTTCTCCCATTTTTTTTCAGTTGTCTCATTTTG  
TTGATTNTATCAGATTCCATGAAGCAGCTTTTAAANTTCAAGAAAAACGAATC

53/562

**FIGURE 53**

CGGAAGTCCCTTGAGGAGCGTCAGAAGCGGCTTCCCTACGTCCCAGAGCCCTATTACCCGGAA  
TCTGGATGGGACCGCTCCGGGAGCTGTTTGGCAAAGATGAACAGCAGAGAATTTCAAAGGACC  
TTGCTAATATCTGTAAGACGGCAGCTACAGCAGGCATCATTTGGCTGGGTGTATGGGGGAATAC  
CAGCTTTTATTCATGCTAAACAACAATACATTGAGCAGAGCCAGGCAGAAATTTATCATAACC  
GGTTTGATGCTGTGCAATCTGCACATCGTGCTGCCACACGAGGCTTCATTTCGTTTCATGGCTGG  
CGCCGAACC

54/562

**FIGURE 54**

CCCACTCAGATCTACTGAAACTGAAAACCTGGGAGCAGGGCCCAGCAATCAAGAGTTTTTAAC  
AAACCCCTCCTGGTCATTTTGATGCACACGCAAGTTTGAGAACCTGTGCCCTTTAGGAGGATTT  
CCTTTTCCTCACTAAAAGCCCCCTGAAAGATGCCTCCAGGGTATGCCTCTGTGCCCTACTGCC  
CACTGCTGCTTTCCTGTTTCCTAGGAATCCCCTTTATGAAGTACCCATCCTCCAGAAAGATTT  
CTTACCTACCTTGAAAGGATCTTGGCTTCTCCACAAGGTTACTCCATCCTCTGAGCAGTTATT  
TCCGATTCTACTTTTGAATGGTTTCTTTTCAGATCTTCCTCAGTGCTTTCTCTTTCTGGCTAC  
CCCTCAAGCCCGA

55/562

**FIGURE 55**

ATATATATATAAATATAGAAATATATATATAGAAATATATATATATCTCTCTCCATATCCAAA  
AGCAAGATTACAAATTCAGTTGAGGGTAATAGCACTTAAAGTAGGAACAGAGATTCTTTATG  
TGTTAGCATAATTCTTTTTTATTACAATTCTGTTACTAAAGAATCAGGTGTCATTAAAGGTGA  
ACATGGTTACCTTCACCTTCTGCACAGCAGTTTTTCATATACTTGAAGACATTAAATCCCCTT  
CCCCATCCAACCTTAATCTTTTCCAGCGA



56/562

**FIGURE 56**

CGGACGCGTGGGCGGACGCGTGGGTGGCCTTAGAGTAGTTTTTTGAGCATTTATTGTGCTTGG  
TGTTCTCTGAACTTCCTTAGATCTGTGGTTTGGTGTCTGACATTAATTTGGATAAAATTTTCAG  
TCATTGTTGTTTTAAATATTTCTTCTCTTCCTTTCTTCTCCTCTTGGTACTTTCATGTGTTTA  
TATTACACCTTTTGTACCTGTCCCAGAGTTCTTGGGTATTATCTTCTGTTTTTTTTTTGGGCCT  
TTTTTTTTTCCCTTTGGTTTTTCAGTTTGTATTGATACATCCTTAAGCTCAGAGATTATTCTTT  
TTTTCAGCGGTGTCCACTCTCCTAATGAGCCCATCAGTGGCATTCTTCATTTCTGTCACCATG  
CTTTGCTCTCTGGCACTTCTTTTCATTTTTTTCTTAGAATTCCTATCTCCCTGCTCATGCTGC  
CCACCTGTTCCCTGCAAGCTGCCTACTTTCTCCATTAGAGTCCTT

57/562

**FIGURE 57**

TGGTGTCTTTCCCACCACAGCCCNGAGAGTCAGTCATTTTTNCAAAGAAGCCNTGGTTGGCTT  
TGTGGAGAATGATATATGTTATTATTATTNTCCGCAGCCAACATGACCGCTCCTCTGGTGTCT  
TTCCCACCACAGCCCGAGAGTCAGTCATTTTTCAAAGAAGCCTGGTTGGCTTTGTGGAGAATG  
ATATATGTTATTATTATTTTTTGTGTTGTTATGTTGTGTTTTTTAGACAGTCTCGCTCTTTGC  
CCAGCCGA

58/562

**FIGURE 58**

GGAGTAAAAGACTGTNAAACATTTTTTTTTTAAAAAATTATTTTACATTACGACAATATATT  
TANGGATGTGTTNAGATCAAAAATTAAANTTCTGTGTCCCAGATCTACTTTCAAAGTGAGATT  
TTCAC TTGTCAGCTTAAATTTNTGACTAGAACTAACATTTGTGTATTNTTGNGCTTAGTCGGA  
ATACAAATTTACAGTGGATTTTTGAAGTTTGTCTTAAATTGGATAAAATCAAGTGATTAAA  
GTTACTAAAGAGATAAAAATGGTAATTTCCATTTTTTAAAAGTAATTTGGTTGTGTTTATAGTT  
ATTTGTACAAGTATTTATCACAGCGAACC

59/562

**FIGURE 59**

AGCAATGCCCTGCCCCCAGTGGAGGATTAATTCCTATGNTGGGGACAACATTGTGACNGCCCA  
GGCCATGTACGGGGGGCTGTGGATGTCCTGCGTGTCGCAGAGCACCGGGCAGATCCAGTGCAA  
AGTNTTTGACTCCTTGCTGAATTTGAGCAGCACATTGCAAGCAACCCGTGCCTTGATGGTGGT  
TGGCATCTTCCTGGGAGTGATAGCAATCTTTGTGGCCACCGTGGNAATGAAGTGTATGAAGTG  
CTTGGAAGACGATGAGGTGCAGAAGATGAGGATGGCTGTCATTGGGGGCGCGATATTTCTTNT  
TGCAGGTCTGGCTATTTTAGTTGCCACAGCATGGTATGGCAATAGAATNGTTCAAGAATTTTA  
TGACCCTATGACCCCAGTCAATGCCAGGTACGAATTTGGTCAGGCTTTNTTCACTGGCTGGGC  
TGCTGCTTNTTTCTGCCTTNTGGGAGGTGCCCTANTTTGCTGTTCTGCGAACC

60/562

**FIGURE 60**

AACTTGTCAGAGGCAAGTGTCCAGAGTTTGTCTATANATTCATTATGGAAGGTTTNACCTTAT  
TGAAATGACAGTTCCCCACCTTTAGCATTTTATATTGTTCCATTAAGTGTANACAAACATTC  
CTGCAAAATATCAGTTCAGGAACCAAACCTTACTTCCCTGAGATGGTAACCGTTTCACAGCCT  
NTCATATTGCTGCTTCATTANGTGATGAAGTCTAAACACGTAAATGGTGACCAGTTAAACAC  
ACACCTGCCGAACC

61/562

**FIGURE 61**

CCNANGGGTCCGGTTTTTTTTGNATTTTTAGTAGAGACGGGGTTTCACCATGCAAGCCCAGCTG  
GCCACGTAGGTTTTTAAAGCAAGGGGCGTGAAGAAGGCACAGTGAGGTATGTGGCTGTTCTCGT  
GGTAGTTCATTCGGCNTAAANAGACCTGGCATTAAATTTCAAGAAGGATTTGGCATATTNNTT  
TCTTGACNNNCTCTNTAAAGGGTAAAATATCAATGTTTAGAATGACAAAGATGAATTATTAC  
AATAAATNTGATGTACACAGAGTGAAACATACACATACACCNTAATCAAANGTTGGGGNA  
AAATGTATTTGGTTTTGTTCTTTCATCCTGTCTGTGTTATGTGGGTGGAGATGGTTTTTCATT  
CTTTCATTACTGTTTTGTTTTATCCTTTGTATCTGAACGAACC

62/562

**FIGURE 62**

AGAGACGGGGTTTCACCATGCAAGCCCAGCTGGCNANGTAGGTTTTAAAGCAAGGGGCGTGAA  
GAAGGCACAGTGAGGNATGTGGCTGTTNTCGTGGNAGTTCATTCGGCCTAAATAGACCTGGCA  
TTAAATTTCAAGAAGGATTTGGCATTNTCTTCTNGACCCTTNTCTTTAAAGGGTAAAATAT  
TAATGTTTAGAATGACAAAGATGAATTATTACAATAAATTTGATGTACACAGACTGAAACATA  
CACACATACACCCTAATCAAAACGTTGGGGAA<sup>^</sup>AATGTATTTGGTTTTGTTTCCTTTCATCCTG  
TCTGTGTTATGTGGGTGGAGATGGTTTTCATTCCTTCATTACTGTTTTGTTTTATCCTTTGTA  
TCTGAACGAACC

63/562

**FIGURE 63**

TCTTTAGAGATCTTTGACTTGACCNAAGGGTCCGCAAAGGGTTCGGGTTTTTTGTATTTTNAG  
TAGAGAGGGGTTTNACNATGCAAGCCAAGNTGGCAAAGTAGGTTTTAAAGCAAGGGGCGTGAA  
GAAGGAAACAGTGAGGAATGNGGCTGTTTTTCGTGGTAGTTCATTTCGGCNNAATAGACCTGGC  
ATTAAATTTCAAGAAGGATTGGCATTTTTTTTTCTTGACCCTTNTCTTTAAAGGGTAAAATA  
TTAATGTTTAGAATGACAAAGATGAATTATTACAATAAATTTGATGTACACAGACTGAAACAT  
ACACACATACACCCTAATCAAAACGTTGGGGAAAAATGTATTTGGTTTTGTTTCCTTTCATCCT  
GTCTGTGTTATGTGGGTGGAGATGGTTTTTCATTCTTTCATTACTGTTTTGTTTTATCCTTTGT  
ATCTGAA



64/562

**FIGURE 64**

GTGTGTGTGTGTGTGTGTGTGTGTGTATGTGTATATATATATACATATATATACACATATGTATG  
TATACCTAANTCCTAAAGTGGAACAGTAAGAGTCATTATTTATAGATTATNTGATTNTNTATG  
TGGAAGAGAAAAGAATCATATTAAGTACTTTGGACTGAACAATGACCCCCAAAATTNGTATG  
ATGATGAAGCTCTCTNTAAATATTTTCTTGCTTTACTGGACTGATTTTAACCCGCT

65/562

**FIGURE 65**

AGGGATCCAGGTTGGTAGAGNAATCCCGGCCGGTTCCCGAGAGATGTTTAACCAGCACNTGCT  
TNTGAGACTTCGTTTTNTGTTCCAGCAACCCTGGTTGGGGGGTCAGACTTGANACACTTTCAG  
GTTGGGAGTGGACCCACCCAGGGCCTGNTGAGGACAGAGCAGCCAGGCCGTCNTGGCTAANT  
TTGCAGTTGGCANTGGGTGGGGAGGAAGAGAGNTGATGAGTGTGGNTTCCCTGAGNTGGGGT  
TTCCCTGCTTGTCCAGTTGTGAGCTGTCCTCGGTGTTACCGAGGCTGTGCCTAGAGAGTGGAG  
ATTTTGGATGAAAGGTGTGCTCGCTNTCTGCGTTCTATCTTCTCTNTCCTCCTTGTTCCCTGCA  
AAC

66/562

**FIGURE 66**

ACTTAAAAATATTGTTGAGTTCTAAACNGATTTTTNGTATATATCATACATAGAAAATATTAA  
ATTTTTGTTCTAAAACAACCAAAAATGGAGCATACATTTAGAGTGGCATTGTGTCATATTAT  
TAAACAAATGAAACTGANTNTTTTTTCATCCTGANGCAGATTANATCCCATTTTAATCTTTTT  
CCTCTCTCCTTTTCTNAACCNACNTCAGAGTATCCTGTAACAGCTGTCCCTATAGTTTTCAAG  
GAAAGTGATAATAATGAGATTACTTCTTCTTTCATCGTTTATTTTTTTGGGAGGATGGGGAAA  
CCACAC

67/562

## **FIGURE 67**

TCCCCTGAATATTCAGGAGGGAGAAGCAATCGCCCCAGGACAGAGACGGGGANATCCCAGGAG  
CAGGGTACAGGNTTTAGCAATATCCATCTTGCGGTANTCCCTCCCTNACAACAACCAGAC

68/562

**FIGURE 68**

AAATGACCTATAAATAAGTTGGTTTGGGANATTATTATTTTTTTAGCATTATTTTTAAAATAG  
ATNATGGTTNATATTTAATTGGAATTCCATAATNTAATGTACTGATAGGTAANTTGTGTGGAA  
ATTGTTTNGCAGACATAAAATTACTAAATAAATGTTCTGTTTTTCAGATAGTTTAGTNTTTGNGA  
CATTAAAGTATTGGGACAGATTGTTTTGACTCCAATTAATATTCTGAAATTTTTCTCCTTTCAT  
TACCTACCTNTCCATTATGCCTCAGTTGTAACGGTGAGTAAACTATTTTTGTGTCTCATACT  
TTCTTTATCTTTAAACTTTGTTTTACACAGTAATTATTTTCAACCATTNTTTGCTAACTGCAC  
CTCGCTGCATGGTTCCTTCCTGTGTCCCACCAACCAGCCGCCACATTTTACCANATGTTCCCA  
GTGTTTCATGGGCCCTTCCACCCTTGTCTCAAAATNTCCCTATTGATTTTATTTTGCTTTTGT  
TANTCCCTTCAAACGCC

69/562

**FIGURE 69**

AGAGACGGGGTTTCACCATGCAAGCCCAGNTGGCCAAGTAGGTTTTAAAGCAAGGGGCGTGAA  
GAAGGCACAGTGAGGTATGTGGCTGTTCTCGTGGTAGTTCATTCGGCCTAAATAGACCTGGCA  
TTAAATTTCAAGAAGGATTTGGCATTNTNTTTCTTGACCCTTNTCTTTAAAGGGTAAAATAT  
TAATGTTTAGAATGACAAAGATGAATTATTACAATAAATTTGATGTACACAGACTGAAACACA  
CACACATACACCCTAATCAAAACGTTGGGGAAAAATGTATTTGGTTTTGTTTCCTTTCATCCTG  
TCTGTGTTATGTGGGTGGAGATGGTTTTTCATTCTTTCATTACTGTTTTGTTTTATCCTTTGTA  
TCTG

70/562

**FIGURE 70**

ACACCAATGCAGTGAGGTCGGGGATTCCCCAANTGGATCCATNGCACCAGGTTCAAGNTAACC  
CCCAAGGCAGTTTTTTCTTCCAAAACATTAACAGNTAAGTGTTTGTNTGGGCCAATTTNTCNT  
ACCAAGTTTAAATTAACCAACATTTTTTTTTTTAAACCAAAACACAAGGAAGACTAACCACGT  
GNTTCCAGGAATGGCCTGTATTTACCCAACCACTTTNTATACNTNTTTTCCAACCAAAAGTNT  
TAATATGGGAATATCCCTCACCACGATCCTAATACTGTCAGTAGCTGTCCTGCTGTCCACAGC  
AGCCCNTCCGAGCTGCCGTGAGTGTTATCAGTTTTTGCCTACAGAGGGGAGATGCAACAATA  
CTTTACTTACCATACTCATATAGAAAG

71/562

**FIGURE 71**

G TTCAGGACCAAGCGGTAAGAAGGCNTGAGGACCCAGGCCCCANTGGAGCAGTNTGTCCTTAT  
GCCGAATCAAGGCGGAACATGGGTGAAAGACGAGTAAGGGGCAAATCACAGAATATTCCACAG  
CGCCCTCCAGAGTTACNTGGGGAGGACCGAGGCCACACGCCACTGCCCCGAGGCCAGAGTGT  
AAGTAAAGGATAACCAGGACTCGCTGGGAGAGATGGATTCTGTCCTCAGCAACANTCCACAGC  
AGAAAGGGGTAGCAGGTACCCCTTTTTATCAGCGGTAAAAATGCATTTACAACCTTTTCATTTA  
ACCGAAAAACACAGACCGCTTTAACCTTTTTATTTNTGTCCCCCACTGCATGAACATTTATAC  
AATTTTAAAAATACTTCCTCATAGGATGCTTTGGCCCTTCATCTATTTAATCATAGCTACATA  
CCTATTTTTTTATAAGTAGCAGTACACATTCAAAGGGGTATTCCTAGCTCAATGCTTGGTGTTN  
TAGTTCAACTTTTATCCTGCAG



72/562

**FIGURE 72**

TAGAAATAACCCTTTTCCTTATTNGATTTTAGTCATCAAACATAGTATGATATGGGAAAAGTC  
AGCCATTTACCAGAAATTATCTTATTTTGATTTTAAAACTCATTTCTATATGTAGTTATTGT  
AATGTCTATTTTTTTAGACTTAAAGATTTATAGAAGACTATAGTTATCTGATTTGTTATTTGG  
CATTTTTTCATTCTGTAAATCTTTGCTTATGGCACATTGTGCTCTCTGTTTTCCATGGTTTTA  
TTCATTTATCTCCTCCTATTTNGAGGGGACAACATGGGTAGTTAAATCTTTGTCAATAGTATT  
GGAGATAACACTAACTGCTATTATCATAACATNTTCATTTTTACTGCATGC

73/562

**FIGURE 73**

GGACTGAATNCACTTGTAATGGTGACCACTGAAAGCTGCAGAGGGACAGTAGGTATTTNATNA  
AATGCCTTATATGGCATTCTATATGAAGAACCTCTGAACCCAAAGTATATTATTTAGAAAGAA  
AGATAAAGAGATATAAGCAAAGTAAGAATATATCTTAAAAGTATCTTATAAACCATTAACCTTA  
TAGTGGTAAGATAAACCCTCTATCAGCAGGAAAATACCTGCATATGCATACATAAGGAAGACT  
GTGCACCTAATCTAGGGATACATAATAAGGTGGACTCTGTATTAGTAGTAAGTATTTTTATAA  
AATAAATACTTAGAACAAATTATATAAGATAATTATAAATATTAAGATCTTTATATTGCATTGC  
TTCTGACTTAAAAAATGAATAAATAAATGGGGTCTTGCTATGTTACCCAGGCTGGAATGCAGT  
GGCTATTTACAGGCACAATCATAGTGCACTACAGCCCCAACTCCTGGGCTCGAGCAATCCTG  
TTGCCCAGCCTCCCAGGTAGCTGGGACTATATATAAGCAGGCACCACTGTGCCTGGCTGCTTC  
TGACTAATCCAAGTAAGAATAATAAATCTATGACAAAGTTATACACAATCTCCTACCCCTACC  
TCAG

74/562

**FIGURE 74**

ATGGAACCCAGTTGGAAACCACTCTTCACGNTTATTTATCCNGGGGAACCTCCCCAACNTAG  
CCAAGGCTTCGGTTGAGTTCTCACTCCAAAGGTGGGAACCTGGACCATGGGNACACTTGGACAC  
GGATGGGGAACTCACACACCGGGCCTGTCTTGGGGTGGCGGTAGGGCGTAGCGATAGCATAGG  
AGATACACCTAATGTAATGACGAGTTATGGGTGCAGCACACCAAATGGCACTGTATACGTATG  
TAACAAACCTGCACTTGTGCACATGTACTCTAGAACTTAAAGTATAATATAAAAATTTTAAAA  
ATTTTAAAAAAATAAAAAAATCACTGGGCTAAAGTAAATAAGTATTTTACTGGTTCTAAGATT  
GTTTTTCAGAGAGAAAAACAATAGAAGTGTAGAAGCAATTCGATAAAGAAAGGAGTCTTTTCA  
ACAAATGTTGCTGCAACAGTCAAATGTCTGTATGCAAAAAAATGAACCTCCA

75/562

**FIGURE 75**

TGGAAAAAAAAAAAAAGCCCCCTTTTCAGTTTGTGCCACTGTGTATGGTCCGTGTAGATTGA  
TGCAGATTTTCTGAAATGAAATGTTTGTTTAGACGAGATCATACCGGTAAAGCAGGAATGACA  
AAGCTTGCTTTTCTGGTATGTTCTAGGTGTATTGTGACTTTTACTGTTATATTAATTGCCAAT  
ATAAGTAAATATAGATTATATATGTATAGTGTTTCACAAAGCTTAGACCTTTACCTTCCAGCC  
ACC

76/562

**FIGURE 76**

TTTAGGGTTCCTTGACTTGNACCAAGGTTTCGGGGAAATTTAAAGGNTTAAGGAANGGGAGGA  
AANGTTTCTTAAATTTGGAATTAACAGTAATAATTTTTGGAAATTCCAATAAAATTGGCAAAA  
GATTGGGAAATTTTGGANGAATAAGGGAAACAGATANTTTTCNNGGTATTCAGGTAAAGTTTA  
AAAAAGGTTTTAAAAGAGAGTTTTTCTAACATTTTGAAAAGCAACATGAAAAATGAAAACAGT  
TTAACAGATATACAATATGGATGACTTATATACAAATGACNTTAAAATATATTAAATTCATT  
ATAGTAGTTATATTTAAGTAAAATATGATGAAATTTAATAGAGATTCACCTCNTCCCAAAGCA  
CCTTCATGGAAGATTCNTCATTACAGGCAGTCCTTTAGTATGCTGATTTATACAAAATGCTG  
AAAAGAAGAGAAATACCCCAAGTTCTTGAAAAAAAATTTTTTGATATGACTACTCTAACAGTA  
ATAACTATAAATCTCACTTTAAATAATTTAAAACAAATTAAAGTGATATATGAGTTAAATGAC  
CAAGCAGACTTGATTNTAGGAATGTAAAGGAATGTTTCATTATTTGTTTTGGATAATGAAG

77/562

**FIGURE 77**

TTTGAAAAGTTTAAAAGGGAGGAAGTGGTTTTTATGATTTGGCCGTTTCCGGTTGCCNTNCAG  
AGAGTTCCTTGCCTTCCCTGCCCTTGAAGGTGACNTGTGGCCCNNTTGGGTGNTGATGGACCT  
GTGTTCCCACCCTGGTTCAAAAAGCAAAGAAAAGGGAGTGGTATCAGAAAATGGAAGAAGAGA  
GTAAAGAAGACAGTGCTGGCTTGAGAGAAGCAGTGGCTTCAGGTAAAAGGNTACTGCCAGCGA  
TATGGACGGGAGACAGAGAAATGNTAGAAGAGGGCGGTTCCCCAACAAAGGCCCCACCCACAA  
GCCTGGACACCTGTGGCCCTAAATGAGAACAGGCATTCCTGTTTTGCACCCAAAAGTGGTT  
TTTTGGTATGCCACACCCCCTATCCTATACCCATATAAACCTGAACCCAGGNTCCAGCTCA  
GACCAGCAGAGGAGGAGACGAGACAAGCAGACAATGCAGAACAGTGCAGCAGAGAGAANTNGA  
GAG

78/562

**FIGURE 78**

CCACGGTGTCCGTTCTTCGCCCCGGCGGCAGCTGTCCCCGAGGCGGGAGGAGCCCCGAGGGGCGC  
GAGCCCCGCATGAATCATTGTAGTCAATCATTTTCCAGTTCTCAGCCGTTTCAGTTGTGATCAA  
GGGACACGTGGTTTCCGAACTGCCAGCTCAGAATAGGAAAATAACTTGGGATTTTATATTGGA  
AGACATGGATCTTGCTGCCAACGAGATCAGCATTTATGACAACTTTCAGAGACTGTTGATTT  
GGTGAGACAGACCGGCCATCAGTGTGGCATGTCAGAGAAGGCAATTGAAAAATTTATCAGACA  
GCTGCTGGAAAAGAATGAACCTCAGAGACCCCCCGCAGTATCCTCTCCTTATAGTTGTGTA  
TAAGGTTCTCGCAACCTTGGGATTAATCTTGCTCACTGCCTACTTTGTGATTCAACCTTTCAG  
CCCATTAGCACCTGAGCCAGTGCTTTGTGGAGCTCAC

79/562

**FIGURE 79**

GTTTGTCCCTTTTCCNGTTTTTTTTTGGACAAATTCAGTATACCAAGCAACATNAATTCCAGT  
TTNGGTGGATTCCCGGGGTCTTTTGGGATCCTTGACTTGACCAAGGGTCNGGCCCTTTTCNGT  
TGGGACGTTTGTAAGTTTTGGGCAGTTTCCGGGNGANTNGGGANTCGGGTTTNGCTTTCTGTG  
TTCCATTCGCCCCGNGCGGTGGTGCAGGTTTTTCGGGCTAGTCATGGGTCCCCGTTTCGGAGAC  
TGCAGANTAAACCAGTCATTACTTGTTTCAAGAGCGTTCTGCTAATNTACACTTTTATTTTCT  
GGATCACTGGCGTTATCCTTCTTGCAAGTTGGCATTGTTGGGGCAAGGTGAGCCTGGAGAATTACT  
TTTNTNTTTTAAATGAGAAGGCCACCAATGTCCCCTTCGTGCTCATTGCTACTGGTACCGTCA  
TTATTCTTTTGGGCACCTTTGGTTGTTTTGCTACCTGCCGAGCTTNTGCATGGATGCTAAAC  
TGTATGCAATGTTTCTGACTCTCGTTTTTTTTTGGTCGAACTGGTCGCTGCCATCGTAGGATTTG  
TTTTTCAGACATGAGATTAAGAACAGCTTTAAGAATAATTATGAGAAGGCTTTGAAGCAGTATA  
ACTNTAC



80/562

**FIGURE 80**

GGCGGTATCTTTTTTGCNAGTTGCAATTGGGGGCAAAGGTGNCCCTGGAGAATAATTTTTTTT  
TTTAAAATGAGAAGGCCACCAAGTCCCCTTGGTGATCATTGNTACTGGTACCGTCATTATTTT  
TTTGGGCACCTTTGGTTGTTTTGCTACCTGCCGAGTTTTTGCATGGATGCTAAACTGTATGC  
AATGTTTCNGACTCTNGTTTTTTTTGGTCGAAATGGTCGCTGCCATCGTAGGATTTGTTTTTCAG  
ACATGAGATTAAGNACAGCTTTAAGAATAATTATGAGAAGGC

81/562

**FIGURE 81**

GTATGGCAGAGGATAAGGCGTTATGAGAAGCTGCCAAGCTTCAGATGTGCAGNTGGGNTGAAT  
ACCGACGCCAGCGCNTAGCGCCATTACTTTGCACCCACACTTAGGAAACAACCCACGCCTCA  
CCGCGGGACCCGGACCCAGCCNTCCAGCACCCAGCNTCCGGTTCGACGTCCGCGCGTGACCT  
CCGGGTACCGGAGGACCTTGGGACGAGGAGGTCCCTCCGCTTCCGGTAGGATATATCTGCAT  
NTTGAAAGGAAGATAAAACAAAAGCCTTNNTTGGGAATAGATGGATTTTTGTCACTTTCTGTGT  
GAACTAAAGTGATTCAATGTNTCTTTTGGATTGCTTCTGCACTTCAAGAACACAAGTTGAATC  
ACTCAGACCTGAAAAACAGTNTGAAACCAGTATCCATCAATACTTGGTTGATGAGCCA

82/562

**FIGURE 82**

ACTGATCAAAGGCAGGCGATACTTCCTGTTGCCGGGACGCTATATATAACGTGATGAGCGCAC  
GGGCTGCGGAGACGCACCGGAGCGCTCGCCCAGCCGCCCTCCAAGCCCCTGAGGTTTCCGG  
GGACCACAATGAACAAGTTGCTGTGCTGCGCGCTCGTGTTTCTGGACATCTCCATTAAGTGGA  
CCACCCAGGAAACGTTTCCTCCAAAGTACCTTCATTATGACGAAGAACCTCTCATCAGCTGTT  
GTGTGACAAATGTCCTCCTGGTACCTACCTAAAACAACACTGTACAGCAAAGTGGAAGACCGT  
GTGCGCCCCTTGCCCTGACCACTACTACACAGACAGCTGGCACACCAGTGACGAGTGTCTATA  
CTGCAGCCCCGTGTGCAAGGAGCTGCAGTACGTCAAGCAGGAGTGCAATCGCACCCACAACCG  
CGTGTGCGAATGCAAGGAAGGGCGCTACCTTGAGATAGAGTTCTGCTTGAAACATAGGAGCTG  
CCCTCCTGGATTTGGAGTGGTGCAAGCTGGAACCCAGAGCGAAATACAGTTTGCAAAAAGATG  
TCCAGATGGGTCTTCTCAAATGAGACGTCATCTAAAGCACCCCTGTAGAAAACACACAAATTG  
CAGTGTCTTTGGTCTCCTGCTAACTCAGAAAGGAAATGCA

83/562

**FIGURE 83**

AGGCTTTCATTCCCCACCTANGGAGTTAATTTTTTGGATTAAAAGGTTTTTAGAACTTTTTGT,  
TGATGGTTGGTTTTATTAAAGGCCCGGAAGAAACATTCAGATTCGATTGAGGACCAGGAAATGG  
CCTTNTAGGGAAGAGAAGGCATTNTGCTAGATGGCTTTTAAAAATATTTCCGCCAGAGTCACT  
TGTCTCATTAACAACAGTTTTTGTCTTAGAAGTCTNTCTGTGATTTTATAAACTAGCATGATT  
TTGTTATGAATGCATGCTGCTCTGGTTCTCTAATAAGCCCAACATGCATTTGCATCATGTCGG  
CAATAAGCACTTTTTTTTGCTGTGTTAACAATGTCATNTTCATTGTTGTGTGCCTGTGTTTTGA  
CTGTGACCTGTCACATGAGGTTGGGTGTGGAATTTTCCACTTGTGGCAA

84/562

**FIGURE 84**

TCTTTGGAGCTGCAGGAGGGACGGATGGCGGAACCTTCCAGTCCCCTTCAGAGGCGACTGCCA  
CTCGCCCGGCCGTGCCTGGACTCCCTACAGTGGTCCCTACTCTCGTGACTCCCTCGGCCCCCTG  
GGAATAGGACTGTGGACCTCTTCCCAGTCTTACCGATCTGTGTCTGTGACTNGACTCCTGGAG  
CCTGCGATATAAATTGCTGCTGCGACAGGGACTGCTATCTTCTCCATCCGAGGACAGTTTTCT  
CCTTCTGCCTTCCAGGCAGCGTAAGGTCTTCAAGCTGGGTTTGTGTAGACAACTCTGTTATCT  
TCAGGAGTAATTCCCCGTTTCCTTCAAGAGTTTTTCATGGATTCTAATGGAATCAGG

85/562

**FIGURE 85**

CAGGAACCTCTTTAAGAAAGTNTATTGTTACTNAAAACACACCACTGTCTTCTGGATGCTTTT  
CTGGTTGCCTTTGAAGTTCATGCAGGTGGAGGACGTGGACATTGACGAAGTTCAGTGTATTCT  
GGCTAACTTGATATACATGGGACACGTCAAAGGCTACATCNCGCATCAGCATCAGAAGCTGGT  
GGTCAGCAAGCAGAACCCATTCCTCCCCTGTCCACGGTGTGTTGAAAGTACACGGAGCCCCG  
AGGACGGGTGAGCAGTTGTTTCTTTCCACTTTGGTTGTGCTGATGAGACCGGTCCGGTACTGC  
ACAAGGCG

86/562

**FIGURE 86**

CAACATTCTGGACCACTAANCCTCTCTTGGCAACACTNGTTGGACAGATCCTGAAGATATGGG  
NGACCTATTCCTAGAATGTTGCTGAAGCTTTTCTGGATGGTGGTGAATATAATTCTGCACTTC  
CCCTCCTCAGTGCTCTTGTTTGCTCTGAAAGATACAACCTTGCAGTAGTTTGGCTTCGTCATG  
CAGAATGTTTAAAGGCCTTAGGCTATATGGAGCGAGCTGCTGAAAGCTATGGCAAGGTGGTTG  
ATCTGGCCCCACTCCATTTGGATGCAAGGATTTCACTTTCTACCCTTCAGCAGCAGCTGGGCC  
AGCCTGAGAAAGCTCTGGAAGCTCTGGAACCAATGTATGATCNAGATACTTTAGCACAGGATG  
CAAATGCTGCACAGCAGGAACTGAAGTTATTGCTTCATCGTTCTACTCTGTTGTTTTACAAG  
GCAAAATGTATGGTTATGTGGATACCTTACTTACTATGTTAGCCATGCTTTTAAAGGTAGCAA  
TGAATCGAGC

87/562

**FIGURE 87**

AAATGTATGTATCATCAGTTGGNTACGTTTTGGTTCTATGCTAAACTGTGAAAAATCAGATGA  
ATTGATAAAAGAGTTCCCTGC



88/562

**FIGURE 88**

CGGGTAACTTAGTGTTTTTGCNACAAGGGAAATTTTTTTTTTCAGCCAGGGGNGGGGGCCCTG  
TGGNATCATAAAAAGGTCCTGGCATGGNTAACAGCCATTTTGGCCANTTTGCCGGAATTTGTG  
GTTTATAAACTTCAGATGGAAGACCAGAAATAACAAGTGTGCATTTAGCAGAATTCCTTCCT  
GCCAGNTGATGAGACATTNTGGAAGCATTTTCTGACTTTAAAAATGAACATTCGGTTCTTGT  
CCTCCCCCTATTTATTTTACATTTCTCTATGTGCAAATGAGAAAAACACTAAGGTTCAAGGA  
GCAGAGGTATAGCCTTTTCAAGCTTGTTTTTGCCATAATGGTAGTCTTCCTTCTGATGTGGGC  
GCCCTACAATATTGCATTTTTCCTGTCCACTTTCAAAGAACACTTNTCCCTGAGTGACTGCAA  
GAGCAGCTACAATTTGGACAAAAGTGTTACATCACTAACTNATNGCCACCACCCACTGCTG  
CATCAACCCTCTCCTGTATGCGTTTCTTGATGGGACATTTAGCAAATACCTCTGCCGCTGTTT  
CCATNTGCGTAGTAACACCCC

89/562

**FIGURE 89**

CAGGAATCTCGAACACTGGCTCCTCCCCTTAGTTCCCGCCCTCGGAGTCAGCAAGCAGGGGGA  
GTNTGAGGNCCCTGGGACAGCTCTGACTCTGGCTGACACACCTGCCTCTGGGCAAGGGTGGTG  
CATATCTGAGGCGGACAGGCACACATGGAGAAGTCAGAGTCCACGCCCTCTGCTCCATCCCAG  
TAGCCACCGTCTCAACTCAGCCCCCTCGTCACTTCACACTTTGGCAGTGGTTTCTGTCCACTCA  
GCTGGTTCAGTTGGCTCTATCACATCTCCCGGCCTCTAGGGTTGGCTCAGGCCCACCTCCGTC  
CTCTCATAGGGCTGGCCATCCAACCATATCACTCCTCTCACGGCTTTTAAGGATAAAGTTTGA  
AGCCTTAAGGATACGTCACAGGTCCTCTAGGCCCTGCTTACCTCAGCTTCTGCCTAGAAGTTT  
ATGCCCCAGAAACAGTGAAACCTCCATGTTTACCCTCACACAACCTGTGTGTCTCAACACCAT  
ACTTTTGCTCATACTGG

90/562

**FIGURE 90**

TCCGGGCCCCGGGGACGCTGTCCCTGAACTTGCCGGGGAGCNGCCCCGGCGTCCCGCGCGT  
CCCCGCGTCCCTGGCAATTCCCGACTTCCCAACGGGCTCCCTGCTGGCAGCCCCGNAGCCGC  
ACCATGTTCCGCCTCTGGTTGCTGCTGGCCGGGCTCTGCGGCCTCCTGGCGTCAAGACCCGGT  
TTTCAAATTCACCTTCTACAGATCGTAATTCAGAGAAAATCCAAACAATACAAATGACAGTT  
CAGAAATAGAATATGAACAAATATCCTATATTATTCCAATAGATGAGAACTGTACACTGTGC  
CACCTTAAACAAAGATATTTTTTAGCAGATAATTTTATGATCTATTTGTACAATCCAAGGATC  
TATGAATACTTATTCTTCAGATATTCAGACTCAATGCTACTATCAAGGAAATATTGAAGGATA  
TCCAGATTCCATGGTCACACTCAGCACGTGCTCTGGACTAAGAGGAATACTGCAATTTGAAAA  
TGTTTCTTATGGAATTGAGCCTCTGGAATCTGCAGTTGAATTTTCAGCATGTTCTTTACAAATT  
AAAGAATGAAGACAATGATATTGCAATTTTTTATTGACAGAAGCCTG

91/562

**FIGURE 91**

TTGAGCTCGATATCCACAGAGCNTCCAGCAGAACGGTTCCTTNTACATCCACGTTTACTT  
CACCNAAGAGTGGCTTCCCACCCAGACCCCCGGCAAAAGCCCTNTACCCNCCGGNTTGCCACA  
GTCCACATGTCCCGGATGATCAACAATACAAGCGCAGACGATTCAGAAAACCAAGAACTGC  
TGACAGGAGAGACAGAAGCGGACCCAGAATGATCAAGAGGGCTGAGGACTATGGGCCTGTGGA  
GGTGATCTCCCATTTGGCACCCCAACATCACCATCAACATCGTGGACGACCACAGCCGTGGGT  
GAAGGGCAGTGTGCCCCCTCCCCTGGATCAATATGTGAAGTTCGACGCCGTGAGCGGTGACTA  
CTATCCCATCATCTACTTCAATGACTNNTGGAACCTGCAGNAGGACTAGGGCCCCATCAACGA  
GAGC

92/562

**FIGURE 92**

CCCTGCTGTCTTGGGGCCCTGGTTTGGTGCCCTTTGCCAAANAGCGGTAGGTCCCCTGGACN  
GAACCAAATNATCTTCCCAAGTGTCTTCAAAAAGATTTTCTGCCAAGGNGGCCTTCCGGGTC  
GTATACTACACNTACCTGCGANGAGGGATTTNTCAGCTTGTGGGGCGGGAANTCGGCCACCAT  
GGTGTGCGTGGTGCCCTANGCCGCCATCCAGTTCAGCGCACACGAGGAGTACAAGCGCATCCN  
GGGCAGNTANTATGGCTTCGGTGGAGAAGCCCTGCCCCCTTGGCCTTGCNTTTTCGCCGGCGC  
ANTGGCTGGAACGACAGCCGGTTCACCTGACNTACCCCTGGACCTGGTCAGAGNGNGGATGGC  
NGTAACCCCGAAGGAAATGT

93/562

**FIGURE 93**

AACTTAATGCAAAGGGTGTGAGATGTTCCCCCNGCTGTAAATGAAGGNCTATTGNTATTTA  
TTGAGCTTTGTGGGANTGGTGGAAGCAGGCCCCCATGGACCATGCCCCNCCCT

94/562

**FIGURE 94**

GGCAGCCGCGGCATGTCTATAGCAACTTTTTTANTACCANCCAAGTTTGTAGAACATTATCCA  
ATATGTGGACTNTCACAATCATTGGGATTGGACCGGATAAGTTAATAAATTGGCCTTATTTG  
NTTGAAGTGATTATACCGAAGGAATNCCAAGTGTGGGTTGTGTAACCGNCCATGGNAATTCT  
ACAATGAATTCCCTGGGCATGGCCCTGGAACNTCTCCTAAAATTCTCAGAATGGTGGCATGAA  
GCTCAAAAAAATCAC

95/562

## **FIGURE 95**

GGGTTTTTTTTTTTTGGTCTGGCCTCTTTCATTTAGCTTAATGTTTTCAAGGTCATCTATGT  
TGTATCACGTATCAGTACTTTATTTTTTGTGTGGCACGTCATATGGATACCCCACAACCCGTT  
TATCTTTTCATTAATTATGGGCG



96/562

## **FIGURE 96**

TTTTTTTTTTTTTTTTTTTTTTTTTTTTGAGACGGAGTNTCATTCTGTCGCTCGGGCTGGAGTGCAG  
TGGCGCCATCTTGGCTCACTGCAACCTCTGCCGCCAGGTTCAAGTGATTCTCTTGCCTCAGCC  
TCCAGAGTAGCCGGG

97/562

**FIGURE 97**

GTTTTTGTTACAGTTTTTGCCCACCATGGTTGCAGTTATAATGATGAGCTGCAGTTTTTGGAG  
AAGATTCAATAAAAANTGNTGGAGGATCAAGAAGGGTTTGTGCCCAACATGCAGGTTGAAGGT  
GTTTTNTATGTGAATGATGNTTTGGAGAAATTGATGTTTGAGGAATTAAGGAATGCCTGTNGA  
GGTGGTGGTGTGGTGGTTCCTGCCAGCCATGAAACAGATTGGCAATGTGGCAGCCCTGCCTG  
GAATTGTTTCATCGATTTATTGGGCTTCCTGATGTCCATTCAGGATATGGGTTTGCTATTGGGA  
ANATGGCAGCCTTTGATATGAATGACCCTGAAGCAGTAGTATCCCCAGGTGGTGTNNGGTTTG  
ANATNAANTGTGGTGTCCGCTTGCTAAGAACCAATTTAGATGAAAGTGATGTCCAGCCTGTGA  
AGGAGCAAATTGCCCAAGCTATGTTTGACCANATTCCTGTTGGGGTGGGGTCAAAGGTGTNA  
TCCCAATGAATGCCAAAGAATTGGAGGAGGCCTTGGAGATGGGGGTGGANTGGTCCTTAAGAG  
AAGGGTATGCCTGGGCTGAAGACAAGGAGCC

98/562

**FIGURE 98**

AATTAGAAAAGGAAGGTTTATTTTTTAANATTCTTCTTCCAATTGGTTTAATGGTGAATTAATG  
AAGNGGGTAAGCAAAACCAGGTGCTTGCGTTGAGGGTTTGCAGTGGNTGGGAGGACCCCGGG  
GTTTCCCCGTGTCTTTTCCANGAATNGTTCGGCCCCCTTTGGAATAAAANACCCGCGAGCCCCG  
AGGGCCCAGAGGAGGCCGAAGTGCCCGAGNTNCTNCGGGGGTCCCGCCCGCGAGNTTTTTTTT  
TGCCTTNGCATTTCTCCTNNGGCGTTTTGGANATGCCAGGAATAAAAAGGATANTNACTGTT  
ACCATTTTGGNTTTTTGTTTTCCAAGCCCTGGGAATGCACAGGCACAGTGCANGAATGGCTTT  
GACCTGGATTGCCAGTNAGGACAGTGTTTAGATATTGATGAATGCCGAACCATCCCCGAGGCC  
TGCCGAGGAGAAATGATGTGTGTTAACCAAAATGGNGGGTATTTATGCATTCCCCGGACAAAC  
CCTGTGTATTGAGG

99/562

**FIGURE 99**

ATACCAAGCAGGCCTTTGGCATCATGAACGAGCTGCGGNTCAGCCAGCAGCTGTGTGANGTCA  
CACTGCAGGTCAAGTACCAGGATGCACCGGCCGCCAGTTNATGGCCCACAAGGTGGTGCTGG  
CCTNATCCAGCCCTGTTTTNAAGGCCATGTTACCAACGGGCTGCGGGAGCAGGGCATGGAGG  
TGGTGTCCATTGAGGGTATNCACCCCAAGGTNATGGAGCGCCTNATTGAATTTGCCTANACGG  
CCTCCATTTCCATGGGNGAGAAGTGTGTCCTNCANGTNATGAACGGTGCTGTNATGTACCAGA  
TTGACAGCGTTGTCCGTGCCTGCAGTGAATTCCTGGTGCAGCAGNTGGACCCAGCAATGCCA  
TNGGCATNGCCAAATTTGCTGAGCAGATTGGCTGTGTGGAGTTGCACCAGCGTGCCCGGGA

100/562

**FIGURE 100**

TTGGCATATTTTTTCCCAGCTTAATTCAATTCCAGCATTGTCATGCAGCACGGNAATCCTTTG  
ATTCCACAGANACATATCCCCAGCATGCGCAGTTTTTGGATGGCACCACCAGCAGNTTATCC  
CCCTGTACCGATCCTCAGAGGAAGAGAAGAGAGTGACAGTTATNAAAGCCCCGCATTACCCAG  
GGATNGGGCCCGTGGATGAATCCGGNATCCCCACAGCAATTAGAACGACAGTTGACCGGCCCA  
AGGANTGGTACAAGACGATGTTTAAGCAAATTNACATGGTGCACAAGCCGGATGATGACACAG  
ANATGTATAATANTCCTTATACATAACAATGCAGGTTTGTACAACCCACCCTACAGTGNTCAGT  
CACACCCTGCTGCAAAG

101/562

**FIGURE 101**

CCAATCGCCCGGGGCGGTGGTGCAGGTNTCGGNTAGTCATGGGGTCCCCGTTTCGGAGACTGC  
AGACTAAACCAGTCATTANTTGTTTCAAGAGCGTTTTGCTAATTTACANTTTTATTTTTTGGGA  
TCACTGGCGTTATCCTTNTTGCAGTTGGCATTGGGGCAAGGTGAGCCTGGAGAATTANTTTT  
NTTTTTTAAATGAGNAGGCCACCAANGTCCCCTTGTGCTCATTGNTANTGGTACCGTCATTA  
TTTTTTTGGGCACCTTTGGTTGTTTTGCTACCTGCCGAGNTTTTGCATGGATGCTAAAACGT  
ATGCAATGTTT

102/562

**FIGURE 102**

TGTTCCCTGGTGGCAGCGAGGTGGGCGGCGGCGGAGGGAGNTGGACCCCATGGAAGTCCGCGG  
GTGAGTGAGACCCGGCGCCACGGTCAATCCCCGCAAATTCCTGGGCCCTCCCCGACGGCCT  
NCCTGCCCTTTTGTTTTAANTTTTTATTAAAATGCTTAGGATACAGATTGANTTTTTTTTGTA  
AATGACTGTTTTANTTTTCCTGAAGTAGGANATATATGCACTTTGATAAACAGAATGAGAAG  
TNATAATTCATGGGNATTCNTATACAAGGTGCTGATCCTGTGTTTGGAGCTGAGCTCCTCACA  
GCAGNTTTTTTCAGCTATTTT

103/562

**FIGURE 103**

TGCCGCGTTCATTTTTTTNGCCATTTGGCACATTATAGCATTTGATGAGCTGAAGACTGATTA  
CAAGAATCCTATAGACCAGTGTAATACCCTGAATCCCCTTGTANTCCCAGAGTACCTTATCCA  
CGCTTTTTTTCTGTGTCANGTTTNTTGTGTCAGCAGAGTGGNTTACANTGGGTTTCAANATGC  
CCCTTTTGGCATATCATATTTGGAGGTATATGAGTAGACCAGTGATGGANGCCCCAGGAATTT  
ANGACCCTACAACCATTATGAATGCAGATATTNTAGCATATTNTCAGAAGGAAGGATGGTGCA  
AAATAGCTTTTTTATTTTTTAGCATTTTTTTTACTACCTATA



104/562

**FIGURE 104**

CGGTGGGAATTTAGTTTTTCCAGGATGTGGTTGCCCCTTCCGNTGTGGGGGGAAAGGGGCCCC  
CAGAACCGACCANACCGTGGCAAGAGACCCAGAACCCGAGGACGAAAAATTGTATGAGAAGAA  
CCCAGATTCCCATGGTTATGACAAGGACCCCGTTTTGGANGTTTGGAACATGCGAATTGTNTT  
CTTTCTTTGGCGTNTCCATNATCCTGGTCCTTGGCAGCACCTTTGTGGCCTATTTGCCTGANT  
ACAGGATGAAAGAGTGGTCCCGCCGCGAAGCTGAGAGGNTTGTGAAATACCGAGAGGCCAATG  
GCCTTCCCATNATGGAATCCAANTGNTTTGACCCCAGCAAGATCCAGCTGCCAGAGGATGAGT  
GACCAGTTGNTAAGTGGGGNTCAAGAAGCACCGCCTTCCCCACCCCCTGCCTGCCATTTTGAC  
CTTTTTTCAGAG

105/562

**FIGURE 105**

AACTTCGGTGAGGGTGCCGTTANCTGCTGTTCCCTGCAGNGATTATGGGGATTTTTTCGGGGG  
TTTGTGCGNTANGAATTTGAGGCCGACGCCCATTTGGTGTTCAGAGAGACGCAACAAGAANTTG  
AGGACATGGAGAACGAATTTTACTATNGCTACCCAAGNTTCCAGGAAGTGCAAGTGATGGTTT  
TNGTGGGCTTCGGCTTCCTCATGACTTTCCCTGCAGCGNTACGGNTTTAGCGCCGTGGGCTTNA  
ANTTCCTGTTGGCAGCCTTCGGCATCCAGTGGGCGCTGCTCATGCAGGGCTGGTTCCACTTNT  
TACAAGACCGCTACATTGTTGTGGNGTGGAGAACCTNATNAACGCTGANTTTTGCGTGGCCT  
NTGTTTGCGTGGCCTTTGGGGCAGTTTTGGGTAAAGTCAGCCCCATTCAGCTGCTNATCATGA  
CTTTTTTC

106/562

**FIGURE 106**

GGGGAACCTGGGAGGAACATGCAGGAGTGNATTTGTTTTGGTGGGGGTTTTCTGGCCTGGTT  
CAGGCCTGCCNTGAGCCCTGGGANTGTGGGGAAAAGTATGGTTTCCAGATNGCCGACTGTGCC  
TACCGNGACNTAGAATCCGTGCCGCCTGGTTCCCGGCCAATGTGAATACACTGAGCCTGTCAG  
CCAACCGGTGCCAGGCTTGCCGGAGGGTGCCTTCAGGGAGGTGCCCCTGCTGCAGTNGCTGTG  
GCTGGCACACAATGAGATCCGCACGGTGGCCGCCGGAGCCCTGGCCTTTTTGAGCCATTTCAA  
GAGCCTGGACCTCAGCCACAATTTNATTTNTGANTTTGCCTGGAGCGACCTGCACAACCTNGT  
TGCTGTCCATTTTGAG

107/562

**FIGURE 107**

CCCAAGGGTNCGAAATTTGGAANGTTCATAGGTTCTTCAANGTCCTTCATTCCCTGGTAGACA  
AATCCAANATCAACCGACAGTTGGAGGTATANACAAGCGGAGGGACCCTGAGAGTGTGGCTGG  
GGAGTATGGGCGGCATTCCTTTTACAAAATGNTTGGTTANTTCAGCCTGGTCGGGTTTTTCCG  
CCTGCANTCCCTGTTAGGAGATTACTACCAGGCCATCAAGGTGCTGGAGAACATCGAACTGAA  
CAAGAAGAGTATGTATTCCCGTGTGCCAGAGTGCCAGGTCACCACATACTATTATGTTGGGTT  
TGCATATTTGATGATGCGTTGTTACCAGGATGCCATCCGGGTTTTNGCCAANATCCTCCTTTA  
CATCCAGAGGACCAAGAGCATGTTCCAGAGGACCANGTACAAGTATGAGATGATTAACAAGCA  
GAATGAGCAGATGCATGCGCTGCTGGCCATTGCCCTCACGATGTACCCCATGCGTATNGATGA  
GAGCATTCACCTCCAGCTGCG

108/562

**FIGURE 108**

GACCCATCCCANGNGTCCGGAGATCATGAGGATGTTTTTTAATGGCCGGTACATCCTCCTGCT  
GATGGGGCTGTTTTTCAGTGTACACTGGCTTCATTTACAACGATGCTTTTCAAAGTCAGTCAAC  
CTGTTCCGNTNTGGGTGGAACGTGTCGGCCATGTACAGNTCCAGCCACCCACCCGCAGAGCAT  
AAGAAGATGGTGCTTTGGAACGACAGCGTNGTTAGACACAACAGCATTTTGCAGCTGGATCCA  
AGCATTCCTGGAGTGTTCCGAGGCCCTTATCCCCTTGGCATTGATCCTATTTGGAANTTGGCC  
ACAAATNGCCTCACTTTTNTAAANTNTTTCAAAATGAAAATGTCCGTGATTTTAGGAATCATT  
NATATGANTTTTGGAGTCATTTTGGGNATATTTAACCANTTGCANTTCAGGNAGAAGTTCAAC  
ATTACCTGGTTTCCATCCCGGAANTTCTTTTCATGCTNTGTATTTTGGATACCTA

109/562

**FIGURE 109**

TAAGGCCTTCAGGTCCCCTTCCTTACCCCAGGTTTTTCACAGAATGGATTCCCAGCGGGAAAT  
TGCAGAGGAANTGCGGCTTTACCAATCCACCCTTTTTTCAGGATGGTNTAAAAGATTTCTTGGA  
TGAGAAAAAATTNATNGATTGCACCCTAAAAGCAGGGACAAAAGTTTTCTTGCCACAGATTG  
ATTTTGTGAGCTTGTAGTCCTTANTTCCGGGAGTACTTTTTATNTGAAATTGATGAGGCGAAA  
AAAAAGGAGGTAGTGCTAGACAANGTGGATCCTGCTATANTTGATTTAATCATCAAATACCTG  
TACTNTGCCAGTATTGATCTCAATGACGGAAANGTGCAAGATATTTTTGCATTGGCCAGCCGC  
TTTCAGATCCCCTCAGTGTTTACTGTNTGCGTTTNTTATNTTCAGAAAAGANTTGCTCCTGGT  
AACTGTNTAGCCATCCTAAGATTAGGANTTTTTTTTGA CTGCCGAGANTNGCCATTTNTGCC  
CGTGAANTTG TGTCTGATCGCTTTGTACAGATTTGTAAGGNAGAGGANTTTATGCAACTGTTT  
CCACAG

110/562

**FIGURE 110**

GCATTATTTGAATGCAGCATGGCAGCTATTATCACCTTAATTGGGAGTGATCCCAGGNGGGGT  
TCTTTATATTCGTTTCATGTCGAGTATTGATGCTTTCTGACTGGTACACGATGCTTTACAACCC  
AAGTCCAGATTACGTTACCACAGTACACTGTANTCANGAAGCGTTTACCCACTATATAACCAT  
GTATTTATTTATTACGCATTNTGCTTGGTATTAANGATGCTGCTCCGACCTCTTNTGGTGAAG  
AAGATTGCATGTGGGTAGGGAAATNTGATCGATTTAAAGTATTTATGNTGCACTTTACTTT  
TTCCCAATTTTAACCGTGCTTCAGGCAGTTGGTGGNGGCCTTTNANAAAANGCCTTCCCATAC  
ATTATATTAGTGTTATNTTTGGTTANTCTGGCTGTGNANATGTCTGCTTTTGAAATAGAGAAC  
TGCTATGATTTTNTGGTCAGAAAGAAAAGANTTATTGTTNTTTCAGCCACTGGTTANTTCAT  
GCCTATGGAATAATTTCCATTTCCAG

111/562

**FIGURE 111**

GGTCACTGTGAGCAGGTGGTATTNACAGCCTGCATGACCCTNACGGCCAGCCCTGGGGTGTTCTC  
CCCGTCACTGTACAGCCACCGCANTGTGTTCCCTGANANGTACAGCAACGCCACGCTTTGGTAC  
AAGATTTTCACAACTGCCAGAGATGCCAACACAAAATACGCCCAAGATTACAATCCTTTCTGG  
TGTTATAAGGGGGCCATTGGAAAAGTTTATCATGCTTTAAATCCCAAGCTTACAGTGATTGTT  
CCAGATGATGACCGTTCATTAATAAATTTGCATNTCATGCACACCAGTTANTTCCTTTTTGTG  
ATGGTGATAACAANGTTTTGCTATGCTGTTATCAAGGGCAG



112/562

**FIGURE 112**

AAGGGTCCGGTTGGTTCATTTAANGTATATTAAATTGAAAGGGTTNCTTTCAGTCATTGGAAC  
AGTTTGTATNATTGGGAACACCCAACCNATGTTAGTAGGATGGGATGTGTTACAGTGTGTTTA  
ANACATTNTAAATTACAGNGCATGNGCTTATGTCCGTTGGTTATTTGTTGAGCAGTAAATTTA  
GGNGGAATATTTTTTNTATTTTCCTCNANGGGATAGGCAAGCTGTGGGGNAGCACAGGCTTTG  
GAGCAAGCAGATTTGATTGTGACCTTATATAAGTTTCAATTTCCCTGTCTGTAATTAGATCCC  
CACTTTATTGGGTGTTGTAAGGATTAAATGAAGTAATTTNTGTAAAACATAATGACTGATAC  
AAAGTAGNAAATAAGTAAATTTTTAATTTTNTTTCANTTTTGCACCAGCATAACAGACATAGTA  
TGTTTCNTTTTGACCAAACAGAACAGAAATNAGATGTGTAATAATATAAGAGTGANTTAGCAGT  
TNTAGTTATTTACCTAATAGAAATGAGTGCATATGTGTGCCAGAAGACATGTATAGGNATGTT  
NATAGCAGCATTGCTTGTGATAGCCCCAAAANTAGAAACACCCACAGATTTAACAACAGTAGA  
ATGGATTAATAAATTGTGGTATATTCATAAAATGCAATTTNATTNAACAACAGNAGCGAACAC  
AGTANTGGTACACACACC

113/562

**FIGURE 113**

GCTGGAAATATGGATGTCATCTACGAGAACTGTTTTAAGCCACAGACAATTAAAAGACCTTT  
AAATCCTTTGGCTTCTGGTCAAGGGACAAGTGAAGAGNACACTTTTTACAGTTGGCTAGAAGG  
TCTCTGTGTAGAAAAAAGAGCATTCTACAGACTTATATCTGGCCTACATGCAAGCATTAAATGT  
GCATTTGAGTGCAAGATATCTTTTACAAGAGACCTGGTTAGAAAAGAAATGGGGACACAACAT  
TACAGAATTTNAACAGCGATTTGATGGAATTTTGAAGGAGAAGGTCCAAGAAGGCTTAA  
GAACTTGTATTTTCTCTACTTAATAGAACTAAGGGCTTTATCCAAAGTGTTACCATTCTTNGA  
GCGCCCAGATTTTCAACTNTTTACTGGAAATAAAATTCAGGATGAGGNAAACAAAATGTTACT  
TTTGGAATACTTCATGAAATCAAGTCATTTTCCTTTGCATTTTGATGAGAATTCATTTTTTTG  
CTG

114/562

**FIGURE 114**

CCTTGAAAATTATGGTGTGGCCGGAACCAANAACCTTTGCTTTATTGGGGACTGGGCNTTNAAGTTTCCAGGGGCACCTTTTGGNGCCAGCCCCATGCAGGGGATTTTGGGAAGTGTGCAGGTGCC TGTATGGTTCAGTACCAGAAGTNTTTTGTGGCTTTTGAAGTTNGAGGCAAGGCCTGGGTGCCC AGGCCGGTGCCCGCNTGGGGTTCAAGCGGACCAGTTCCATGGATTCCCCAGGAGGTCCCCTGC CCNTCCCCNTGTTCAAAGGAGGGGTGGCGGTGCAGGGGCAACCCCTNGAAAGCGGGGTGTTT TTTTTTTNTNGANGCCTTCCGGGTGAAACCCTTTTTGNTCCATATGCCCTAAAATTATTTGG GAAGGCTGGGGAAGTAGGNTTTGGGTCCATGCCTAAATTTGTACCGTTTTATTCCTCAAGGCC TATAGCCTGTCAATCCTTGAAGCCTTTTTTGCCTGTCCCTCCGATCCTTGTCCACCGTTTATT TATTGCCCAATTTATTGTTTATACGGATGANTGGGAGGCAATGCACC

115/562

**FIGURE 115**

GCAGAGGTTGAGCGGCAGAAANATAAAACCCTTGAAAGTGCCTTCCCTGGNTCCAGCCATCAT  
CNTCATCCTCCCTGGGGTCGTCANGTTCATGGTNTCCTTCATTGGTGTGCTGGNGTCCCTCCC  
GTGACAACCTGTACCTTTTCCCAAGCATTTCANGTACATCCTTGGGATTTGCCTNATCATGGAG  
CTCATTGGTGGNGNGGTGGCCTTGACCTTCCGGAACCAGACCATTGANTTCCTGAACGACAAC  
ATTTGAAGAGGAATTGAGAACTACTATGATGATTTGGANTTCAAAAANATCATGGANTTTGTT  
CAGAAAAAGTTCAAGTGCTGTGGCGGGGAGGANTACCGAGATTGGAGCAAGAATCAGTACCAC  
GANTGCAGTGCCCCTGGACCCCTGGC

116/562

**FIGURE 116**

GTCATTTCCCCGCTTTTATATCCTGTACACAATTTTCATGAAAGGATTGCAGATGTTATGGG  
CTGATGCCAAAAGGGTAGAAGAATAAAGACAAATATGTGGAAGCACAATATAAAGTTTNATC  
AANTTCCATACCGGGAGATGGAGCATTTGAGACAGTTCCGCCAAGANGTCACCAAGTGTNTTT  
TCCTAGGTATTATTTCCATTCCACCTTTTGCCAANTACCTGGTTTTTTTGCTAATGTACCTGT  
TTCCCAGGCAAATANTGATCAG

117/562

**FIGURE 117**

GGGTGGAATCCCAATTTTTGGGGGAAGNTTCCGGAGGTCANTTAAGGGAAGNAATTTCAA  
AATGAAAATTCAAAGTAGTGTTNGCCCAGAGTTGATTGTGGTCAGCATTTNGANATAGCCCAG  
AGATACAGGATAAGCAAATACCCAAACCTTNAATTTGTTNGTAAATGGGATGATGATGAAGA  
GAGAATANAGGGTTCAGNGATCAGTGAAAGCATTGGCAGATAACATNAGGCAACAAAAAGTG  
ACCCCATTTNAAGAAATTCGGGANTTAGCAGAAATCACCANTTTTGATNGNAGCAAAGAAATA  
TNATTGGATATTTTGAGCAAAAGGANTNGGACAACCTATAGAGTTTTTGAANGAGTAGNGAATA  
TTTTGCATGATGACTGTGCCTTTTTTTTTTGCATTTGGGGATGTTTCAAACCGGAAAGATATA  
GTGGNGACAANATAATTTACAAACCACCAGGGCATTGNTCCGGATATGGTGTANTTGGG

118/562

**FIGURE 118**

AAAGCCCAAGTTACCAGCTGTTCAAAAAACAGTNGNGATTTTCAGTTTCACGATTGTTGACCCG  
GTGATTTCCCCAGTGCTGAACATTATGGTNATTCAAACAGNAACAGACCGACATATAACATTA  
CATTGCCTTTCAGTCAATGGNTCGNTGCCCATCAATTACACTTTTTTTGAAAACCATGTTGCC  
ATATCACCAGGTATTTCCAAGTATGACAGGGAGCCCGAACCCCTTGC

119/562

**FIGURE 119**

ATATGCAGAGAGACTGGGTGNTCCGAGCTCCANTCAGGTGAAAGAATTTGCGGCAATTGTTGA  
NGTGAAAGGAGAATTCATTACATTTTGGATCCAAAGCAAGCACTGATGAAGCTCACCCTAGG  
TANTGCAGGCAGTTTATTTCCCCAAGCATTGTACATTTTGNTTGANTTCATATGGAGTTTTTT  
ATTCAAAANTTCAGC



120/562

**FIGURE 120**

GTTATTGTGAACTTTGTGGAGATGGGAGGTCNTGGGGCTGTGTTCCATGGCGAGCTGGATAACC  
ANGTTTGTGTGGAAGTGCCCCGTGTTTGNTATGCCGATGCTGTCCTAGTGGAACAANTCCAC  
TGTAATTAGATTGATNTATGCACTTTTNTTGCTTGTTGGAGTANGTGTAGCTTGTGTAATGTT  
GATACCAGGAATGGAAGAACAACCTGAATAAGATTCCTGGATTTTGTGAGAATGAGAAAGGTGT  
TGTCCTTGTAACATTTTGGTTGGCTATAAAGCTGTATATNGTTTGTGCTTTGGTTTGGCTAN  
GTTCTATNTTCTTCTCTCTTTACTAATGATCAAAGTGAAGAGTAGCAGTGATCCTAGAGCTGC  
AGTGCACAATGGATTTTGGTTTTTTAAATTTGCTGCAGCAATTGCAATTATTATTGGGGC

121/562

**FIGURE 121**

TGGAGATAAGAGGTTACAGCAAATTACATGATGACCTAGGAGAGTTTCCATATGGATNGTTTG  
AANTTGTNGCTAGTANAAAATCTTTCCTNTTTTCACTGACATGTTNATTTANTGGATTCA  
GAGGCCTTCATNATAGACTGGTATATAAGCGCCTANATAAACCTCACCATATTTGGAGATTCC  
TANTCCATTTGCAAGTCNTGCTTTTCACCCTATTGATGGC

122/562

**FIGURE 122**

TGCGCCTGGCCTGATGGTTCANTTTTTTTTAAANTTTTTTATCAGTACAAATTATGGGATAAC  
ATATGAAATTTTATTATGTGTATGTAATGCATAGTGATAAAGTCAAGGTATTTACGGTGTCCA  
TAACCCAAATACAATACATTTTTGTAAGTATAGTCACCCTGCTTTTTTATCAAACATTGAATT  
TATTCCTTNTATNTTATTTATGTGTGTANTTTTAAACACANTTCTCTTCATCTTCCCTTCTCC  
TCCAATCACCTTCCCGTCC

123/562

**FIGURE 123**

AGAAGGGGGGGTGAAGTGGTTGCCCAGTAATGGCCAGAAACCAACCACCAGAGGCCAGGNTG  
AAAGACAAGNTCCGGGTGTCCTGGGGCTGACGGGCAACCATGTGGCAGGTCCCAGGCCCCAC  
CCANTGCGCCATCCGCCTTTGAGCTCCACAGTGGTCCCCTAATGGGAACCTCCTTTAGGGAG  
AGTGATACTGCACCTTCACCCGTAGGAATNATATTTATAACAATGTGTAATGGCTGTAGCAAA  
AAGCCCTTGTTTTTAGATGTAAATGGTCAAAGAAACAAGCGCTTTATTGTTTTGAATAAAATA  
GTTCAAATGAGTCCTGTATCATTGTATNTCCTATTNTGGATTAGTGCCTTTTGGACGATTG

124/562

**FIGURE 124**

ATGGAAAATTTTTTTAGGGGGGGGTGGTTCNTGAGCGAAGGTGGGCGGACGNGNGGGGGATT  
TTTTTNTGGCCCTGTTTCCTTCNGAGCGTTCCGCCGTTGCCCCGCCTGGCCCCCTACGGAGTCNTT  
AGCCAGGATGGAGGCTGTTGTGAANTTGTACCAAGAGGTGATGAAGCANGCAGATCCCCGGAT  
CCAGGGNTACCCCTTTGATGGGGTCCCCCTTGCTAANGACCTCCATTTTCCTGACCTANGTGTA  
NTTGTGTTTTNTCANTTGGGCCTNGCATCATGGCTAATCGGAAGCCCTTCCAGCTCCGTGGNTT  
NATGATTGTTTACAANTTNTCACTGGTGGCANTNTCCCTTTACATTGTTTATGAGTTCCTGAT  
GTCGGGCTGGCTGAGCACCTATACCTGGCGCTGTGACCCTGTGGAATATTCCAACAGCC

125/562

**FIGURE 125**

AAGTAGGGAAGTGTATTTCCAGNTACAGATTTGATCCCGTTGGAGTGGATATCACTTCGAAAG  
GAAAAATGAGAGCAAGATATGTGAATTACATCAAAACATCAGAGGTTGTCAGACTGCCCTATC  
CTCTCCAAATGAAATCTTCAGGTCCACTTCTTACTTTATTAAAAGGGAATNGTGGGGCTGGAC  
AGACTTTCTAATGAACCCAATGGTTATGATGATGGTTNTTCCTTTATTGATATTTGTGCTTNT  
GCCTAAAGTGGTCAACACAAGTGATCCTGACATGAGACGGGAAATGGAGCAGTCAATGAATAT  
GCTGAATTCCAACCATGAGTTGCCTGATGTTTCTGAGTTCATGACAAGACTNTTNTCTTCAA  
ATCATTTGGCAAATTTAGCAGCGGCAGCAGTAAAACAGGCAAAGTGGGGCTGGCAAAGGAG

126/562

**FIGURE 126**

CTTTCCCCCTGGCGGTGAGAGTGCAGAGACGAAGTGCGAGATGAGCATTATGTTGCGGGACAT  
CTCCTCATCGTTTTTATCTCNGNGTGCACGGTNTGTTNGCAGAGGGCANAACCTGGGTCCTGG  
TTTACAGGACAGACAAGTACAAGAGANTGAAGGCAGAAGTGGAAAAACAGAGTAAAAAATTGG  
AAAAGAAGAAGGAAACAATAACAGAGTCAGNTGGTNGACAACAGAAAAAGAAAATAGAGAGAC  
AAGAAGAGAACTGAAGAATAACAACAGAGATTTATCAATGGTTNGAATGAAATCCATGTTTG  
TTATTGGCTTTTGTTTTACTGCCCTAATGGGAATGTTCAATTCCATATTTGATGGTAGAGTGG  
TGGCAAAGCTTCCTTTTAC

127/562

**FIGURE 127**

ATTTTTTTAGTATATCCACAGAGTTGTGCAACCATCAATTTTAGAACATTTTCATCACAAATT  
TTGNGCNTGTAATAGTTTCCTAGAGCTGTTTNTTAACGAAGTACCACAAGNTGGGTGGCTTAA  
GACAACAGAAATGTATTCCTGGCCGGGTGCAGTGGCTCACGCCNGTAATCCCN



128/562

**FIGURE 128**

ATTTCCCTTCCTTTTTTCCCGCCCNGTATTTTTTTTNAACCTTTTCCCACCTTTGNTTGGGT  
AGCCATGGGGGGAGCCGTNGGGGGCAATCAGTCCCATTCCATTTCTTGTGTCCNTTGGGAG  
CCGAGCCGTTCCGCGCCCGGTGGNGGCGGGAGCCCAGGAGCCTGCCCNGCCTGGGGANGAAGA  
GTGCAGTTCTTCNTGGCGGTGCACGATNTGATTTTNTGGAGAGATGTGAAGAAGACTGGGTTT  
GTTTTTGGCACCACGCTGATCATGCTGCTTTCCCTGGCAGCTTTCAGTGTNATCAGTGTGGTT  
TCTTACCTCATCCTGGNTTTTCTCTCTGTCACCATCAGNTTCAGGATTTACAAGTCCGTNATC  
CAAGCTGTACAGAAGTCAGAAGAAGGCCATCCATTCAAAGCCTACCTGGANGTAGACATTAAT  
TNTGTCCTCAGAAGCTTCCATAATTACATGAATGCTGCCATGGTGCANATCAACAGGGCCCT  
GAAANTCATTATTTGTCTNTTTNTGGTAGAAGATTTGGTTGANTCCTTGAAGCTGGC

129/562

**FIGURE 129**

TGTTCCCTCAATCCAATTTCCGGATTTTAGAATGCCCGTAAAAAATTTATAATTTTANTNTCAA  
GAAANATTTTACCAGGGGCAATTGTAAAGGTTTTATTAATTTTAAACCTTTGGCCTTTTTTTT  
TAAGTAAGGCAATTAATATAAATGTAAAATATACAATATTAACAAACNTGGTTTCCAGNTTGT  
ACATTTAGTAAATATTTAATATTAATTACGAGTTATTGAGGTTTAAAGTAGGCTGTGCATGTG  
TAATTATATTTTATTATGTTTCAGTTTTCCATGGCAATTGCCTAGTTTTTAAAGTTTATTATAA  
TCCTTATGTTTGTGATNTTTTTTCATANTTTATTATTTACAGGAGTCCAGNTANTTGCTNTTT  
TAGTTCCCANNTTGGATTTTTACCTGNTGGATGAAAATTTTTTGCCTCAGCAAGTTCAGCTT  
CCAAAGATTTTCATGAGTTTGCANTCCAGAATTTAATGCATATTGGAËCNTGTATCCACATG  
CTTTC AAGACAGTAATGGGGGC

130/562

**FIGURE 130**

AAATAAATTTTTCATCCCATTATGCATTTTGTTTGTAATGTAAATTTTAAAAATATGGTTAA  
TAACATTTCAACCTGTTTATTACAACCTAAAAGGAATTCAGTGAATTTGTTTTATTTTTTAA  
CAAGATTTGTGAACTGAATATCATGAACCATGTTTTGATACCCCTTTTTCACGTTGTGCCAAC  
GGAATAGGGTGTTTGATATTTTTTCATATGTTAAGGAGATGCTTCAAATGTCAATTGCTTTA  
AACTTAAATTACCTNTCAAGAGACCAAGGTACATTTACCTCATTGTGTATATAATGTTTAATA  
TTTGTCAGAGCATNTCCAGGTTTGCAGTTTTATTTCTATAAAGTATGGGTATTATGTTGCTC  
AGTTACTCAAATGGTACTGTATTGTTTATATTTGTACCCCAAATAACATCG

131/562

**FIGURE 131**

GGGGGGGGTGAAAGTGGCTGCCAGTAATGGCCAGAAACCAACCACCAGAGGCCAGGCTGAAAG  
ACAAGCTCCGGGTGTCCAGGGGCTGACGGGGCCAACCATGTGGCAGGTCCCAGGCCCCACCCAN  
TGCGCCATCCGCCTTTGAGCTCCACAGTGGTCCCATAATGGGAACCTCCTTTAGGGAGAGTG  
ATACTGCACCTTCACCCGTAGGACTCATATTTATAACAATGTGTAATGGCTGTAGCAAAAAGC  
CCTTGTTTNTAGATGTAAATGGTCAAAGAAACAAGCGCTTTATTGTTTTGAATAAAATAGTTC  
AAATGAGTCCTGTATCATTGTATCTCCTATTNTGGATTAGTGCCTTTTGGACGATTG

132/562

**FIGURE 132**

GGATATCTTTTTCCATCCCCTTATTTTCAGTCNATGNGTGTCTTTATAGGTGAAATGNGTTTC  
TTGTGGGCAACAGATCAATGGGTCTTGTTTNACATCTATTCAGCCAGTCTATGTCTTTTGTT  
TGGAGAGTTTAGTCGATTTATGGTCAANGTTATTATTGATAAGTAATGATTTCTCCCAGTTTT  
TTTTCTGGTTGTTTNGTGGTCTTCTCTTCTTTCTTTCTTTCTTTCTTTCTTTCCCTTCCCGCTCCCAG

133/562

## **FIGURE 133**

GTATGTACATGTGTATGGTGTGTGCATGTAGGTGTGGTGTGCGTGTGCGTGGTGTGNGTGCAT  
GTGTATGTGTGTGGCATGTATGTGTACGGTATGTATATGTGTGGTGTGTGTGCANGTGTGTGT  
ATGTGTGTTTTTG

134/562

**FIGURE 134**

GGGGAAAAATATCTGTTACAAATTTATAATTTCAAGACAAATTGAATCTTATTTTATAATACT  
TTTGGAATTTCATTAATAAGGCTAAAATTTGAGGAATATAAATAATTTTCAGCCTTAAGACAT  
NTAAGTTTGGAGTCCTTGCTATTCAACAGAATAACAAGAAACTTCAGAATGTATCACTNTC  
CTGAAAAGAAGATATTAATAAGCCCTTTTATTTATGGTTATAGTTTTATTTATAGTCTCAAAA  
TTCCTAAAGCAATGCTACAACCATTGAATTTGCCATATTTTGTATCAGTGCTGTTAATTTGCT  
GTTGCCTCAAGAAAAAGTGCTTTTTCTCCATGGATGAGGCTAGACCCTCGN

135/562

## **FIGURE 135**

AGGGGGTTCTTGACATTTTGTTCAAATCCTNGTAACAATCTGTCTTTAGCTTTATTTTNTGAG  
AAACTGAGCAAACCTGTTTCCATTGCCTTCTTAGAAGGGTTCATGTATATAGCACTACAGAAG  
CATAATGAAGTTTCTCAGCTCCCAAATTATNGTTATTATACTGCTATTATAC



136/562

**FIGURE 136**

TATTCGCGATTGACTCCTCTTNCTAAGTGTCGCGCCCCNTTTAGAGCAGCGATNTAAGAGAGC  
CGTCCCGGTGTCCTCGGGTCCCAGTGATTGTGAAGTGCTGCCAATTGCCACTGGACATACTTG  
AAACAAAATAGGAAAATGGCAGCAAACCTTTCAGGACAAGGTTTTCAAACAAAATAGAGTT  
GCAATCTTGGCAGAACTGGACAAAGAGAAAAGAAACTACTTATGCAGAACCAGTCTTCAACA  
AATCATCCTGGAGCTAGCATTGCACTCTCGAGACCCTCTCTTAATAAGGACTTCCGGGATCAC  
GCTGAGCAGCAGCATATTGCAGCCCAACAGAAGGCAGCTTTGCAGCATGCTCATGCACATTCA  
TCTGGATACTTCATCACTCAAGACTCTGCATTTGGGAACCTTATTCTTCCTGTTTTACCTCGC  
CTTGACCCAGAATGAAGAAAACATTTGCGATGGAAAAGTGAC

137/562

**FIGURE 137**

CTTGAGCGAGCCAGTTGCCGGATTATTCTATTTCCCCTCCCTCTCTCCCGCCCCGTATCTCTT  
TTCACCCCTTCTCCCACCCTCGCTCGCGTAGCCATGGCGGAGCCGTCGGCGGGCCACTCAGTCCC  
ATTCCATCTCCTCGTCGTCCTTCGGAGCCGAGCCGTCCGCGCCCGGCGGGCGGGAGCCCAG  
GAGCCTGCCCCGCCCTGGGGACGAAGAGCTGCAGCTCCTCCTGTGCGGTGCACGATCTGATTT  
TCTGGAGAGATGTGAAGAAGACTGGGTTTGTCTTTGGCACCACGCTGATCATGCTGCTTTCCC  
TGGCAGCTTTCAGTGTCATCAGTGTTGGTTTCTTACCTCATCCTGGCTCTTCTCTCTGTCACCA  
TCAGCTTCAGGATCTACAAGTCCGTCATCCAAGCTGTACAGAAGTCAGAAGAAGGCCATCCAT  
TCAAAGCCTACCTGGACGTAGACATTACTCTGTCCTCAGAAGCTTTCCATAATTACATGAATG  
CTGCCATGGTGCACATCAACAGGGCCCTGAACTCATTATTCGTCTCTTTCTGGTAGAAGATC  
TGGTTGACTCCTTGAAGCTGGCTGTCTTCAT

138/562

**FIGURE 138**

CCTTAGCAGACATGCAAAAGCTTATTCTTGCTGACTTACTTTCTTTAAGCTAATAATATAAA  
AATAAATATGTATCTTAAAAATCTATAATAAAACATTAGAAATTAAAGATATGTGCTTTTTAT  
TTTGCAGATGAGTTCATTTGCTTTTGTAGATGTGTTTTTCAGAGCTAGGTACAGAGGAATGTTT  
GCTACCTTTAGCGGTGAAAAAGAAAGAGAGTCAAGAATTTTGTTGGATTGTGTTTGTGTGTG  
CATATATTTGATATCATCATTATATTTGTAATCTTTGGACTTGTAATCATAGCCTGTTTATTC  
TACTG

139/562

**FIGURE 139**

CGGACGCGTGGGCTGCTTGCCGCCCTCTTTGGATACCTAACATTTTACGAACATGTTGAGTCA  
GAATTGCTTCATACCTACTCTTCTATCTTGGGAAGTATGATATTCTTCTTCTCATTGTCCGTCTG  
GCTGTGTTAATGGCTGTGACCCTGACAGTACCAGTAGTTATTTTCCCAATCCGGAGTTCTGTA  
ACTCACTTGTTGTGTGCATCAAAAGATTTTCAGTTGGTGGCGTCATAGTCTCATTACAGTGTCT  
ATCTTGGCATTTACCAATTTACTTGTCATCTTTGTCCCAACTATTAGGGATATCTTTGGTTTT  
ATTGGTGCATCTGCAGCTTCTATGTTGATTTTTATTCTTCCTTCTGCCTTCTATATCAAGTTG  
GTGAAGAAAGAACCTATGAAATCTGTACAAAGATTGGGGCTTTGTTCTTCCTGTTAAGTGGT  
GTACTGGTGATGACCGGAAGCATGGCCTTGATTGTTTTGGATTGGGTACACAATGC

140/562

**FIGURE 140**

ACTTCAATGTNTACACATGGCCATTGAAAAATACAGAGTTTACAGAATTATTTTCAGAGAAGTC  
ATTAAAGAAACAAACATTAACACACCCTGCAGAGTGGGGGAG

141/562

**FIGURE 141**

TCCCCGCTGCTGACGCTTCATCCCCCACACCTCCAGCCCCAGTTACCTGGAGCTTCTCAGAAC  
CCACTTTGCCGGTGCTAAAACACAAGAGGGGGTGAAAGTGGCTGCCAGTAATGGCCAGAAACC  
AACCACCAGAGGCCAGGCTGAAAGACAAGCTCCGGGTGTCCAGGGGCTGACGGGCCAACCATG  
TGGCAGGTCCCAGGCCCCACCCACTGCGCCATCCGCCTCTGAGCTCCACAGTGGTCCCCTAA  
TGGGAACCTCCTCTAGGGAGAGTGATACTGCACCTTCACCCGTAGGACTCATATTTATAACAA  
TGTGTAATGGCTGTAGCAAAAAGCCCTTGTTTCTAGATGTAAATGGTCAAAGAAACAAGCGCT  
CTATTGTTTTGAATAAAATAGTTCAAATGAGTCCTGTATCATTGTATCTCCTATTCTGGATTA  
GTGCCTTTTGGACAGTAGACTGTTCTGTAAAA

142/562

**FIGURE 142**

TCCATGTGAATTTTGCTTAATGGAATGCTTTATTTAAGCATTTAGGCAGAGTTGACACANTTA  
AAGGTACAAAGCCCAGAGGAATTGGTAGAGCAGCACCGTGCNTGCCNTGAGGCAGTGGAGTCA  
GTAGCGTTGTCCCCAGGGCCTTGAGTGCCTGGAGGTGCTTGGCCTCCAGTAGCTGCCTCCATT  
CTCTTTTAAAAAAGGGGGTGATTCTGAGGCACTGAAGTGCCTCCCAGATGTGGAGGAGTGAA  
GCCACCATCGAGGCCACACTCAGCACTCCAGGATCCCAGCGATGTCAGACACTCTTGAGTTGT  
CAAAACGTTAATTTTCAGTTTTAAATAATCAGTTTATCTAAGAAAAGGGAATTTTAACTTTTC  
TACCTTGAGCCAAGCCAATGAAGGGAAAATTAATTAAGTTAGTAAATTTGAAGTGCAGCTCTG  
TTAGCTCGTACATGTGGGTTCCTATCCTGATCCTGTGCCTTAAAGTAGGAAGGTGTTTCCAAG  
TTCAGATTAAAATAGAAGCAGCTGGCCGGGTGCGGTGGCTCACGCCTGTAATCCCAGCACTTT  
GGGAGGCCGAG

143/562

**FIGURE 143**

CAAGAGTCTCGCTCCAGCCTGGTGATAGAGCAAGACTCCGTCTAAAAAAAAAACCAGGAGTGA  
NAAAAATAAGAGTCATTGAACTTCATTTTTTTAAAAAGAATATCACTTTGCTGTCCTTTCAA  
ATATAGCATTTCCCCAATTAGGTACCTGTTTATTGAGATTTTATAATGTAGGTAAATTTTTAA  
TCAGTTTTTAATTGATACCTAATTAACCTCGAGCTCTTGTCCTCCTGCCTTTTTTCACTTCTT  
TACTCTTGACGATTCCTTCCTAGTACCTTCTGTATGTACACTACGTTGATAGCCATGACTGG  
ATGGTATATGGACAGGACTTCCATTGCTGTGCTGGGAGTAGCAGCTGGGGCTATCTTAGGCTG  
GCCATTCAAGTGCAGCTCTTGGTTTACCCATTGCCTTTGATTTGCTGGTCATGAAACACAGGTG  
GAAGAGTTTCTTTTCATTGGTCGCTGATGGCCCTCATACTATTTCTGGTGCCTGTGGTGGTCAT  
TGACAGCTACTATTATGGGAAAGTTGGTGATTGCACCACTCAACATTGTTTTGTATAATGTCT  
TTACTCCTCATGGACCTGATCTTTATGGTACAGAACCTGGTATTTCTATTTAATTAATGGAT  
TTCTCAATTTCAATGTAGCCTTTGCTTTGGCTCTCCTAGTCCTACCACTGACTTCTCTTATGG  
AATACCTGCTGCAGAGATTTTCATGTTTACAATTTAGGCCACCCGTATTGGCTTACCTTGGCTC  
CAATGTATATTTGGTTTATAATTTTCTTCATCCAGCCTCACAAAGATGAGAGATTTCTTTTCC  
CTGTGTATCCACTTATATGTCTCTGTGGCGCTGTGGCTCTCTCTGCACTTCAGAAATGTTACC  
ACTTTGTGTTTCAACGATATCGCCTGGAGCACTATACTGTGACATCGAATTGGCTGGCATTAG  
GAACTGTCTTCCTGTTTGGGCTCTTGTCATTTTCTCGCTCTGTGGCACTGTTTCAG



144/562

**FIGURE 144**

AATTGGTAGTCCCTGTTCTTTTCATGGTTTTCTGGCTCGTCTTATTTGNTCTTCAGATTTACT  
CCNTATTTTCNAGTACTTNGAGATCAGCNTGCATAACGTGAGAGGTTTCTTTTCCTTTTTCTGA  
CAAGTATTGCGGAATGTTGCAGCAACTCCTTACTCTCTTTTGGGTTTGGTCTTCACGGTTTCT  
TTTGTTGCCTTGGGTGTTCTCAACACTNTGCAAGTTTTACTTGCAGGGTTATCGAGCTTTCAT  
GAATGATCCTGCCATGAATCGGGGCATGACAGAAGGAGTAACGCTGTTAATCCTGGCAGTGCA  
GANTGGGCTGATAGAACTGCAGGTTGTTTCATCGGGCATTCTTGCTCAGTATTATCCTTTTCAT  
TGTCGTAGCTTCTATCCTACAGTCTATGTTAGAAATTGCAGATCCTATTGTTTTGGCACTGGG  
AGCATNTAGAGACAAGAGCTTGTGGAAACACTTCCGTGCTGTAAGCCTTTGTTTATTTTTATT  
GGTATTCCCTGCTTATATGGCTTATATGATTTGCCAGTTTTTCCACATGGATTTTTGGCTTCT  
TATCATTATTTCCAGCAGCATTCTTACCTCTCTTCAGGTTCTGGG

145/562

**FIGURE 145**

AAAAAAAAAAACCAAACCAAACCAAGACGCTTGTTCAAGTTTGCCTGTCCTGTCCATGG  
ATAGGCCAGACCTTTGGTCCAGAAATTCAGTTTTTCATTGTGTCTGACATAGNGACTCCATAA  
TGTTGGTTCCATTCTCTTTTCTTCCTCAANATCATGTGTTTTGTGGGTCTTTGTTTTGTTTGG  
TTTTGTTTTGTTTTGTTTTGTTTTGTTTGGTAGAGTTGGAGTCTTGCTGTGTTGCCCAAGNTGATN  
TCCAATTCCTGACCTCAAACAGGTNTNTCACCTTGGCCTNCCAAAGTGNTGGGAATTCAGGNG  
TGAACCACCTCACCCAGCCAAGNTCACATTTTGAATCTAANTTTTTTTTTTGAAACAGTGTCTT  
GCATTGTTGCCCAGGCTGGAATGCAGTGGTGCCATCATGGCTCACTGCAGCCTCAACTTCC

\*

146/562

**FIGURE 146**

GGCAGTCTCCTAGCTGCTCTTACACACTGCATAGCTGTGTGTGAGTACTCTTTTCATCCATCA  
GTCAGCCAGGGTTTGCAGGACAGATCCGGCAAGTGGTGCCCTGTATGAGGAATGCTGCAACGG  
ATCTGGACTGAACCCNTCAAAAATAAAGTGATTGCTCAGTCCTCTTTGGATTTCTGCGCGACA  
TATGAAACCATAACCATGGCATGGCTGGAACCCAACCCGGTACCAAAAATAAAGGAAATGACCC  
TGCAGGACCTGCAGCCCCAAAACGATGCGGCTTCCTCGGACGACACAGGCCCCGGACATTATG  
CTGAAGAAGACAACTCAGGAAGCTGAGCAAATCCTGCTCCAGACACAAACACCATTTCACTCCA  
GATAATCTGTTTCCTTGCTATGCCCTCCGTTGTACATTGCAACACTCACAGGGTATTGGTTTTT  
CTTATTCTCTCACTCTGCCTGCAACTCGTACCTGCTAC

147/562

**FIGURE 147**

TTTTTTTTTGTGTTGTCTATAGGAATTAACCTGGGATTGTTTGTGGGTTTTTGTGTTTT  
AAATGTAAATTGAGAATCTTTATAAGAAATAAAAGCATTATTGGGTGCCTTTGTTTGTAAC  
CAAAAAGTAATAAATGAATCCCTATATTCCATTATAGTATTTATTGTATTTTATGTTCTGA  
AAATTACCCATGGAACAATATGCTTAGGATTACAGGAAGCAGTCCTTACTTACACTTCTTGTC  
TGTTTTAGGTGTACTTGTTAATTC

148/562

**FIGURE 148**

GTTGTATACTAATCAACCATCTGCAACCTGCTTTTCTGATTTAATCTAGAACAACCTCATTC  
TTGTGTATAGTACACCTCACACCACTATATTGGCTTGGTATAATAACTTTCCAACCTGGCTTTT  
GTCTCAGCCATGGGCAGTTTCTTTTCTGACCATCCATCTGGCCTCAGGTCCCCCTGGAGTCTT  
CCTTTCTCCAGCAGTCCTTCTCTGTCTTTGTATATCTCCAGGCTTTAGCAATACGCTCACTCT  
ATTTTTCTTTTTTTGATTTCACTTTTTAAATTAAAGTATTGTAAAACCTGGCTTTTTGGTGCAC  
AGTTTTGAGAATTTTCAGTACATGAACACATTTGTGTTCCCACCACCACAATCAAGACAGAGGG  
CCGTTTTATTGTCCCCAAAGCTCCACATGCTATCCTTTCAGGTCTACTTCCTTTTTACTGTTT  
TTGTAATCAC

149/562

**FIGURE 149**

AGAATAATTTTTTAAACACAAATTCACCATGTTTCTCTACTAACTTGGAATGCTTAATGTGTT  
CCCATTGTACCTAGATAAATCCAACTTACTTTCCAGGGTCTGCTCTCCAAGCTGTACATGA  
CCTGGCCCATAGCCACCTTTCTAAACTCGTCACATCCATTNTCCTCATTGCTCATGGTGCTGT  
GGACAGTCTGGTTCCTTTCTGTTNTTCTCCACTACCAAGCTCATTACACTGCCCCTTTTCCA  
AGGCCCTTCCCTACAC

150/562

**FIGURE 150**

GTAGGTTAGGGTCCTTAAAGGAACCTTACTTTGGATTTATTGGCAAATTATTGTGGGCACCTT  
ACCCATTGNGAAATTATTTTTAGAGGCTTGTAANAATTTAAAGTTTAGATNTTATTTGCCTTG  
NTAATNTATTTAACTTTATGGAAAGTATTTACTGCTTCTGATCAGGATTTTTTGTTTGCTGTC  
AAAGTAAAGTCACTACCAGTGTCCTATTTGNTATGGAAGCCACAAACCTTGTTAGTCATTTT  
TTAATTATTTTCTTTCTTTTATTTTTCCATTCACATTCCTTCTCATCCCCTTTTAATTCA  
TTAGCAAGTATGCTGCCAGTTCTGCTTAGTCCGTCTCTCTCCCTCCACTGGTAAACNTAGCC  
CAAACCATCTTCATCTCTTATCTGTACTAACGCAAGAGCCCCCTTAAGTGGTATCCCTCCTTCC  
ATTTCTTGATCTACTAAAATCCATACGCCACATAGTGGCTAGAATAATTTTTTAAACACAAAT  
TCACCATGTTTCTCTACTAACTTGGGAATGCTTAATGTGTTCCCATTTGTACCTAGAATAAATCC  
AACTTACTTTCCAGGGTCTGCTCTCCAAGCTGTACATGACCTGGCCCATAGCCACCTTTCTA  
AACTCGTCACATCCATTCTCCTCATTGCTCATGGTGCTGTGGACAGTCTGGTTCCTTTCTGTT  
CTTCTCCACTACCAAGCTCATTCACACTGCCCCCTTTTCCAAGGCCCTTCCTACAC

151/562

**FIGURE 151**

TTTTGTCATTTTGAAATTTTTTTTTTTTCACCAGCCCTGAATTTTAGTTCATCCATGGATAA  
ACTATTACTTTTCTTATTTTCTTTAACTATACAATTAAGAC



152/562

**FIGURE 152**

TCCTTGGAACATTTTTNTAGGGATATTTCCATTTGACTTTATTAGATTAATGAAATTGGGAAA  
CCTGGACGTATATNTAACTATACTTTTTGANTATGAGCATAACCTTTTATTTCTGTATTTT  
AGAAAAAGNGACCATGTTGTGATGGCAATCATTGTGCTTNTGCATACCCAGNTGAATGTCTGT  
GGAAACTCAGTTATTCTTTTAAATAGTTATTATCAGAGATATAATTATTTACAAAGTAGTTTT  
TTTGTTTGTAGGTAACTATTATAGATTTTGCTGTTCTCCCACTGTTTTCTTGGTGTATATT  
TTGAAAATATAAACCTTAAATGTTAGAACAAAGAAAACAAAAGCAAACCCGAAAACCTTAAC  
TGTGCTTGTAACATTTAAATATTTTTGTTAGTTTCTCTCAATTGAGTAAGAGAACCTGGCT  
TTCCCACAGCAATGATCCAGGCTTTGGTAATACCCCCCTTTATGTCTCTGTACTTCTGCCATT  
CTAAAGTTGATTTATTGTTTGTTACTTTTAGTGATTTTAAGTGCTCAATGAAGTTCCTTGGCT  
TTCTCATGGCTTTTCATTTCCAATAAATTACCTAGCCTTTCTTTTAATGTCTTCCACCCTTAC

153/562

**FIGURE 153**

TATTTAAAGCAATCTTAGTGGTATACCCCGCCCCTTTGCCTTANTTAAGAGGAGCANTGAAAT  
GNATATACTTGCTGTTTCAGTATTTCCAAGTACCCATTTTTATATAGTAGCTTATTTGACCATA  
AGTCACACATCAAAAAAAGATTACCCCTTAGTGTATGTGTTTTAATNTTAGAAAATNTGGCAT  
ATGTACTTTATTTTTGAAAAGGGAAGAGATGGGTGTGGGGTGGCAATAGCATTGTGCCATTTT  
GTCATAGAATGTAAAAATTGGTAACTTTACAAATGTCAGCTAGTTTTGACTACTAATTGGGG  
GAAATTTTAGATAATTTTTAAATTCAAAGTTATTTATAAAATGCTAGAATTTGTTTTAATTTT  
TTTGTATTTTGAGCCACTTCACATGAAGACTCAGTTGCATTTTTATCGAATACATTTTTATCA  
ACAGTTAAAGACTATGGTGGTTTTTTTCAGAGTTTGGCTAAGAATGTTGTTACCATCTTCTTT  
GTTTGTGGTACAATATTT

154/562

**FIGURE 154**

AATCTATTTAACTTTATGGAAAGTATTTAACTGGNTTCTGGATCAGGATTTTTTTTGTTC  
TNTCAAAGTAAAAGTCACTTACCAGTGTCAANTATTTGGTTATGGAAGCCAACAAACCTTGTA  
TCATTTCTTAATTATTTTTTCNTTCTNNTANTTTTCCATTCCCACATTCCCCTNTCATCCCCTT  
TTAATTCATTAGCAAGTATGCTGCCAGTTCTGNNTAGTCCGTCTCTCTCCCTCCACTGGTAAA  
CCCTAGCCCAAACCATCTTCATCTTCTTATCTGTACTAACGCAAGAGCCCCTTAACTGGTATC  
CCTCCTTCCATTTCTTGATCTACTAAAATCCATACGCCACATAGTGGCTAGAATAATTTTTTA  
AACACAAATTCACCATGTTTCTCTACTAACTTGGAATGCTTAATGTGTTCCCATTGTACCTAG  
AATAAATCCAACTTACTTTCCAGGGTCTGCTCTCCAAGCTGTACATGACCTGGCCCATAGCC  
ACCTTTCTAAACTCGTCACATCCATTCTCCTCATTGCTCATGGTGCTGTGGACAGTCTGGTTC  
CTTTCTGTTCTTCTCCACTACCAAGCTCATTCACACTGCCCCTTTTCCAAGGCCCTTCCCTACAC

155/562

**FIGURE 155**

TTTTTTATCATTTTGAACTTTATGGANAAATTGGGCAGCCAAAACGCTTCCCGGGGAAGGNGC  
CAGCGAAGAATGCATCCTAACGTTAGTNAAGGNTGCCAAGGAGGNTGTGCAACATGNTCAGAT  
TACAATGGATGTTTGTTCATGTAAGCCCAGANTATTTTTTGTCTTGGAAGAATTGGCATGAA  
GCAGATTGGAGTATGTCTCTCTTCATGTCCAAGTGGATATTATGGAACTCGATATCCAGATAT  
AAATAAGTGTACAAAATGCAAAGCTGACTGTGATACCTGTTTCAACAAAAATTTCTGCACAAA  
ATGTAAAAGTGGATTTTACTTACACCTTGGAAGTGCCTTGACAATTGCCCAGAAGGGTTGGA  
AGCCAACAACCATANTATGGAGTGTGTCAGTATTGTGCACTGTGAGGTGAGTGAATGGAATCC  
TTGGAGTCCATGCACGAAGAAGGGAAAAACATGTGGNTTCAAAAGAGGGACTGAAACACGGGT  
CCGAGAAATAATACAGCATCCTTCAGCAAAGGGTAACCTATGTCCCCAACAAA

156/562

**FIGURE 156**

ATCNANGTGGATGCAGTCTTCATTGACANAAGTAACCTGGANATCACTCCGGACNANCCCCGC  
TGGATCNGAGCCTGGTGGGGTGGCTTTCNGCTCTGCGGTGCCTTACACTTCNTCNNTTCCCTC  
TTGATGTTTGGGTTTCCACAGTCCCTGCCCCGCACTCAGACCCCGCCATGGAAAGCGAGCAG  
GCCATGCTCTCCGAAAGAGAATACGAGAGACCCAAGCCCAGCAACGGGGTCCTGAGGCACCCC  
CTGGAGCCAGACAGCAGTGCCTCCTGTTTCCAGCAGCTGAGAGTGATCCCGAAGGTCACCAAG  
CACCTGCTCTCAAACCCTGTGTTACCTGCATCATCCTGGCCGCCTGCATGGAGATTGCAGTG  
GTGGCTGGCTTCGCTGCCTTTTTGGGGAAGTACCTGGAGCAGCAGTTTAACCTCACCACCTCT  
TCTGCCAACCAGCTGCTTGGGATGACTGCGATCCCGTGTGCTTGTCTGGGTATCTTCCTGGGA  
GGTCTTTTGGTGAAGAAGCTCAGCCTGTCTGCCCTGGGGGCCATTTCGGATGGCCATGCTCGTC  
AACCTGGTGTCCACTGCNTGCTACGTCTCCTTCCTCTTCCTGGGCTGCGACACTGGCCCTGTG  
GCTGGGGTTACTGTTCCCTATGGAAACAGCACAGCACCTGGCTCAGCCCTGGACCCCTACTCGCC

157/562

**FIGURE 157**

TGGAAAGCCATTAAAGGAATTTAAAGTTATTTTACCTGCAGACCTGAAAAATNTATAGAACTG  
TTNACATATNTTTGTATATCTNTTCANTAGGTGAACTTTTCATGGGCTAAACAGTACATTNGA  
GTGAAATTCTGAAGAAACATTTTAAGGAAAAACAGTGGAAAAGTATATTAATCTGGAATCAGT  
GAAGAAACCAAGACCAACACCTCTTANTCATTATTCCTTTACATGCAGAATAGAGGCATTTAT  
GCAAATTGAACTGCAGGTTTTTCAGCATATACACAATGTCTTGTGCAACAGAAAAACATGTTG  
GGGAAATATTCCTCAGTGGAGAGTCGTTCTCATGCTGACGGGGAGAACGAAAGTGACAGGGGT  
TTCCTCATAAGTTTTGTATGAAATATCTCTACAAACCTCAATTAGTTATANTGTACACTTTCA  
TTNTCATCAACACTGAGACTATCCTGTCTCACNTACAAATGTGGAACTTTACATTGTTTCGAT  
TTTTTCAGCAGACTTTGTTTTATTAAATTTCTATTAGTGTTAAGAATGCTAAATTTATGTTTCA  
ATTTTAT

158/562

**FIGURE 158**

CTAATTTTATCAAAGGCCNTTTTCCCAAAGCCATCCATCATCCCATTATTAATCTGNACTGT  
TGCAACATGGCTATTGTCTGAAATTTTATGAGTTACTATCCTGGGATTTCCCTTTATCTTTCT  
GTATTAGACCTTCTGTTTCTTGGAACCTATGTCATCCATCTTGATGTACTCCCTTATTTTGAT  
AGTGTATATCCTTTAGTGGCTTCCTAAGAAAAAGTGCATAGATAGTAAAATTTTGAGACCTTG  
CATAGCTGATAGTTTTATTCTAATCTCACTCTTGTTGATTAGTTTAACAGGGTAGAAAATTT  
CAGGTTGAATACCAGTTTTCTTCAGTATTTGAAGGTGTTATTTTATTGATTTCGAACTTTCAA  
CATTGCTGTTGAAATCTGAAGTTATTCTGATTCTGATCTTTTGTATATAAGTCTTTATGACCT  
CTAAAAGTTTTTCAGAATTCTGTTTGTTTATGGAATTCTGAAAGTTGATGATGTACCATAGTGG  
AATACTTTTACATTTATTGTACTGGGTATTCCAAAGGCCCTTTTTATCCAAAACTCATGTCT  
TTTAGTGCTGGAAATTTTTCTTTTGTTATTTTCATATTTTCTTCCCCTTTTTTCTCTTTTCG  
CTTTCTGGAATGCCTGTTGGTCAAATGTCAGATTTTCTGACTCATTCTATACAATTAGAAAGC  
ACACCCAAGTTTCACTGTGGAATACTCCAGTGAGCCCTTCAGTGTGGTCATCTCTGGGCAGA  
GATACTATAGATTTACTGCTAAG

159/562

**FIGURE 159**

TCAGGATGTTCTTAATTGGGGAAGAAATCATTTTTTCCNTACAAAAACCAAGCACTTCNTGG  
GGCCGGATTACACTGAAACATTGTACTNACCCAGAGGAGAGGAAATTACCACGAAACCTGAGA  
ACATGGAACACTGTTACTATAAAGGAAACATCCTAAATGAAAAGAATTCTGTTGCCAGCATCA  
GTACTTGTGACGGGTTGAGAGGATACTTCACACATCATCACCAAAGATACCAGATAAACCTC  
TGAAAAGCACAGACGAGAAAGAACATGCCGTCTTTACATCTAACCAGGAGGAACAAGACCCAG  
CTAACCACACATGTGGTGTGAAGAGCACTGACGGGAAACAAGG



160/562

**FIGURE 160**

ATGCTGCGTGGGATCTCCCAGNTACCTGCAGTGGCCACCATGTCTTGGGTCCTGNTGCCTGTA  
CTTTGGCTCATTGTTCAAACCTCAAGCAATAGCCATAAAGCAAACACCTGAATTAACGCTCCAT  
GAAATAGTTTGTCTTAAAAAATTACATTTTACACAAAAGAGAGATCAAGAACAACCAGACA  
GAAAAGCATGGCAAAGAGGAAAGGTATGAACCTGAAGTTCAATATCAGATGATCTTAAATGGA  
GAAGAAATCATTCTCTCCCTACAAAAAACCAGCACCTCCTGGGGCCAGACTACACTGAAACA  
TTGTACTCACCAGAGGAGAGGAAATTACCACGAAACCTGAGAACAT

161/562

**FIGURE 161**

GTTTGGGCTAACAGGATCTCCTCTTGCAGTCTGCAGCCCAGGACGCTGATTCCAGCAGCGCCT  
TACCGCGCAGCCCGAAGATTCACTATGGTGAAAATCGCCTTCAATACCCCTACCGCCGTGCAA  
AAGGAGGAGGCGCGGCAAGACGTGGAGGCCCTCNTGAGCCGCACGGTCAGAACTCAGATACTG  
ACCGGCAAGGAGCTCCGAGTTGCCACCCAGGAAAAAAGGGCTCCTCTGGGAGATGTATGCTT  
ACTCTCTTAGGCCTTTCATTCATCTTGGCAGGACTTATTGTTGGTGGAGCCTGCATTTACAAG  
TACTTCATGCCCAAGAGCACCATTTACCGTGGAGAGATGTGCTTTTTTGATTCTGAGGATCCT  
GCAAATTCCCTTCGTGGAGGAGAGCCTAACTTCCTGCCTGTGACTGAGGAGGCTGACATTCGT  
GAGGATGACAACATTGCAATCATTGATGCGCCTGTCCC

162/562

**FIGURE 162**

TGTCACAGGTGGGAAAGAAACGGACTGTGGGCCCTCTCTTGGATTAGCGGCGGGCATACCAT  
GNTGGTGGCCACAGCCCTGCTGGTGGCTTTACTATTTACTTTGATTCACCGAAGAAGAAGCAG  
CATTGAGGCCATGGAGGAAAGTGACAGACCATGTGAAATTCAGAAATTGATGACAATCCCAA  
GATATCTGAGAATCNTAGGAGATCACCCACACATGAGAAGAATACGATGGGAGCACAAGAGGC  
CCACATATATGTGAAGACTGTAGCAGGAAGCGAGGAACCTGTGCATGACCGTTAC

163/562

**FIGURE 163**

TGTATAGGCTTTAAAATGTATATGT  
CTTGCCATACTGAACCCATGTTGAAGCCATATTTCCACAGGGTAATAGCTGGCAGAACTGAGT  
TAAGGGTTGCCCCCTTTTAGATGAGGCATATGCTCTCCCATCCTCCACAGTTCACACTATGCNT  
GCTTATCTCTTACTGATATTAGATATTAGTAATAGTCACATTTATGCATTGTCTTTATTTAAA  
AAAATAGTTCTCTTTTTTATGACAGTAGCAATAGTTAGAATATGAAAGAGAGAAGAGGATTTA  
TCCTTGCCCTACTCAATTCCTTGATATCATCTGCCTGGTAATGAGGTGTTGGAGCTGGCTAAT  
ACTGACTTATGAGAGCATATTGTTAAATATTCAGGAATTTTACCAGCAGCAACCACCATTGGT  
AGATTGGAATCAGCCACAGTGGGAGTATTTACACCAGGGAAATCAACGAACATTACAAATC

164/562

**FIGURE 164**

TTTCAAAAAAAAAAAGTGCTTCTAGTAAATAACACATAACTTTTGTTTTATAACCCAATGTT  
ACAGTCCCTCTCTTATAGGAGAACCCAATCCATTCAGTTTATCAGTGATATGCCTGTTTTTGT  
GTGTTCCATCGGACTTTGTTTCCTTTTTTCGATTTTGTTATTGTTTCCACCTTTTCAATTTTC  
TTACATTTGTTGGCTCTCTCAAGCTTCTGTTTATTCCCCTTCTCCCTCC

165/562

**FIGURE 165**

CCCGCTGCTCGGGCACTGTCTATATACGCCTAACACCTACATATATTTTAAAAACATTAAATA  
TAATTAACAATCAAAAGAAAGAGGAGAAAGGAAGGGAAGCATTACTGGGTACTATGCACTTG  
CGACTGATTTCTTGGCTTTTTATCATTGAACTTTATGGAATACATCGGCAGCCAAAACGCC  
TCCCGGGGAAGGCGCCAGCGAAGAATGCATCCTAACGTTAGTCAAGGCTGCCAAGGAGGCTGT  
GCAACATGCTCAGATTACAATGGATGTTTGTATGTAAGCCCAGACTATTTTTTGCTCTGGAA  
AGAATTGGCATGAAGCAGATTGGAGTATGTCTCTTCATGTCCAAGTGGATATTATGGAAC  
CGATATCCAGATATAAATAAGTGTACAAAATGCAAAGCTGACTGTGATACCTGTTTCAACAAA  
AATTTCTGCACAAAATGTAAAAGTGGATTTTACTTACACCTTGGAAAGTGCCTTGACAATTGC  
CCAGAAGGGTTGGAAGCCAACAACCATACTATGGAGTGTGTCAGTATTGTGCACTGTGAGGTC  
AGTGAATGGAATCCTTGGAGTCCATGCACGAAGAAGGGAAAAACATGTGGCTTCAAAAGAGGG  
ACTGAAACACGGGTCCGAGAAATAATACAGCATCCTTCAGCAAAGGGTAACCTGTGTCCCCCA  
ACAAATGAG

166/562

**FIGURE 166**

GGATTACAACCCCGGGAGCGCGCCCTNTATACNTGGAACAACGGCCACCAGGTGCTATACAA  
TGTCACCCTGTTTCACGTCATCAGCACCTNTGGGGGCCCTTTTCATTCGTGCCTGTGTCCCN  
CAAGGGTGATCTCTATGTNTATGTNACGCCCTTTNTCCCGCCTTTTGTCTGGGCTTTTGTTT  
TCTGCNTATGTATTTCTGTCTATTTTTTCAATTTCCCCTCTTCTCCTTTATTGATCTCTGCTT  
TTAATACACCACTTCTTTCTTTCTGCCTTTTTATGGATGTCTTTTCTTTTATGGCTCTGGT  
TCTCCAGTTCTTTCCGTCTCTGCCTCTCTCTGTCTCTCTCTCTCTGTCTCT

167/562

**FIGURE 167**

TCAGCAAAACGTGGATTTAAATCTCNTTGCACAAGCTTGAGAGCAACACAATTTATCAGGAAA  
GAAAGAAAGAAAAAAACCGAACCTGACAAAAAAGAAGAAAAAGAAGAAAAAAAATCATGA  
AAACCATCCAGCCAAAAATGCACAATTCTATCTCTTGGGCAATCTTCACGGGGCTGGCTGCTC  
TGTGTCTCTTCCAAGGAGTGCCCGTGCGCAGCGGAGATGCCACCTTCCCCAAAGCTATGGACA  
ACGTGACGGTCCGGCAGGGGAGAGCGCCACCCTCAGGTGCACTATTGACAACCGGGTCACCC  
GGGTGGCCTGGCTAAACCGCAGCACCATCCTCTATGCTGGGAATGACAAGTGGTGCCTGGATC  
CTCGCGTGGTCCTTCTGAGCAACACCCAAACGCAGTACAGCATCGAGATCCAGAACGTGGATG  
TGTATGACGAG



168/562

**FIGURE 168**

GGAGTGGCTTCCCCTACTGCGTGNTTTGACGCCCATCCCGGTGCTCACGTGGTTTTTCCCCCA  
TCATCGGCCACATGGGCATCTGCACATCCACAGGAGTCATTCGGGANNTCGCGGGCCCNTACT  
TTGTCTCNGAGGACAACATGGCCTTTGGAAAGCCTGCCAAGTACTGGAAGTTGGACCCTGCTC  
AGGTCTATGCTAGCGGGCCCAACGCATGGGACACGGCTGTGCACGACGCCTCTGAGGAGTACA  
AGCACCGCATGCACAATCTCTGNTGTGACAACTGCCACTCGCACGTGGCATTGGCCCTGAATC  
TGATGCGCTACAACAACAGCACCAACTGGAATATGGTGACGCTCTGCTTCTTCTGCCTGCTCT  
ACGGGAAGTACGTCAGCGTTGGGGCCTTCGTGAAGACCTGGCTGCCCTTCATCCTTCTCCTGGGC

169/562

**FIGURE 169**

TGGGAGATGTATGCTTACTCTCCTTAGCCTTTCATTCATCTTGGCAGGACTTANTGTTGGTGG  
AGCCTGCATTTACAAGTACTTCATGCCCCAAGAGCACCATTTACCGTGGAGAGATGTGCTTTTT  
TGATTCTGAGGATCCTGCAAATTCCTTCGTGGAGGNGAGCCTAACTTCCTGCCTGTGACTGA  
GGAGGCTGACATTNGTGAGGATGACAACATTGCAATCATTGATGTGCCTGTCCCCAGTTTCTC  
TGATAGTGACCCTGCAGCAATTATTCATGACTTTGAAAAGGGAATGACTGCTTACCTGGACTT  
CCAG

170/562

**FIGURE 170**

GGAAGCAAAGGAGGAAGATCTACCACAGAAGGTTGAGGAAAAGTTCAACCTCACACAAGCACA  
GATCAAACAGACAGCTTGGAATTNAGCAAACAACAGTTTTTACACCAGTAGCANGANTTCNTA  
TTGTTAACCTTTGATTATAGCATGGAGGAAAAGTTTGAATCCTTTTCAAGTTTTCTGGAGTAG  
AATCAAGTTATAATGTGTTACCAGGAAAGAAGGGACACTGTTTGGTAAAGGGCATAACCATGT  
ACAACAAAGCTGTGTGGTCGCCTGAGCCCTGCACTACCTGCCTCTGCTCAGATGGAAGAGTTC  
TTTGTGATGAAACCATGTGCCATCCCCAGAGGTGCCCCCAAACAGTTATACCTGAAGGGGAAT  
GCTGC

171/562

**FIGURE 171**

ACTACATTGCCTGGAGGAAGCCTAAGGAACCCAGGCATCCAGCTGCCCACGCCTGAGTCCAAG  
ATTCTTCCCAGGAACACAAACGTAGGAGACCCACGCTCCTGGAAGCACCAGCCTTTATCTCTT  
CACCTTCAAGTCCCCCTTTCTCAAGAATCCTCTGTTCTTTGCCCTCTAAAGTCTTGGTACATCT  
AGGACCCAGGCATCTTGCTTTCCAGCCACAAAGAGACAGATGAAGATGCAGAAAGGAAATGTT  
CTCCTTATGTTTGGTCTACTATTGCATTTAGAAGCTGCAACAAATTCCAATGAGACTAGCACC  
TCTGCCAACACTGGATCCAGTGTGATCTCCAGTGGAGCCAGCACAGCCACCAACTCTGGGTCC  
AGTGTGACCTCCAGTGGGGTCAGCACAGCCACCATCTCAGGGTCCAGCGTGACCTCCAATGGG  
GTCAGCATAGTCACCAACTCTGAGTTCCATACAACATCCAGTGGGATCAGCACAGCCACCAAC  
TCTGAGTTCAGCACAGCGTCCAGTGGGATCAGCATAGCCACCAACTCTGAGTCCAGCACAACC  
TCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCCAGCACACCCTCCAGTGGGGCCAGCACA  
GCCACC

172/562

**FIGURE 172**

TACATTGCCTTGGAGGAAGCNTAAGGAACCCAGGCATCCCAGCTGCCCACGCCTGAGTCCAAG  
ATTCTTCCCAGGAACACAAACGTAGGAGACCCACGNTCTTGAAGCACCAGCCTTTATCTCTT  
CACCTTCAAGTCCCCTTTCTCAAGAATCCTCTGTTNTTTGCCCTCTAAAGTCTTGGTACATCT  
AGGACCCAGGCATCTTGCTTCCAGCCACAAAGAGACAGATGAAGATGCAGAAAGGAAATGTT  
CTCCTTATGTTTGGTCTACTATTGCATTTAGAAGCTGCAACAAATTCCAATGAGACTAGCACC  
TCTGCCAACACTGGATCCAGTGTGATCTCCAGTGGAGCCAGCACAGCCACCAACTCTGGGTCC  
AGTGTGACCTCCAGTGGGGTCAGCACAGCCACCATCTCAGGGTCCAGCGTGACCTCCAATGGG  
GTCAGCATAGTCACCAACTCTGAGTTCCATACAACCTCC

173/562

**FIGURE 173**

GACAAAGGNTCATTGTAAAGAAGCTCCTTCCAGCACCTCCTNTCTTCTCNTTNTGCCCAAAC  
TCACCCAGTGAGTGTGAGCATTTTAAGAAGCATCCTCTGCCCAAGACCAAAGGAANGAAGAA  
AAAGGGCCAAAAGCCAAAATGAAACTGATGGTACTTGTTTTACCATTTGGGCTAACTTTGCTG  
CTAGGAGTTCAAGCCATGCCTGCAAATCGCCTCTCTTGCTACAGAAAGATACTAAAAGATCAC  
AACTGTCACAACCTTCCGGAAGGAGTAGCTGACCTGACACAGATTGATGTCAATGTCCAGGAT  
CATTTCTGGGATGGGAAGGGATGTGAGATGATCTGTTACTGCAACTTCAGCGAATTGCTCTGC  
TGCCCAAAAAC

174/562

**FIGURE 174**

GTTTGGTAAGACTCCAGACTCCAGCTAACAGTCCCTATGGAAAGATGGCATCAAAAAAGATAG  
ATCTATATATATATATAAATATATATTCTATTACATTTTCAGTGAGTAATTTTGGATTTTGCA  
AGGTGCATTTTTACTATTGTTACATTATGTGGAAACTTATGCTGATTTATTTAAGGGGGAAA  
AAGTGTCAACTCTTTGTTATTTGAAAACATGTTTATTTTCTTGTCTTTATTTTAACCTTTGA  
TAGAACCATTGCAATATGGGGGCCTTTTGGGAACGGACTGGTATGTAAAAGAAAATCCATTAT  
CGAGCAGCATTTTATTTACCCCTCCCCTATCCCTAGGCACTTAACCAAGACAAAAAGCCACAA  
TGAACATCCCTTTTTCAATGAATTTTATAATCTGCAGCTCTATTCCGAGCCCTTAGCACCCAT  
TCCGACCGAG

175/562

**FIGURE 175**

CGGATTGGATGGATTGNTTGAACGGATTGGGTTGGGGGAAGNAAAGGGAAAGGAGGGAGAAAG  
GAGGGAATAACTGGGCTCCATCTTTTGAGAGCTNNTGGTTGGGCAAGGGCAGAAAACAGGCCC  
ACAGTGCTCAACCCCGGACACCCTCACGAAGGTTGCGAAAGTCACTNCTTGTGGCTTCAGATT  
GCTCTTTAGGACCTGGAGGGACAGACCCAGAATCAGGGTCCCCCTCCTTTACCCCCTGAGTTCC  
TTACTGTTCCCCCAAGCCTGGGAGCAGTCTATCCCCCAACCCTGCCATCTCCCTTACTCATCC  
CTCTTCCACAGCTTCCCCTTTCTAGCCCCCTCTGCCCTACCTGTCTTTCCTGAGTGTTTGAGG  
GGAGAGAGAGACCCACATCTCCCCAAAGAGATGAGCTTTTGGGGCACAACATCCCACCGCAGG  
CCCCCTCACCCGACAACACCTCCTACCTGGCCCCTTGCCAAATCCCAAGCAGAATTAGCAACA  
GGAAAAGCAGAGCCCCAGGAGAGACACTCTACTATATATACTCTTCTATATATTCTGTTTCTA  
TTGTATATTCACTCTGTACATGTGGGTGTAAATGCTGTTAAATGACAAACCCAATATTATACT  
GTGGCTGGTGGACTATTTTCATCCTCAGTGCTGTACAGATCTATTTTCATTGTATATTTGAT



176/562

**FIGURE 176**

TGGATGGGCGGCCAGCGATGACCCCATTGAGAAGGTCATTGAAGGGATCAACCGAGGGNTGAG  
CAATGCAGAGAGAGAGGTGGGCAAGGCCCTGGATGGCATCAACAGTGGGAATCACGCATGCCGG  
AAGGGAAGTGGAGAAGGTTTTCAACGGACTTAGCAACATGGGGAGCCACACCGGCAAGGAGTT  
GGACAAAGGCGTCCAGGGGCTCAACCACGGCATGGACAAGGTTGCCCATGAGATCAACCATGG  
TATTGGACAAGCAGGAAAGGAAGCAGAGAAGCTTGGCCATGGGGTCAACAACGCTGCTGGACA  
GGGCAACCATCAAAGCGGATTTTCCAGCCATCAAGGAGGGGCC

177/562

**FIGURE 177**

GACCTTCCCAGCAATATGCATCTTGCACGTCTGGTCGGCTCCTGCTCCNTCCTTCTGNTACTG  
GGGGCCCTGTNTGGATGGGCGGCCAGCGATGACCCCATTGAGAAGGTCATTGAAGGGATCAAC  
CGAGGGCTGAGCAATGCAGAGAGAGAGGTGGGCAAGGCCCTGGATGGCATCAACAGTGGAATC  
ACGCATGCCGGAAGGGAAGTGGAGAAGGTTTTCAACGGACTTAGCAACATGGGGAGCCACACC  
GGCAAGGAGTTGGACAAAGGCGTCCAGGGGNTCAACCACGGCATGGACAAGGTTGCCCATGAG  
ATCAACCATGGTATTGGACAAGCAGGAAAGGAAGCAGAGAAGCTTGGCCATGGGGTCAACAAC  
GCTGCTGGACAGGTTGGGAAGGAGGCAGACAACTGATCCATCATGGGGTCCATCACGGGGCC  
AACCAGGCG

178/562

**FIGURE 178**

ATTGAATNACAGTTTTTCTGGTTTTTTTGTGGAGTTTTTGTTTTGGTTTTTGAGATGGAGTTT  
NGNTNTTGTTCCCCAGGCTGGAGTGTGGTGGTGCGATTTCCGGCTTACCGCAACTTCTGCTTCC  
CGGGTTCAGGCAGTTTTCTGCNTCGGCTTCCTGAGTGGCTGGTATTACGGGCATGCACCGTC  
GCGCCCCACTGGTTTTGTATTTTTTTAGTAGAGACGGGGTTTTTCCGTGTTGGTCAGGCTGGT  
CTCGAACTCCCGACCTCAGGTGATCCGCCCCGCTCGGCCTCCCAAGGTTNTGGGATTGCAGGT  
GTGAGCCACCGTGCCCGGCTGTTTTTTGTGGGTTTTTTGTTTGTTTGTTTGTGTTTTGAGACAG  
AGTCTTGCTCTGTCACTCAGGCTGGAGTGCAGTGGCACAGTCTCGGCTCACTGCAACCTCTGC  
CTCCTGAGTTCAAGCCATTNTCCTGCCTCGGCCCCCTCAGTAGCTGGG

179/562

**FIGURE 179**

GGGCGAGAAGTAGGGGAGGGCGTGTTCCGCCGCGGTGGCGGTTGCTATCGTTTTGCAGAACCT  
ACTCAGGCAGCCAGNTGAGAAGAGTTGAGGGAAAGTGCTGCTGCTGGGTCTGCAGACGCGATG  
GATAACGTGCAGCCGAAAATAAAACATCGCCCCTTCTGCTTCAGTGTGAAAGGCCACGTGAAG  
ATGCTGCGGCTGGCACTAACTGNGACATCTATGACCTTTTTTATNATCGCACAAGCCCCTGAA  
CCATATATTGTTATCACTGGATTTGAAGTCACCGTTATCTTATTTTTTCATACTTTTATATGTA  
CTCAGACTTGATCGATTAATGAAGTGGTTATTTTGGCCTTTGCTTGATATTATCAACTCACTG  
GTAACAACAGTATTCATGCTCATCGTATCTGTGTTGGCACTGATACCAGAAACCACAACATTG  
ACAGTTGGTGGAGGGGTGTTTGCACTTGTGACAGCAGTATGCTGTNTTGCCGAC

180/562

**FIGURE 180**

GGGAGGCTGTGNCCGTTTTGTTTTNTTGGCTAAAATCGGGGGAGTGAGGCGGCCCGGCGCGGC  
GNGACACCGGGTTCCGGGAACCATTCACGACGGGGTGGACTGACCTGAAAAAATGTTTGGA  
TTTNTAGAGGGCTTGAGATGCTCAGAATGCATTGACTGGGGGGAAAAGCGCAATACTATTGCT  
TCCATTGCTGCTGGTGTACTATTTTTTACAGGCTGGTGGATTATCATAGATGCAGCTGTTATT  
TATCCCACCATGAAAGATTTCAACCACTCATACCATGCCTGTGGTGTATAGCAACCATAGCC  
TTCCTAATGATTAATGCAGTATCGAATGGACAAGTCCGAGGTGATAGTTACAGTGAAGGTTGT  
CTGGGTCAAACAGGTGCTCGCATTTGGCTTTTCGTTGGTTTCATGTTGGCCTTTGGATNTCTG  
ATTGCATCTATGTGGATTCTTTTTGGAGGTTATGTTGCTAAAGAAAAAGACATAGTATACCCT  
GGAATTGCTGTATTTTTCCAGAATGCCTTCATNTTTTTTGGAGGGCTG

181/562

**FIGURE 181**

TTCTTTT TAGAGATTCCNTTGGACCTTGACCCAAGGTTTCCGACAGGTTTTTTTTTGAATTTT  
GGAACAGACCTTTATATTTTGGGNCNAGAAGTTNGCCCAGAAAGCAGCAGGGGTTTTGCCTGG  
NTGTAGAGCCCAGTTCATTGGNTGTCCCTGGGTTTGTTCCTTNTTCCGAGTAGTTGTGCCTT  
TTTTCAGATCAGGTTACCACAATGCTCCCCGNTGTGACGTTTNATCCCCCACACTTCCAGCCC  
CAGTTACCTGGAGTTTTTCAGAACCCACTTTGCCGGTGTTAAACACAAGAGGGGGTGAAAGT  
GGCTGCCAGTAATGGCCAGAAACCAACCACCAGAGGCCAGGNTGAAAGACAAGTTCCGGGTGT  
CCAGGGGCTGACGGGCCAACCATGTGGCAGGTCCCAGGCCCCACCCANTGCGCCATCCGCTTC  
TGAGCTCCACAGTGGTCCCCTAATGGGAACCTCCTNTAGGGAGAGTGATACTGCACCTTCAC  
CCGTAGGACTCATATTTATAACAATGTGTAATGGCTGTAGCAAAAAGCCCTTGTTTNTAGATG  
TAAATGGTCAAAGAAACAAGCGTTTTATTGTTTTGAATAAAATAGTTCAAATGAGTCCTGTAT  
CATTGTATCTCCTATTCTGGATTAGTGCCTTTTGGACAGTAGACTGTTCTGTAATTAAAA

182/562

**FIGURE 182**

AATTTTCACCGCTGTAGGAATCCAGATGCAGGCCAAGTACAGCAGCACGAGGGACATGNTGGA  
TGATGATGGGACACCACCATGAGCCTGCATTNTCAAGCTTTTGCCACAATTCGGCATCCAGAG  
CCCCGGCGCACAGAGCACAGGGNTCCTTTTTCAACGTGGCGACCAGTGGCCCTGACCCTGCTG  
ACTTTGTGCTTGGTGCTGCTGATAGGGCTGGCAGCCCTGGGGCTTTTGTTTTTTCAGTACTAC  
CAGCTCTCCAATACTGGTCAAGACACCATTTCTCAAATGGAAGAAAGATTAGGAAATACGTCC  
CAAGAGTTGCAATTTNTTCAAGTCCAGAATATAAAGCTTGCAGGAAGTNTGCAGCATGTGGCT  
GAAAACTCTGTCGTGAGCTGTATAACAAAGCTGGAGGAACTTTGAAGGAGGGCAAAGTNTCC  
TCATNTACTATACACACACCACTTCCC

183/562

**FIGURE 183**

TCACAGCATGAGAGAGATCCNTGGTATAGCTGGGACCAGCCGGGCCTGANGTTGAACTGGGGT  
GAACCGATGCACTGGCACCTNGACATNTACAACAGGAACCGTGTGGANACATCCCCACACCT  
GTTTNTTGGCATGTCATGTGTATGCAGNTCTTCGGTTTCCTGGCTTTNNTGATATTCATGTGN  
TGGGTGGGGGANGTGTACCCTGTCTACCAGCCTGTGGG



184/562

**FIGURE 184**

GAAAGAAGGAAATAAACACAGGCACCAAACCANTATCCTAAGTTGACTGTCCTTTAAATATGT  
CAAGATCCAGACTTTTCAGTGTCACCTCAGCGATCTCAACGNTAGGGATCTTGTGTTTGCCGN  
TATTCCAGTTGGTGCTCTCGGACCTACCATGCGAAGAAGATGAAATGTGTGTAAATTNTAATG  
ACCAACACCNTAATGGNTGGTATATCTGNATCCTCCTGCTGCTGGTNTTGGTGGCAGCTCTTC  
TCTGTGGAGCTGTGGTCCTCTGCCTCCAGTGCTGGCTGAGGAGACCCCGAATTGATTCTCACA  
GGCGCACCATGGCAGTTTTTGCTGTTGGAGACTTGGACTCTATTTATGGGACAGAAGCAGCTG  
TGAGTCCAACGTGTGGAATTCACCTTCAAACCTCAAACCCCTGACCTATATCCTGTTCCCTGCTC  
CATGTTTTGGCCCTTTAGGCTCCCCTCCTCCCT

185/562

**FIGURE 185**

CCGAAACGCGGTCTTTCTCTAGACGCGTCTTGCTGGGAGAGTGTCCGTTGCTTCCCGTCCGTG  
TCGCGGCCCTGCGGTTGGCGGCCTCCTCGTGGAGCGGAGCAAGGCTGAGATCTGTATCTGTGG  
ACCTGAATGTTGATCCCTCGCTTCAGATTGACATACCTGATGCGCTCAGTGAGAGAGACAAAG  
TCAAATTTACAGTGCACACAAAGACCACACTGCCCACGTTTCAGAGCCCAGAGTTTTCTGTTA  
CAAGGCAACATGAAGACTTTGTGTGGCTACATGACACTCTTATTGAAACAACAGACTATGCTG  
GGCTTATTATTCCACCTGCTCTTTG

186/562

**FIGURE 186**

GGCTGGAGCAAATGCTCCACAGCTGCCGAATCCAGAAGTCAGATTTTCAGCAACAACCTGGAACA  
GCTCAACGCAATGGGGTTCTTAAACCGTGAAGCAAACCTTGCAGGCCCTAATAGCAACAGGAGG  
CGACATCAATGCAGCCATTGAAAGGCTGCTGGGCTCCCAGCCATCGTAATCACATTTCTGTAC  
CTGGAAAAAATGTATCTTATTTTTGATAATGGCTCTTAAATCTTTAAACACACACACAAAAT  
CGTTCTTTACTTTTCATTTTGATTCTTTTAAATCTGTCTAGTTGTAAGTCTAATATGATGCATT  
TTAAGATGGAGTCCCTCCCTCCTACTTCCCTCACTCCCTTTCTCCTTTGCTTATTTTTCCTAC  
CTTCCCTTCCTCTTGTCTCCCCACTCCCCCTCCC

187/562

**FIGURE 187**

CTTAGCATAAACCTACAGGGCCCTGTGTGATCGGACTCCTGCCCACCTTGACATGTTAGTTACT  
TGCCCCTCGTTGCTTCGTGCTTTACCTTCCAGAATCATTAAACTGCTGATGTTTCCCAAAAAT  
AACTATGTACCTGGGTCAGCTCATGCTGGCATGGAGTTCTCGTCCATCACCATGCCCACCCTG  
GCTTCTTTGAGCGCCCGTATAATATATATCTCTACCATCATACTTCATATATTTTGTTATAAT  
TGCTGGTTTTATTTGCCTCTGTGGT

188/562

**FIGURE 188**

AAAAATCCTGGTTTTTTTTTGGGTTTTTTTTTTGCTGTGCCCTAGACCATTACATAACTGAAGA  
CTCCACCTTCAGGCAGGTTTGGGTAGTACACGTTTGTAACCTGGCATTGCCTTTTGTTG  
AAGTAATTTAGTTTTTATTAGTAGTAGTAGTATACTTTGGGTCTACAGTATATGTTCA  
CAATGTGCAGGTTTGTTACATATGTATACATGTGCCATGTTTGTTTGCTGCACCCATTAAGT  
GTCATTTACATTGGGTATTTCTCCTAATACTATCCCCCCCCG

189/562

**FIGURE 189**

GTAACATTTGGGAGTGACAAGACTGTTTCATCAGCTTGGGGCCTGGCAGCAACTTTTCTAGAGT  
TAGCTTTTTTCTCCTTTCTTGTTCCATGACTTAAAAATAATAACTTGTTGGGCATGGTGCCTC  
ATTCTTGTAATCCCAGCACTTTGGGAGGCTGAGGCACTTGTGGCCAGGAGTTCAAGACTAGCC  
TGGGCAACGTAGTAGATGCCCTCCCCGCCACCATCTCTACAAAAGAAAAAAGTTAACTCTTG  
ATTTGCTTTCTAGTAGTGGGTGAATTTGGAGTTCCAATGATTGTCAACCCATTAATTCTTCAT  
TACTGAACATCTCCTTATGTTTCAGATGCTGCAAAGATGTACAAGACTTTGTTTCCTACCCT  
CCTTTTTT .

190/562

**FIGURE 190**

TGCAATCTGCCTTGTGTGCTGTTGTAAACAAGTTAGTGTTCAACCAGTGTTTAAAGTGTCTGT  
TTTAAAAGCTCTAATTATGGTAGTATTTCCATTTCTTTTACAACACCCTTTATTTTGTTCCT  
CCAGGTTT

191/562

**FIGURE 191**

TTTTAAAAAAAAAAAAACAAAGAAATTCTATGTAACTCAATACCAACATCTTGCAGAACT  
AGAGTACAATATCACAGCCAGGATGTTGACCTTGATACGAGCCATCAGTCTTATTCGGGTTTT  
CCCAAATTTACTTTGTGTGTGTGTGTGTCTGTGTGTAGTTAGGTCTATGCTAGTTTATGACGT  
GCAGTTTCATGTATCTCCCACCACAGCCAACACACAGAACAGTTCCATCTCCCCTC



192/562

**FIGURE 192**

GGTTTCGCCATGTTGCCCCAAGCTGTTCTTGAAC TCCCGGGCTCAGGTGATCCGCCTCCCTCGG  
CCTCCCAGAGTGCTGGGATTACAGGCACGGACCACCATGCCCAGCCTCCACATCTTTTTTTTGC  
ACTGTGTATACTCTTCTGAGACATGCCAACTTCCTCCAGGTCAAGAAAGGGGTATATAGCTCT  
CAGCTTCACTCTTTCAGGGCTGATGTCGCCTTTGCCTTTTCTCACTTCACTGACCTGTCTATT  
CCTACAACTGTCTCTTCTAGAGAAGCCTCAATGATCAGGATTGACAGGCCACACTCTCCCCC  
ACCTTTCT

193/562

**FIGURE 193**

CAGCATGAGCTCCCTGTGTGTGCAAGGCAGCTCTATGCGGTTCTCGGTGTCTCCTAGGAAGCA  
ACTTTCAGTACCCTCCTGTGTTGAGTCCGATTTTCTAAAAGCTGAGCGGGCATCTAGGGACCT  
TTCTGTCACTCAGCCGACTGTGTGGCTGTGGCCAGCTCTGGGTCTGCCTCCCCCAGAACTAGA  
TGCCCATGGGGAGTCCATCAGCACCAATCTCCTGTGATCGTTTATAACAAGAATCTCCACTC  
AAGTAAAAGTGGGGCCTCCTCCTATCTTGCTGTTTGTGTGTGTGTTGGCAGACCCAGCGTGG  
CTGGAACAGATGATTGCACATACCACGTGGCGGGACCTTTTTTATAAACTGGCTGAAGCCCAT  
CCAGACTGTTTGATGCTGAACTTCACCGTTAAGGTAGGAAGAGTTCTAGAGTTAAGGAGAAAA  
GTGTTTATGAATGTTTATTTTGGTTGTTGGTCTGTTTGG

194/562

## **FIGURE 194**

ATAGCTCTCAGCTTCACTCTTTCAGGGCTGATGTCGCCTTTGCCTTTTCTCACTTCACTGACC  
TGTCTATTCCTACAACGTCTCTTTCTAGAGAAGCCTCAATGATCAGGATTGACAGGCCACAC  
TNTCCCCCACCATTTTTTCTCCTCCTTCAAGCCTCTTGTCTGTTTCACCCTCTAGTG

195/562

**FIGURE 195**

GTTTAATTATGGTATGCAACCACTCATGTATTCGGTTCAGGAAGCATTAAATGCCAGACCATG  
GTGGATTCGTATGGGGACTGACATTTGTTACTATAAAAATCATTTCTCAAGAAGTTCAGTTGC  
TGCAGGTGGGCAAAAGGGAAAATCCTACTATACAATTACATTTACTGTCAATTTTCCACATAA  
AGATGATGTTTGCTACTTTGCTTATCACTATCCTTT

196/562

**FIGURE 196**

CTGACATTCATTGTGATGAGGGCAGCTTTCTGGTACAGGATTCTAAGCTCTATGTTTTATATA  
CATTTTCATCTGTACTTGCACCTCACTTTACACAAGAGGAACTATGCAAAGTTAGCTGGATC  
GCTCAAGGTCACCTTAGGTAAGTTGGCAAGTCCATGCTTCCCACTCAGCTCCTCAGGTCAGCAA  
GTCTACTTCTCTGCTATAG

197/562

**FIGURE 197**

ATCTTGGCCGTATGAAAGTATAACACTAAGAAAAAATTCATTTTTTCAAACGTAACCTTCC  
ATTCTTTCTCCCTTTTCCTCTAAACTAAAACCTTCTTTCCCATCTTTNNTTCTTGAACCAGA  
CTAATCTAGACAAAGATCTCAGCCTCTGCCAGACAGAGTTAGAGGCAGATTTAGAAAAAATGG  
AGACGCTTAATAAAGCACCCAGTGCAAACGTGCCACAGGTATTTCCTAGTTTTTCTCATGCCA  
TCAGTTCCTTTTCAAGCTGTGCTTTGTTTTCTTCTTTGTTCTATGGTTTTTGATGTAGTTGAG  
GTGACGGATGGTGATGCTGGCTATTTTAGGCTGCATGGCTTTCTGACTACTGTTTTAGACTCC  
TTCCCCCACACCTACCCAGTTAGTA

198/562

**FIGURE 198**

GTTGAACGCCACCGAGGGTCAAGTCACAGACAAGAAGCTGTGCAGTCACCAGTGTTCCTCNT  
GCCCAGAAACAAATCCACCAAAAACCCATACCTCTGCCAAGATTTACAGAAGGGGGAAACCCA  
ACTGTGGATGGGCCCCTACCCAGNTTTTCATNTAATTCCACTATTTCAGAACAGGAAGCTGGC  
GTTCTNTGCAAGCCATGGTATGCTGGAGCCTGTGATCGAAAGTCTGNTGAAGAGGCATTGCAC  
AGATCAAACAAGGATGGATCATTCTTATTTCGGAAAAGCTCTGGCCATGATTCCAAACAACCA  
TATACACTAGTTGTATTCTTTAATAAGCGAGTATATAATATTCCTGTGCGATTATTGAAGCA  
ACAAAACAATATGCCTTGGGCAGAAAGAAAAATGGTGAAGAGTACTTTGGAAGTGTTGCTGAA  
ATCATCAGGAATCATCAACATAGTCCTTTGGTTCTTATTGACA

199/562

**FIGURE 199**

GGCGGCTGGGCTGTTTGGTTTGAGCGCTCGCCGTCTTTTGGCGGCAGCGGCGACGCGAGGGCT  
CCCGGCCGCCCCGCGTCCGCTGGGAATCTAGCTTCTCCAGGACTGTGGTCGCCCCGTCCGCTGT  
GGCGGGAAAGCGGCCCCCAGAACCGACCACACCGTGGCAAGAGGACCCAGAACCCGAGGACGA  
AACTTGTATGAGAAGAACCCAGACTCCCATGGTTATGACAAGGACCCCGTTTTGGACGTCTG  
GAACATGCGACTTGTCTTCTTTGGCGTCTCCATCATCCTGGTCCTTGGCAGCACCTTTGT  
GGCCTATCTGCCTGACTACAGGATGAAAGAGTGGTCCCGCCGCGAAGCTGAGAGGCTTGTGAA  
ATACCGAGAGGCCAATGGCCTTCCCATCATGGAATCCAAGTCTTCGACCCAGCAAGATCCAG



200/562

**FIGURE 200**

GGTCCGAAAAGTAAGTTCTTNTTTTGGGCTNAACGGGATTTTCCTTNTTTGCAGTTTGCAGCC  
CCAGNACGNTGATTCCCAGCAGGCGCTTTACNNGGCAGCCCGAAGATTTCACTTATGGTGAAA  
ATCGCCTTTCAATACCCTTACCGCCGTGCAAAAGGAGGAGGCGCGGCAAGACTTGAGGCCCT  
TCTTGACCCGAACGGTCAGAACTCAGGATANTGACCGGCAAGGAGCTCCGAGTTGCCACCCAG  
GAAAAGAGGGCTCCTCTGGGAGATGTATGCTTACTCTCTTAGGCCTTTCATTCATCTTGGCA  
GGACTTATTGTTGGTGGAGCCTGCATTTACAAGTACTTCATGCCCAAGAGCACCATTTACCGT  
GGAGAGATGTGCTTTTTTGGATTCTGAGGATCCTGCAAATTCCTTCGTGGAGGAGAGCCTAAC  
TTCCTGCCTGTGACTGAGGAGGCTGACATTCGTGAGGATGACAACATTGCAATCATTGATGTG  
CCTGTCCCCAGTTTCTCTGATAGTGACCCTGCAGCAATTATTCATGACTTTGAAAAGGGAATG  
ACTGCTTACCTGGACTTGTTGCTGGGGAAGTGTATCTGATGCCCCCTCAATACTTCTATTGTT  
ATGCCTCAAAAAAATCTGGTAGAGCTCTTTGGCAAAGTGGCGAGTGGCAGATATCTGCCTCAA  
ACTTATGTGGTTCGAGAAGACCTAGTTGCTGTGGAGGAAATTCGTGATGTTAGTAACCTTGGC

201/562

**FIGURE 201**

GATGGGTTTCCAAGCGTTCATTCAAAAACCTTGCTGGGTAATCCCCAGGCCTCTATAGCTCAGA  
TCATTGTCACAGTCGTACTGGGACTGGTTATAGGTGCCATTTACTTTGGGCTAAAAAATGATT  
CTACTGGAATCCAGAACAGAGCTGGGGTTCTCTTCTTCCTGACGACCAACCAGTGTTTCAGCA  
GTGTTTCAGCCGTGGAACTCTTTGTGGTAGAGAAGAAGCTCTTCATACATGAATACATCAGCG  
GATACTACAGAGTGTTCATCTTATTTTCCTGGAAAACCTGTTATCTGATTTATTACCCATGAGGA  
TGTTACCAAGTATTATATTTACCTGTATAGTGTACTTCATGTTAGGATTGAAGCCAAAGGCAG  
ATGCCTTCTTCGTTATGATGTTTACCCTTATGATGGTGGCTTATTCAGCCAGTTCATGGCAC  
TGGC

202/562

**FIGURE 202**

GCGGCCCCCTTGGGGTTTGGATTTCAGGATTTGTTCCCTAGTGTCCAAGATTTTGTAGGAACTT  
ACNGAAGTTGATGCTTACCTACAAATCTTGATTGAACAATTAAAGCTTTTTGATGACAAGCTT  
CAAACTGCAAAGAAGATGAACAGAGAAAGAAAATTGAACTNTCAAAGAGACAACAAATAGCA  
TGGTAGAATCAATTAAACACTGCATTGTGTTGCTGCAGATTGCCAAAGACCAGAGTAATGCGG  
AGAAGCACGCAGATGGAATGATAAGTACTATTAATCCCGTAGATGCAATATATCAACCTGGTC  
CTTTGGAACCTGTGATCAGCACAATGCCTTCCCAGACTGTGTTACCTCCAGAACCTGTTTCAGT  
TGTGTAAGTCAGAGCAGCGTCCATCTTCCCTACCAGTTGGACCTGTGTTGGCTACCTTGGGAC  
ATCATCAGACTCCTACACCAAATAGTACAGGCAGTGGCCATTCACCACCGAGTAGCAGTCTCA  
CTTCTCCAAGCCACGTGAACTTGTCTCCAAATACAGTCCCAGAGTTCTCTTACTCCAGCAGTG  
AAGATGAGTTTTATGATGCTGATGAATTCCATCAAAGTGGCTCATCCCCAAAGCGCTTAATAG  
ATTCTTCTGGATCTGCCTCAGTCCTGACACACAGCAGCTCGGGAAATAGTCTAAAACGCCAG  
ATACCAC

203/562

**FIGURE 203**

CATGCAGTGCTTCAGCTTCATTAAGACCATGATGATCCTCTTCAATTTGCTCATCTTTCTGTG  
TGGTGCAGCCCTGTTGGCAGTGGGCATCTGGGTGTCAATCGATGGGGCATCCTTTCTGAAGAT  
CTTCGGGGCCACTGTCGTCCAGTGCCATGCAGTTTGTCAACGTGGGCTACTTCCTCATCGCAGC  
CGGCGTTGTGGTCTTTGCTCTTGGTTTCCTGGGCTGCTATGGTGCTAAGACTGAGAGCAAGTG  
TGCCCTCGTGACGTTCTTCTTCATCCTCCTCCTCATCTTCATTGCTGAGGTTGCAGCTGCTGT  
GGTCGCCTTGGTGTACACCACAATGGCTGAGCACTTCCTGACGTTGCTGGTAGTGCCTGCCAT  
CAAGAAAGATTATGGTTCCCAGGAAGACTTCACTCAAGTGTGGAACACCACCATGAAAGGGCT  
CAAGTGCTGTGGCTTCACCAACTATACGGATTTTGAGGACTCACCTACTTCAAAGAGAACAG  
TGCCTTTCC

204/562

**FIGURE 204**

GAATCGATAGAACCGAGGTGCAGTTGGACCTGGGAGTGGACACCAAGATTTTAAAAGCTCCAA  
TTTCAGAGCAAGAGTCGAAAACACAGATAAAGTTATAGTTATTTTCAGGGTTCTGAAAAGAC  
GCAGAACATGAAGGGACTCAGAAGTCTGGCAGCAACAACCTTGGCTCTTTTCCTGGTGTTTGT  
TTTCCTGGGAAACTCCAGCTGCGCTCCGCAGAGACTGTTGGAGAGAAGGAACTGGACTCCTCA  
AGCTATGCTCTACCTGAAAGGGGCACAGGGTCGCCGCTTCATCTCCGACCAGAGCCGGAGAAA  
GGACCTCTCCGACCGGCCACTGCCGGAAGACG

205/562

**FIGURE 205**

TCCAGGAGACGACTAAAATGGGCTGTCTTCATCGGTGGAATACAACATAATGGAGTTGGAACA  
AGAACTTGAAAATGTAAAGACTCTTAAGACAAAATTAGAGAGGCGAAAAAAGGCTTCAGCATG  
GGAAAGAAATTTGGTGTATCCCGCTGTTATGGTTCTCCTTCTTATTGAGACATCCATCTCGGT  
CCTCTTGGTGGCNTGTAATATTCTTTGCCTATTGGTTGATGAAACAGCAAATGCCAAAAGGAA  
CAAGGGGGCCTGGAATAGGAAATGCCTCTCTTTCTACGTTTGGTTTTGTGGGAGCTGCGCTTG  
AAATCATTTTGATTTTCTATCTTATGGTGTCTCTGTTGTCGGCTTCTATAGCCTTCGATTTT  
TTGGAAACTTTACTCCCAAGAAAGATGACACAACATGACAAAGATCATTGGAAATTGTGTGT  
CCATCTTGGTTTTGAGCTCTGCTCTGCCTGTGATGTCGAGAACACTGGGAAT

206/562

**FIGURE 206**

CTATTAGAGATTCCCCTTGGACCCTTGGACCCAACGGNGTCCCGGGGNACACCCCCTTTTTTC  
AGAAACCCAGGGCTGTGTAAGAGCTGCTTGGAGTAGGCACCCCATTAAAGAAAAAATGAAG  
AAGCAGCAATAAAGAAGTTGTAATCGTTACCTAGACAAACAGAGAACTGGTTTTGACAGTGTT  
TNTAGAGTGCTTTTTATTATTTTCCTGACAGTTGTGTTCCACCATGATTACTTTCTCCTTCAG  
CGAATAGGNTAAATGAATATGAAACAGAAAAGCGTGTATCAGCAAACCAAAGCACTTCTGTGC  
AAGAATTTTCTTAAGAAATGGAGGATGAAAAGAGAGAGCTTATTGGAATGGGGCCTCTCAATA  
CTTCTAGGACTGTGTATTGCTCTGTTTTCCAGTTCCATGAGAAATGTCCAGTTTCCTGGAATG  
GCTCCTCAGAATCTGGGAAGGGTAGATAAATTTAATAGCTCTTCTTTAATGGTTGTGTATACA  
CCAATATCTAATTTAACCCAGCAGATAATGAATAAAACAGCACTTGCTCCTCTTTTGAAAGGA  
ACAAGTGTCATTGGGGCACCAAATAAAACACA

207/562

**FIGURE 207**

TGCCTTTTCCTCTGACCCTTCAGGTCCCTCACCGAGTTTTGCTCCAGGNGTATATTGAAAACA  
TACCCAGTGCTNTNTCAAGCACCCACTGCTTAGAGGGCCCAGATTTCTTTTCCTTCTTCCCT  
TGCAGAGCTGGAGACTGCATCGGGCATCTGGTGTTTAAACTAAACAGGAAACTGACTAAAGG  
TCCACAGTGCTCATTGTGTAGACTAGCTGCCCTCCGATGGGTGCTCTGATTATCAGTGGTTCC  
AGTGCAGGGCCTGTCACTAAACAGGCCTCANTTCCTCCTTGGGGGCTTCCCATGGGAGGTGT  
GGCTTTTTACTCTACATGGAAATGACTCTCTGCAGCCACAGAACACAGTCATTTTCTGAATTA  
TCCCAGTCTCTCATGCGCCCTGGATTCCCTCCAGATGCCTTATATCTCTTGTGCAAAGTTGTCT  
AAAATTTGGTTCCCAGNTTCCAAGCCTTGCCTTTTGGCCTTCCTGGAAGTATTTTGTGATG  
AGTCGTCTGTCATTATTCTCTAAAATGATTGCTTTTTGTTTCTTTCATTCCTATTTCACCC  
CACATATACAC



208/562

**FIGURE 208**

TCTTTCTGTAAGACTCAACTGATATATATTATACTGATGCAAATATTAAGTAGGGCATAAAAA  
TATGCTTCCATAATATGAAATAGATTATTCAATAATTGAGAACTTTATGTGTAATCATGAGA  
GTATAAGAGTCTGGATTATCTAACATTGTTAGCCCTGTGTATGTACAGTTCAAAAAGTTCATT  
TATAAAAGTAGTTTCCTGTTCTAGTGTGATGTATCACAAATTGTGCTGAGGTTATTTTAGTA  
TGTGTGTTTCATTCCCGTGCTTCTGTTCTGAAGTCCTGGAATACAGTTTTTCAGTGTAATTAAT  
TCAACTGCACTTAACANTAATGTCCGTGTTGGTATAGAAATGTCTAAATCCTATACTCTAGTT  
GAGGAAGATCTTCCATAATTTTATGGTATTACACAGGGAAAGCTATGANTGCAGGATCAGTCT  
AANTATANTATTAGGTGCATGTATTCTCTTTTCACTAANTTATACTTGTCTATCTAGAATACA  
GGTNTTCCAGTCAGCTGGTCATTTACCAGGTGTGGANTTAAGTTGCTGGGCTTGCAGTAAGAA  
TTGCCAGCCANTCATTGTGCG

209/562

**FIGURE 209**

CGTGTGGCCCCCGCGGTGCGGAGTATGGGGCGCTGATGGCCATGGAGGGCTACTGGCGCTTCC  
TGGCGCTGCTGGGGTCGGCANTGCTCGTCGGCTTCCTGTGGGTGATCTTCGCCCTCGTCTGGG  
TCCTCCACTACCGAGAGGGGCTTGGCTGGGATGGGAGCGCACTAGAGTTTAACTGGCACCCAG  
TGCTCATGGTCACCGGCTTCGTCTTCATCCAGGGCATCGCCATCATCGTCTACAGACTGCCGT  
GGACCTGGAAATGCAGCAAGCTCCTGATGAAATCCATCCATGCAGGGTTAAATGCAGTTGCTG  
CCATTCTTGCAATTATCTCTGTGGTGGCCGTGTTTGAGAACCACAATGTTAACAATATAGCCA  
ATATGTACAGTCTGCACAGCTGGGTTGGACTGATAGCTGTCATATGCTATTTGTTACAGCTTC  
TTTCAGGTTTTTCAGTCTTTCTGCTTCCATGGGCTCCGCT

210/562

**FIGURE 210**

TTTCATATACCATGGAGTTACATAAAACATGGCATT TTTGTATCTGGCTTCTTTCACTTAATGT  
TTTCAAGGTTTCATTCAGGCTGGAGCGCATAATGATACTTTATTCCTTTCTATGGTTGAATAAT  
ATTCCATTGTATGAATAGACCATATTTTGTCTATCCATTCATCAGTTGATGGACATCTGGGTT  
ATTTCTATTTTTGGCTATCGTGAATAATGCTGCCATGGACATTCACGTATAAGTTTTTGTGTG  
GATATATGTTTTCATTTCTTTGGAGTAGAGTTGCTGGGTCATGGGGTAACCCTAGGTTTAAGC  
TTTTGAGGCNTACCAGATTTCCAAAGTGACTGCATCATTTTGCATTCCCATCAACAGTATATG  
AAGGTTCTAACTTCTCTACATCTTCACCAATATTTGTTATTGTCTGTCTTCTTGACAAAAGTT  
CTCCTAGTGGGTGTGAACTGGTATCATTTTGTGGTTTTGATTTCATTTCCTGGATGGTTATG  
AATGTTGATTTTACTTTCATGTGCTTATTGGCCATTGTATATCTTTGGGAAAATAGCTATTTTCC

211/562

**FIGURE 211**

GTCGAAAGAAGCTTATCTGCAAAAGATATAATGAAAAATGGGAAGAGCAATCATCTCAAACAG  
TTCCGGGTTGCTGCCCTTTTGGCTTTCCTAGGTGCTACAGTAGCAGGCTGTTTTCCCCTTTTC  
CATAGAGGGGAATATTCTGCATCACCCCTTTGTTTGCCATTCCTACAGGTGAAACGCCATCA  
TTAGGATTCACTGTAACGTTAGTGCTATTAACTCACTAGCATTTTTTATTAATGGCCGTTATC  
TACACTAAGCTATACTGCAACTTGAAAAAGAGGACCTNTCAGAAACTCACAATCTAGCATG  
ATTAAGCATGTCGCTTGGCTAATCTTCACCAATTGCATCTTTTTCTGCCCTGTGGCGTTTTTT  
TCATTTGCACCATTGATCACTGCAATCTCTATCAGCCC

212/562

**FIGURE 212**

TTTTGGCCTGTTGGAATTTCCCCANTTTTTTTCCCCAGGAGGATTTGCCCAAANTGAGCTTN  
TATTGGGACAGGNGGCANTTGGATTTTTGGAGTAGGTGGGCTTTTGTTTTTGGGGTCTGCAAT  
TGGTTTGTCTTAGAGGTTTCAGGAGGGGAAATTATATGGAAGGGTCCCAAATTGCATTACTTTA  
CAAATCATTGTACTCTGTTTGGCCATTAGTCTTCCTTAGGAATCGGACGATTAGCCATTATA  
AAATCAATAGGCTATCAGGAACATTTAACAGAGTATTGGAGTTCACTGGAACTTTTCTTTAC  
CATAATAGTTGTGAAATTGATAACACCACTGCTGTTGATTATTTTTCCCCTAAATAAGTCCTG  
GATTATTGCCNTCGGCATTACTGTATTATACCAGCTAGCCCTTGACTTTACCTCACTGAAGAG  
GTTAATATTATATGGCACTGATGGTAGTGGCACACGGGTTGGTCTATTAAATGCCAACCGCGA  
AGGAATAATCTCTACCCTGGGGTATGTGGCAATACACATGGCTGGTGTGCAAACAGGGTTATA  
TATGCATAAGAACCGATCACATATCAAAGACTTGATAAAAGTAGCCTGTTTTCTTTTANTGGC  
AGCTATTAGCCTCTTCATATCTCTTTACGTAGTTCAAGTAAATGTAGAAGCAGTATCTCGAAG  
AATGGCAAATTTAGCCTTTTGTATTTGGATAGTTGCTTCTAGCCTGATCCTTCTTAGTAGTTT  
ATTANTGGG

213/562

**FIGURE 213**

GGCGGAAGTGAAGTTTTTCTTAATTATCATGTGACGGGTTCTGGATTTAATGGGGGGAAAAG  
GGCGGAATAGGACAAGGATCCAACTGGCGAATTTGCTGATCTTCGGGTCCCTNTCCGCTTTC  
CGGCCGGCAGCGCTGCCAGGGTATATTTCTTTTTTCCGATCCTGCAACAGCCTNTTTAAACT  
GTTTAAATGAGAATGTCCTTGGCTCAGAGNGTACTACTCACCTGGCTTTTCACACTACTCTTC  
TTGATCATGTTGGTGTTGAAACTGGATGAGAAAGCACCTTGAANTGGTTCCTCATATTCATT  
CCAGTCTGGATATTTGATACTATCCTTCTTGTCCTGCTGATTGTGAAAATGGCTGGGCGGTGT  
AAGTCTGGCTTTGACCCTNGACATGGATCACACAATNTTAAAAAAAAAGCCTGGTACCTCATT  
GCAATGTTACTTAAATTAGCCTTCTGCCTCGCACTCTGTGCTAAACTGGAACAGTTTAC

214/562

**FIGURE 214**

NACGGTGAATTTTNGAAGCCAANGAAGGAGATTGACAGGATAGAANTCCCATTCAAATTC  
CACATGTTGCATTCAGGGTTGGTCCACGGCNTGGCTTTCTGGTTTGACGTTGCTTTCATCGGN  
TCCATAATGACCGTGTGGCTGTCCACAGCCCNGACAGAGCCCCTGACCCACTGGTACCAGGTG  
CGGTGCNTGTTCCAGTCACCACTGTTTCGCCAAGGCAGGGGACACGCTCTCAGGGACATGTCTG  
CTTATTGCCAACAAAAGACAGAGCTACGACATCAGTATTGTGGCCCAGGTGGACCAGACCGGC  
TCCAAGTCCAGTAACCTCCTGGATCTGAAAAACCCCTTCTTTAGATACACGGGCACAACGCCC  
TCACCCCCACCCGGCTCCCACTACACATCTCCCTCGGAAAACATGTGGAACACGGGCAGCACC  
TACAACCTCAGCAGCGGGATGGCCGTGGCAGGGATGCCGACCGCCTATGACTTGAGCAG

215/562

**FIGURE 215**

TGGCCGGATCCCTTTAGAAATCCCTTGGACCTTGGACCCAAGGTGTCCGGGCGAGAGCCTTGG  
GATGCACCCGGCCAGAGCCCATGCTGCTGCTGCTNAACGNTTGCCCTCCNTGGGGGGCCCCA  
CTTGGGCAGGGAAGATGTATGGCCCTGGAGGAGGCAAGTATTTTCAGCACCANTGAAGATTACG  
ACCCATGAAATCACAGGGCTGCGGGTGTCTGTAGGTCTTCTCCTGGTGAAAAGTGTCCAGGTG  
AACTTGGAGACTCCTTGGGACGTGAACTGGGAGCCTTAGGTGGGAATACCCAGGAAGTCAC  
CCTGCAGCCAGGCGAATACATCACAAAAGTCTTTGTCGCCTTCCAAGCTTTCCTCCGGGGTAT  
GGTCATGTACACCAGCAAGGACCGCTATTTCTATTTTGGGAAGCTTGATGGCCAGATCTCCTC  
TGCCTACCCAGCCAAGAGGGGCAGGTGCTGGTGGGCATCTATGGCCAGTATCAACTCCTTGG  
CATCAAGAGCATTGGCTTTGAATGGAATTATCCACTAGAGGAGCCGACCACTGAGCCACCAGT  
TAATCTCACATACTCAGCAAACCTACCCGTGGGTGCTAGGGTGGGGTATGGGGCCATTTACC  
GAGCGGCCGCCGTAATTGGGCCGCTGGGGTATCTCTCGAGAAAAGAGAGGCCCAATATGACCC  
ACATACTCAATATGGACGAACTGATATTGTCCACCTGTTATGAGTG



216/562

**FIGURE 216**

TTTCCAAAAGTTGTGAAGGACACCTCCATCCATTCAAGGCAGTTGTCAAAGCAGAAATTTTCA  
GTGCAAGTCTTGATGTTGCCCCGTCCCNATTCCCTACATCAGAAGGATCCCTCATNTGGACT  
CCAGCGTTGGCTTCTTGATGCTGCGCGTTCCCCCATTCCCTACATCAGAATGCATCCCGCATC  
CAGACTCCAGCGTTGNTGCTCTACNTGCACGCTGTTGCCAAGTCCAAGNTACCATACTCCTGC  
CTGAGCTATGACAACAGCCTCCTCACTGATCTCCCCTTTCTTCCCTTTGCCTCCTCCAGCTCA  
TTTTTCACAGTGTAGAATGACATTTTGTGTTGTTNTGTTNTGTTTGAGATGGAGTCTCGC  
TCTGTTGCCAGGGTGGAGTGCAGCGGTGCGATCTCGGCTCACTGCAACCTCCACCTCCCGGG  
TTCAAGCGGATTCTCGTGCCTCAGCCTCCTGAG

217/562

**FIGURE 217**

CACAGTTCCCCACCATCACTCNTCCCATTCCCTTCCAACTTTATTTTTAGCTTGCCATTGGGAG  
GGGGCAGGATGGGAGGGAAAGTGAAGAAAACAGAAAAGGAGAGGGACAGAGGCCAGAGGACTT  
CTCATACTGGACAGAAACCGATCAGGCATGGAAC TCCCCTTCGTCACTCACCTGTTCTTGCCC  
CTGGTGTTCCCTGACAGGTCTCTGCTCCCCCTTTAACCTGGATGAACATCACCCACGCCTATTC  
CCAGGGCCACCAGAAGCTGAATTTGGATACAGTGTCTTACAACATGTTGGGGGTGGACAGCGA  
TGGATGCTGGTGGGCGCCCCCTGGGATGGGCCTTCAGGCGACCGGAGGGGGGACGTTTATCGC  
TGCCCTGTAGGGGGGGCCCAATGCCCATGTGCCAAGGGCCACTTAGGTGACTACCAACTG  
GGAAATTCATCTCATCCTGCTGTGAATATGCACCTGGGGATGTCTCTGTTAGAGACAGATGGT  
GATGG

218/562

**FIGURE 218**

CTCTTAGGCTTTGAAGCATTTTTGTCTGTGCTCCCTGATCTTCATGTCACCACCATGAAGTTC  
TTAGCAGTCCTGGTACTCTTGGGAGTTTCCATCTTTCTGGTCTCTGCCCAGAATCCGACAACA  
GCTGCTCCAGCTGACACGTATCCAGCTACTGGTCCTGCTGATGATGAAGCCCCTGATGCTGAA  
ACCACTGCTGCTGCAACCACTGCGACCACTGCTGCTCCTACCACTGCAACCACCGCTGCTTCA  
ACCACTGCGACCACTGCTGCTCCTACCACTGCAACCACC

219/562

**FIGURE 219**

CGGGCTTTGAAGCATTTTTGTCTGTGCTCCCTGATCTTCAGGTCACCCCCATGAAGTTCTTAG  
CAGTCCTGGTACTCTTGGGAGTTTCCATCTTTCTGGTCTCTGCCCAGAATCCGACAACAGCTG  
CTCCAGCTGACACGTATCCAGCTACTGGTCCTGCTGATGATGAAGCCCCCTGATGCTGAAACCA  
CTGCAACTGCAACCACTGCGACCACTGCTGCTCCTACCACTGCAACCACCGCTGCTTCTACCA  
CTGCTCGTAAAGAC

220/562

**FIGURE 220**

GGCTTTGAAGCATTTTTGTCTGTGCTCCCTGATCTTCAGGTCACCCCCATGAAGTTCTTAGCA  
GTCCTGGTACTCTTGGGAGTTTCCATCTTTCTGGTCTCTGCCCAGAATCCGACAACAGCTGCT  
CCAGCTGACACGTATCCAGCTACTGGTCCTGCTGATGATGAAGCCCCTGATGCTGAAACCACT  
GCAACTGCAACCACTGCGACCACTGCTGCTCCTACCACTGCAACCACCGCTGCTTCTACCACT  
GCTCGTAAAGAC

221/562

**FIGURE 221**

TGATTTTACACACCCAGGATTTTTTGAATTGAGGAGACGGTTCAAGAGTTTAGCCTTGGA  
NTGGCCCAGTATCCAGGTCGAGGTTCTGCAGAAGGTTGTGACTTTAGTAACATTTTTCTTCTT  
TCGGGGACGTGGCCTGCATGGCTATCTGCTCCTGCCAGTGTCAGCAGCCATGGCCTTNTGCT  
TCCTGGAGACCNTGTGGTGGGAATTCACAGCTTCCTATGACACTACCTGCATTGGCCTAGCCT  
CCAGGCCATACGCTTTTCTTGAGTTTGACAGCATCATTCAGAAAGTGAAGTGGCATTTTAACT  
ATGTAAGTTCCTCTCAGATGGAGTGCAGCTTGGA AAAAATTCAGGAGGAGCTCAAGTTGCAGC  
CTCCAGCGGTTCTCACTCTGGAGGACACAGATGTGGCAAATGGGGTGATGAATGGTCACACAC  
CGATGCACTTGGAGCCTGCTCCTAATTTCCGAATGGAACCAAGTGACAGCCCTGGGTATCCTCT  
CCCTCATTCTCAACATCATGTGTGCTGCCCTGAATCTCATTTCGAGGAGTTCACCTTGCAGAAC  
ATTCTTTACAGGTTGCCCATGAGGAAATTGGAAACATTCTGGC

222/562

**FIGURE 222**

CGAAGGCTTGGGCGGANGCGTGGGCGCGGGAGTGCATGGCAGNTTGGTTCCCAGACTTGCCC  
GGACCCNTTGGCTTCACCTCCAGCTNTGNTGCTCCTNTACTCTTGGGTCGAGATCCCTTTGGA  
GCCACAGCGAGGAACCCTGTGGTCCTCAGGCAGGTGTACCTTGAGTCAGCCCAGGAGCCCTCT  
TTTCNTGTGTCAAAGCCTGCCCTCGGGCTNTGCTCACCTNTGGTGACCCTCCCAAGATGCCCC  
TGCCCTCAGTTTCCCCTCATGATCTGGCCTCTGCCCCCTTCTNTAGCCACAGCCTTTTAGTAC  
ACTTTAGCAATNNCNACCNGAANTAGTTNGAGTTCCCCAATTCACCAAGCAAGACATGCAGTT  
TCATGCCTCTGTGCCTTCGCTCATGCTTGTTTCTTCCGAAGTTGGAATGCCTTCCCCTGCTCC  
TCCTGCCTTGCTCTGCCTGGCAAGTTCATCTCTCACGATCCCCTCAAAGGCCCCCTCCTCCAGG  
AAGGCAACCCCTGTGCCCCTCCCCTCCAGGCTACCTCTGCACTTTGTCAATGCTTCTCTTG  
GCACTTATCACACTGTATTTTACTTGTTTACATGTTTGTCTCCCC

223/562

**FIGURE 223**

NCCAATGCAGCCCTCCGGTTNTCCGCGAAGAAGTTCCTTGCCCCGATGAGCCCCCGCCGTGCG  
TCCCCGATTATCCCCAGGCGGGCGTGGGGCACCGGGCCCAGCGCCGACGATCGCTGCCGTTTT  
GCCCTTGGGAGTAGGATGTGGTGAAAGGATGGGGCTTCTCCCTTACGGGGCTCACAATGGCCA  
GAGAAGATTCCGTGAAGTGTCTGCGCTGCCTGCTNTACGCCCTCAATCTGCTCTTTTGGTTAA  
TGTCCATCAGTGTGTTGGCAGTTTCTGCTTGGATGAGGGACTACCTAAATAATGTTCTCACTT  
TAACTGCAGAAACGAGGGTAGAGGAAGCAGTCATTTTGACTTACTTTCCTGTGGTTCATCCGG  
TCATGATTGCTGTTTGCTGTTTCCTTATCATTGTGGGGATGTTAGGATATTGTGGAACGGTGA  
AAAGAAATCTGTTGCTTCTTGCAATGGTACTTTGGAAGTTTGCTTGTCAATTTCTGTGTAGAAC  
TGGCTTGTGGCGTTTGGACATATGAACAGGAAGTTATGGTTCCAGTACAATGGTCAGATATGG  
TCACTTTGAAAGCCAGGATGACAAATTATGGATTACCTAGATATCGGTG



224/562

**FIGURE 224**

TAAGTTCCTGCATTAAAACCATGCTGTNGCAATTGAGAGCTTAGCTCCACGGTTCTCAAAGGG  
AGGTCCCTGGCCAACAGCATCAGCATCACCTTGAGGACNTANTNGCAATGCAAATTATCAGGG  
CCCTTCTTCAGACTCACTGAATCAGAAACNTGGGATAGGNCCAGCACGCTGTGCTTTAACAA  
GCTCTAGGTGATGCCCAATTCATACTCAAGTGTGAGGCTGACTGGCTTATTTGAAGGGAGAGA  
AAGGAACAGGCACATGGCGACATATCAGCATTTACACAAGGCGTGCTGGGTAACCATAGGAAC  
ACCTTTATTACGGTTAAATAGGAAACAGGCATCAATGCAGAGGGCCCCCAGGAGAATCAGGAA  
GGTCGCGACTGTCACTGTCTGAGGGCACTGTTGTGAAACGATGGCCGAAGGTGACAACCACAG  
CAAAGTTTCAAGGAAGTTCCTGAAACGTGGAAAAACCCACTCAATGTCCTGCTCTCATTAT  
ATTGAGTGGCTTAAGTATTTATTTTCTTGGTTTTTTAGAGGAAGGGAGGGTTGGAGGATTCTC  
AAAGCATTCAAAGGACACCATATGCTGGCAGGAAATATTCAAGCTTTTAATGGAATAATGCA  
ATGGAGGTG

225/562

**FIGURE 225**

TACCCTTGGCCACTTAAGTTGGAGAAATTTGAAATCAAGAAAGTTNTCATTTTGAAGAAGCACG  
AGTTCGGAAGACTTTAACATGGGTNTTCCTTNTTGCAGCCNGTATACTTTNTGTCANCCAGA  
AACTGTATTTTCATNTCAGCNTAGTGACGATGAATCAAGTAGTGATGAACCNGTAATCAGCCC  
AGTCNTGCCTTTAGANGACNCCGTGTTAGGAAGAAGACCGTTTNTGNTTCAGAATNTGAAGAC  
CGGNTAGTTGCTGAACAAGAACTGAACCTTNTAAGGAGTTGAGTAAACGTCAGTTCAGTAGT  
GGTCTCAATAAGTGTGTTATACTTGCTTTGGTGATTGCAATCAGCATGGGATTTGGCCATTTT  
TATGGCACAATTCAGATTCAGAAGCGTCAACAGTTAGTCAGAAAGATACATGAAGATGAATTG  
AATGATATGAAGGATTATCTTTCCCAGTGTCAACAGGAACAAGAATCTTTTATAGATTATAAG  
TCATTGAAAGAAAATCTTGCAAGGTGTTGGACACTTACTGAAGCAGAGAAGATGTCCTTTGAA  
ACTCAGAAAACGAACCTTGCTACAGAAAATCAGTATTTAAGAGTATCCCTGGAAAAGGAAGAA  
AAAGCCTTATCCTCATTACAGGAAGAGTTAAACAACTAAGAGAACAGATTAGAATATTGGAA  
GATAAAGGGAC

226/562

**FIGURE 226**

GGTCCCCAACGGGCCCCCGGGTCGGTTTNC CGCGTTGGCCATGANTGCGNCCGTGTTCTTTC  
GGNTGCGCCTTCATTTGCCTTCGGGCNTGCGNTCGCCCTTTATGTCCTTCACCATCGCCATCGA  
GCCGTTGCGTATCATCTTCCTCATCGCCGGAGCTTTCTTCTGGTTGGTGTCTNCTACTGATTTTC  
GTCCCTTGTTTGGTTCATGGCAAGAGTCATTATTGACAACAAAGATGGACCAACACAGAAATA  
TCTGCTGATCTTTGGAGCGTTTGTCTCTGTCTATATCCAAGAAATGTTCCGATTTGCATATTA  
TAAACTCTTAAAAAAGCCAGTGAAGGTTTGAAGAGTATAAACCCAGGTGAGACAGCACCCCTC  
TATGCGACTGCTGGCCTATGTTTCTGGCTTGGGCTTTGGAATCATGAGTGGAGTATTTTCCTT  
TGTGAATACCCTATCTGACTCCTTGGGGCCAGGCACAGTGGGCATTCATGGAGATTCTCCTCA  
ATTCTTCCTTTATTCAGCTTTCATGACGCTGGTCATTATCTTGCTGCATGTATTCTGGGGCAT  
TGTATTTTTTGGATGGCTGTGAGAAGAAAAAGTGGGGCATCCTCCTTATCGTTCTCCTGAC

227/562

**FIGURE 227**

GACCAAGGGTCCGGGTAGNTTACCTATATTTGGTTNATGGTNTAATTATAGACCAGGAAAGAG  
CNTNTTATGTCTCCATCTTGATTTCCGTGGCAGCCAANTGCCTNTATGNATATCTCCACATCC  
CAGCTTTTTCATAATAAATANTACATGCTGGTTGCTCGTGGATTGTTGGGAATTGGAGCAGGA  
AATGTAGCAGTTGTTAGATCATATACTGCTGGTGNTACTTCCCTTCAGGAAAGAACAAGTTCC  
ATGGCAAACATAAGCATGTGTCAAGCATTAGGTTTTATTNTAGGTCCAGTTTTTCAGACTTGT  
TTTACATTCCCTTGGAGAAAAAGGTGTGACATGGGATGTGATTAACTGCAGATAAACATGTAT  
ACAACACCAGTTTTACTTAGCGCCTTCCTGGGAATTTTAAATATTATTCTGATCCTTGCCATA  
CTAAGAGAACATCGTGTGGATGACTCAGGAAGACAGTGTAAAAGTATTAATTTTGAAGAAGCA  
AGTACAGATGAAGCTCAGGTTCCCCAAGGAAATATTGACCAGGTTGCTGTTGTGGCCATCAAT  
GTTCTGTTTTTTGTGACTCTATTTATCTTTGCCCTTTTTGAAACCATCATTACTCCATTAACA  
ATGGATATGTATGCCTG

228/562

**FIGURE 228**

TGAAATTATTAAACCAAACAAACAAACAAAACCCGGAATGCATTGTATAGGATTGCATGTGA  
AGTCTTTTNTANTGAATNTATATTTCCANTTGAAGTGATTTTAAGTTAACATNTGAAGGCAGG  
AAATGATTNCCTTTCCAGTAAAAAGTNTAGNTAATTTAATTAANTTAGTGACACCACCAAGTG  
TTTTGATATAACTAAATTTGTGGTAATAAGATTGTCTGCACCTGTATTCATTGTGGAANTTCC  
TCTTTCATTGGAAANTTTNTTACTCAAGAATGACGGCAGTATTGTTTTCTTATATGTGCAATG  
AAGTGGAATGGTTAACNGTATGCCCTTAAATTTAAAATGGGTTCCTTGTTCTGATGTTGTTTC  
CTGAAATGATTTTTCTTCCTAACTGTGGTTTTTCGGGTATGCAAGCCTAAATCTTTGTACACTT  
TGTCTCACAGAATAGTTCTGAGGCTCCATGACAGGGTTTTGTCATTGTTGATGTTANTGTTGC  
TTCGTTTTATAAAAAAGCCAAAATTTTTTTCCAATCCAAACGTTACCTGTTTCCTTTCCTCA  
AGNTATACCAGTGTAATACCAGTTACCCTGTGGATCCATTTAATATGTTATCCCCACTAATTA  
ATTTTCGTATATTATTTCCAATATTTGGAAAGCTCTTTATAGCCATTTGGTATTCCTATTAC  
CCAC

229/562

**FIGURE 229**

TTTTCAATTTGCCAGTTTGTGGATGATGAATTGACTTAAATCGAACTAAATTGGAATGTGAAT  
CTGCATGTACGAAGCATATTCCCAATNTGATGAGCAATATGCTTGCCATCTTGGTTGCCAGAA  
TCAGTTCCATTTCGCTGAANTGGACAAGAACAACCTTATGTCCCTGATGCCAAAAATGCACCTAN  
TCTTTCCTCTAACTCTTGGTGAGGTCATTCTGGAGTGACATGATGGACTCCGCACAGAGNTTC  
ATAACCTCTTCATGGACTTTTTATCTTCAAGCCGATGACGGAAAAATAGTTATATTCCAGTTT  
AAGCCAGAAATCCCAGTACGCACCACATTTGGAGCAGGAGCCTACAAATTTGAGAGAATCATC  
TCTAAGCAAAATGTCCTATCTGCAAATGAGAAATTCACAAGCGCACAGGAATTTTCTTGAAGA  
TGGAGAAAGTGATGGCTTTTAAAGATGCCTCTCTCTTAACTCTGGGTGGATTTTAACTACAAC  
TCTTGTCTCTCGGTGATGGTATTGCTTTGGATTTGTTGTGCAACTGTTGCTACAGCTGTGGA  
GCAGTATGTTCCCTCTGAGAAGCTGAGTATCTATGGTGACTTGGAGTTTATGAA

230/562

**FIGURE 230**

TCCTGCTGATGCACATCTGGGTTTGGCAAAGGAGGTTGCTTCGAGCCGCCCTTTCTAGCTTC  
CTGGCCGGCTCTAGAACAATTCAGGCTTCGCTGCGACTAGACCTCAGCTCCAACATATGCATT  
CTGAAGAAAGATGGCTGAGATGACAGAATGCTTTATTTTGGAAAGAAACAATGTTCTAGGTCA  
AACTGAGTCTACCAAATGCAGACTTTCACAATGGTTCTAGAAGAAATCTGGACAAGTCTTTTC  
ATGTGGTTTTTCTACGCATTGATTCCATGTTTGCTCACAGATGAAGTGGCCATTCTGCCTGCC  
CCTCAGAACCTCTCTGTACTCTCAACCAACATGAAGCATCTCTTGATGTGGAGCCCAGTGATC  
GCGCCTGGAGAAACAGTGTACTATTCTGTCTGAATACCAGGGGGAGTACGAGAGCCTGTACACG  
AGCCACATCTGGATCCCCAGCAGCTGGTGCTCACTCACTGAAGGTCCTGAGTGTGATGTCACT  
GATGACATCACGGCCACTGTGCCATACAACCTTTGTGTCAGGGCCACATTGGGCTCACAGACC  
TCAGCCTGGAGCATCCTGAAGCATCCCTTTAATAGAACTCAACCATCCTTACCCGACCTGGG  
ATGGAGATCACCAAAGATGGCTTNCACCTGGTTATTGAGCTGGAGGACCTGGGGCCCCAGTTT  
GAGTTCCTTGTTGGCCTANTGGAGGAGGGGCGAACCCCTTGCGGCGCAAGGGGTTNGCGAACCC  
CTTGCGGCCGCTGGGGTATCTCTCGAGAAAAGAGAGGCCCAATATGACCCACATACTCAATAT  
GGACGAANTGCTATTGTCCACCTGTTTGAGTGGCGCTGGGTTGAT

231/562

**FIGURE 231**

TAGAGCGACAGTGGAAGGGGCATGACCCTCAATGAGGACGGCCTTGTTTCCTGGGAGNGTNT  
AAAAATTCCAACCTACGGNTACGTTTTAGATGATCCAGATCCTGATGATGGATTCAANTATAA  
ACAGATGATGGTTAGAGATGAGCGGAGGTTTAAAATGGCAGACAAGGATGGAGACCTCATTGC  
CACCAAGGAGGAGTTCACAGCTTTCCTGCACCCTGAGGAGTATGACTACATGAAAGATATAGT  
AGTACAGGAAACAATGGAAGATATAGATAAGAATGCTGATGGTTTCATTGATCTAGAAGAGTA  
TATTGGTGACATGTACAGCCATGATGGGAATACTGATGAGCCCAGAATGGGTAAAGACAGAGC  
GAGAGCAGTTTGTTGAGTTTCGGGATAAGAACCGTGATGGGAAGATNGACAAGGAAGAGACCA  
AAGANTGGATCCTTCCCTCAGACTATGATCATGCAGAGGCAGAAGCCAGGCACCTGGTCTATG  
AATCAGACCAAACAAGGNTGGCAAGCTTACCAAGGAGGAGATCGTTGACAAGTATGANTTAT  
TTGTTGGCAGCCAGGCCACAGATTTTGG



232/562

**FIGURE 232**

ACCGCCTTCAGTTACTCCAGGTAGCCCCGTAGCATTTAAAGAACAAAATCTGTCCAGTCAAAG  
TGATTTTCTTCAAGAGCCGTTACAGGNTACTTCTTNTCCAGTTACTTGTAGCTCAAATGCTTG  
CTTGGTTACTACCGATCAGGNTTCTTCTGGATCTGAAACAGAGTTTATGACCTCAGAGACTCC  
TGAGGCAGCAATTCCCCCAGGCAAGCAACCGTNTTCACTAGCTTNTCCAAATCCTCCCATGGC  
AAAGGGCTCTGAACAGGGNTTCCAGTCACCTCCAGCAAGTAGTAGTTCAGTAACCATTAAACAC  
AGCACCCCTTTCAAGCCATGCAGACAGTATTTAACGTTAATGCACCTCTGCCTCCACGAAAAGA  
ACAAGAAATAAAAGAATCCCCTTATTCACCTGGNTACAATCAAAGTTTTACCACAGCAAGTAC  
ACAAACACCACCCCAGTGC

233/562

**FIGURE 233**

CGGGAANCCCGANCCGGTTGCCCCGGGGAANCCGTGCGGCCCCTTCCGTCCCGTCCCATCCT  
TGCCGGGGTTCCAGCACCTTTGAAGTTTTTGCAGCGCCCGAAANGGAGGCGAGGAAGGAGGGA  
NTNTNTGAGAGGAGGGAGCAAAAAGCTTCACCNTAAAACATTTATTTCAAGGAGAAAAGAAAA  
AGGGGGGGCGCAAAAATGGCTGGGGCAATTATAGAAAACATGAGCACCAAGAAGCTGTGCATT  
GTTGGTGGGATTCTGCTCGTGTTCCAAATCATCGCCTTTCTGGTGGGAGGCTTGATTGCTCCA  
GGGCCCACAACGGCAGTGTCTTACATGTCGGTGAAATGTGTGGATGCCCGTAAGAACCATCAC  
AAGACAAAATGGTTCGTGCCTTGGGGACCCAATCATTGTGACAAGATCCGAGACATTGAAGAG  
GCAATTCCAAGGGAAATTGAAGCCAATGACATCGTGTTTTCTGTTTACATTCCCCTCCCCCAC  
ATGGAGATGAGTCCTTGGTTCCAATTCATGCTGTTTATCCTGCAGCTGGACATTGCCTTCAAG  
CTAAACAACCAAATCAGAGAAAATGCAGAAGTCTCCATGGACGTTTCCCTGGCTTACCGTGAT  
GACGCGTTTGCTGAGTGGACTGAAATGGCC

234/562

**FIGURE 234**

TTTGTTTCCCGGGACCTTGGTGGCAGTTCTGCAGCCACAGAGGCAGTGGCGATTTTGACAGCC  
ACATACCNTGTGGGTACATGCCATACGGCTGGTTGACGGAAATCCGTGCTGTGTATCCTGCT  
TTCGACAAGAATAACCCCAGCAACAACTGGTGAGCACGAGCAACACAGTCACGGCAGCCCAC  
ATCAAGAAGTTCACCTTCGTCTGCATGGCTCTGTCACTCACGCTCTGTTTCGTGATGTTTTGG  
ACACCCAACGTGTCTGAGAAAATCTTGATAGACATCATCGGAGTGGACTTTGCCTTTGCAGAA  
CTCTGTGTTGTTCCCTTTGCGGATCTTCTCCTTCTTCCCAGTTCAGTCACAGTGAGGGCGCAT  
CTCACCGGGTGGCTGATGACACTGAAGAAAACCTTCGTCCTTGCCCCAGCTCTGTGCTGCGG  
ATCATCGTCCTCATCGCCAGCCTCGTGGTCCTACCCTACCTGGGGGTGCACGGTGCGACCCTG  
GGCGTGGGCTCCCTCCTGGCGGGCTTTGTGGGAGAATCCACCATGGTCGCCATCGCTGCG

235/562

**FIGURE 235**

CGGACGCGTGGGTTTAAAAATTACTCATAATCGNTCCATTGATAATACTAAATTTAGTTTCCC  
CTGTCTTTAGTGTCTAATTGTCAGCCAGAAAATTAGGAATCTGTTGCACTTGATTTTAAAGTA  
ACTTATCTAAAACATATGTGCCATTTTAACAGTGAGCATTACTTAGTTGCATTTTCCAAATTTA  
TTATTTNNTCATTCTTAACTGTAGACTATTATTTCAAATTTTAAATTTAGTTTTTGATGTT  
TTAGAGAAATGAAGCCACAGTGGCTTAGCACATCTTTGTGTTTCTATTATTTATNTATTTTTT  
TGAGACAGAGTCTTGCTGTGTTGCTCAGGCTGGAGTGCAGTGGTGCGATCTCAGCTCACTGCA  
ACCTCTGCCTCCCGGGTTCAAGTGATTTTCCTGCCTCAGCCTCCCAAGTAGCTGGGATTACAG  
ACACCTGCCACCATGTCCGG

236/562

**FIGURE 236**

GAGGTCATCTCCATTTTCATCCCGGATAAATGAGTATGCAAGGAACGTTTTTATAGGCATTTTG  
GAGATCAAAGATGGGTAGAAAAGATGCTGNTACTATAAACTTCCTGTTGATCAGTACAGAAA  
ACAAATTGGTAAACAGGATTATAAAAAAACTAAACCTATTTTACGAGCTACCAAATTAAAAGC  
AGAAGCAAAGAAAACAGCAATAGGCATAAAGGAAGTTGGCCTTGTACTTGCAGCTATATTGGC  
ACTACTACTGGCTTTCTATGCTTTCTTTTATCTCAGACTCACCACGGAAATGTTG

237/562

**FIGURE 237**

CGGGGGAACCCGAGCCGGTTGCGCCGGGGGAATCCGTGCGGGCGCCTTCCGTNCCGGTCCCAT  
CCTNGCCGCGCTCCAGCACCTTTGAAGTTTTGCAGCGCCCAGAAAGGAGGCGAGGAAGGAGGG  
AGTGTGTGAGAGGAGGGAGCAAAAAGCTCACCCCTAAAACATTTATTTCAAGGAGAAAAGAAAA  
AGGGGGGGCGCAAAAATGGCTGGGGCAATTATAGAAAACATGAGCACCAAGAAGCTGTGCATT  
GTTGGTGGGATTCTGCTCGTGTTCCAAATCATCGCCTTTCTGGTGGGAGGCTTGATTGCTCCA  
GGGCCCACAACGGCAGTGTCTACATGTCGGTGAAATGTGTGGATGCCCCTAAGAACCATCAC  
AAGACAAAATGGTTCGTGCCTTGGGGACCCAATCATTGTGACAAGATCCGAGACATTGAAGAG  
GCAATTCCAAGGGAAATTGAAGCCATA

238/562

**FIGURE 238**

TCCATAATGACCGTGTGGNTGTCCACAGCCCCGACAGAGCCCCCTGACCCAATTGTACCAGGT  
GCGGTGCCTGTTCCAGTCACCATTGTTTCGCCAAGGCAGGGGACACGNTTTCAGGGACATGTTT  
GNTTATTGCCAACAAAAGACAGAGNTACGACATCAGTATTGTGGCCCAGGTGGACCAGACCGG  
CTCCAAGTCCAGTAACCTCCTGGATNTGAAAAACCCCTTNTTTAGATACACGGGCACAACGCC  
CTACCCCCACCCGGNTCCCANTACACATNTCCCTCGGAAAACATGTGGAACACGGGCAGCAC  
CTACAACCTCAGCAGCGGGATGGCCGTNGCAGGGATGCCGACCGCCTNTGACTTGAGCAGTGT  
TATTNCCAGTGGCTCCAGCGTGGGCCACAACAACCTGATTCCTTTAGGGTCCTCCGGCGCCCA  
GGGCAGTGGTGGTGGCAGCACGAGTGCCCACTATGCAGTCAACAGCCNG

239/562

**FIGURE 239**

TTCCCCCTAATGGGTTGTTTGACCCCCATTCCGGTTGNTAAGTGGTTTTTCCCNATCATCGGCC  
AAATTGGNATTTTCANATCCACAGGNGTCATTGGGANTTTGGGGGCCCCCTAATTGTTTCAGA  
CAGGCCGGGAGGCAGTTTGCCAGAAGGATTCTTAAGTAANTGACCCAGCCCTTTGCCCCCACC  
CCTGGGGTACCGAGACATGGGTAGGGATTAGAGCAAGAGTTGAGAGTCAGACCATCCAGGAAC  
CACATNTNTGGACCTTCAGAAGGAGGACAACATGGCCTTTGGAAAGCCTNCCAAGTACTGGAA  
GTTGGACCCTGNTCAGGTNTATGCTAGCGGGCCCCAACGCATGGGACACGGCTGTGCACGACGC  
CTCTGAGGAGTACAAGCACCGCATGCACAATCTCTGCTGTGACAAC TGCCACTCGCACGTGGC  
ATTGGCCCTGAATCTGATGCGCTACAACAACAGCACCAACTGGAATATGGTGACGCTCTGCTT  
CTTCTGCCTGCTCTACGGGAAGTACGTCAGCGTTGGGGCCTTCGTGAAGACCTGGCTGCCCTT  
CATCCTTCTCCTGGGC



240/562

**FIGURE 240**

TTTTTCAGGGAGAATTTTGAGGCTNTGTTGAGAATCATGCTTTGGAGGCAGCTCATNTATTGG  
CAACTGCTGGCTTTGTTTTTCCTCCCTTTTTGCNTGTGTCAAGATGAATACATGGAGGTGAGC  
GGAAGAACTAATAAAGTGGTGGCAAGAATAGTGCAAAGCCACCAGCAGACTGGCCGTAGCGGC  
TCCAGGAGGGAGAAAAGTGAGAGAGCGGAGCCATCCTAAAACCTGGGACTGTGGATAATAACACT  
TNTACAGACCTAAAATCCCTGAGACCAGATGAGCTACCGCACCCCGAGGTAGATGACCTAGCC  
CAGATCACCACATTCTGGGGCCAGTNTCCACAAACCGGAGGACTACCCCCAGACTGCAGTAAG  
TGTTGTCATGGAGACTACAGCTTTCGAGGCTACCAAGGCCCCCTGGGGCCACCGGGCCCTCCT  
GGCATTCCAGGAAACCATGGAAACAATGGCAACAATGGAGCCACTGGTCATGAAGGAGCCAAA  
GGTGAGAAGGGCGACAAAGGTGACCTGGGGCCTCGAGGGGAG

241/562

**FIGURE 241**

GGTGATCTGAAAGATAGCCAAGGATTTTTCAGAACACAAGAAAAAGAGGGATGAAAAGTGAA  
AAAGAAATTAGAAGATATGGATAATAAATCCCAGGAGAGGTAATATGCATCCAATCAAACATN  
TAATAGAAAATTTCTTACAGGGAATAAAAGAAAAAGATTCTTAAGATCGAAAGGGCCAGTTGA  
TAGTGGTACCCAGGAGGAAGGAGTGGTTTTTCACCCAGATATATCCTGGTGAAATTTCTGAAT  
TCTGCAGCTTACAAGAAAATTCTGAACTCTTCCAGGGAAGAACAAGCTATGTACAAAGGAATA  
AGAATCTTATTCATTACACTAAAGACAATGCTTTTGATCATTGTCTATAGCTATGTGTATTTT  
GAACCTAGAATTCGCTACTCAGCCCACTGTCATTTATGTATGAGAACAAAATTAACTTTTTG  
GAATTTGCAGACTCATATTCTTTTCGAAAAAATACTGTGGGATGTACCAAACAAAAAATA  
AGTCAAGAAGCAACAACCTCAAGGCATAAGAAACAGTAGCGAG

242/562

**FIGURE 242**

TTCCAGAGAGCCCTTGAGAAGACCAAGGGCAAAGTGAGCATGAGGTTCTCCTCTCTCTGCCCA  
CCCTCCACGTCCACTGCCTCTGGCCGCAGACCCAGCNTCGTGATCGATGGGAGAAGCNTGGCC  
TACGCTCTCGAGAAAAACCTGGAGGACAAATTCCTCTTCCTTGCCAAGCAGTGCCGCTCCGTC  
CTCTGCTGTCGGTCGACGCCTCTGCAGAAGAGCATGGTGGTGAAGCTGGTGCGGAGCAAGCTC  
AAGGCCATGACCCTGGCCATAGGTGATGGAGCCAATGATGTCAGCATGATCCAGGTGGCAGAT  
GTGGGTGTGGGAATCTCCGGCCAGGAGGGTATGCAGGCAGTGATGGCCAGCGACTTTGCAGTG  
CCGAAATTCCGATACCTGGAGAGGCTCTTGATTCTTCACGGGCATTGGTGCTACTCCCGACTT  
GCCAACATGGTGCTGTACTTCTTCTACAAAAACACAATGTTTCGTGGGCCTCCTGTTTTGGTTC  
CAGTTTTTCTGTGGCTTCTCTGCATCTACCATGATTGACCAGTGG

243/562

**FIGURE 243**

TTCCCAGCGAGGATCCTGTCCCTGGAGGCTGTAATTTGGAGTTCGATTTAGATATTGATCCCA  
ACATTTACTTGGAGTATAATTTCTTTGAAACGANTATCAAGTTTGCCCCAGCAAACNTAGGCT  
ATGCGAGAGGCGTAGATCCCCCACCATGTGACGCTGGGACAGACCAGGACTCCAGGTGGAGGT  
TGCAGTATGATGTCTATCAGTATTTTCTGCCTGAGAATGACCTCACTGAGGAGATGTTGCTGA  
AGCATCTGCAGAGGATGGTCAGTGTGCCCCAGGTGAAGGCCAGTGCTCTCAAGGTGGTTACCC  
TAACAGCTAATGATAAGACAAGTGTTTCCTTCTCCTCCCTCCCGGGACAAGGTGTCATATACA  
ATGTCATTGTTTGGGACCCGTTTCTAAATACATCTGCTGCCTACATTCTGCTCACACATACG  
CTTGCAGCTTTGAGGCAGGAGAGGGTAGTTGTGCTTCCCTAGGAAGAGTGTCTTCCAAAGTGT  
TCTTCACTCTTTTTGCCCTGCTTGGTTTCTTCATTTGTTTCTTTG

244/562

**FIGURE 244**

ATTCTTAAGTCAGTTGATCCANTTATTCATTCATCAAATATTGATTGAGAACCTACTGTGTGC  
CAAGTGTTATTTTAGGCCCTGGGACCAAGTAATAAATAAGAGGACACAGGCCATGCACTCACG  
GAGCTTCTGTTTTTCCTTGGCAGAGCAGACATGGGGCAGGGTGGTCTGAGGGTCTCCTCAGGAT  
GGTGTGGTCTGTGCTGGTTGTGGTTGTCTTGACAGGTTGGGCCTCATGGGCAGATGGTACCTG  
TCAGGCAGGGAGTGTTGGGGGCAACCAGGATGAACAGTTATAAGACCATTTCTAATACTTGTAT  
TTTTTTTTCTCCTAGGGAAAAATTGGAA'GAAAAAGCCAAATTATATGAAAAATGACTAAAGG  
AGACTTTATAGATGAAGAAGTAGAGGATATGTACCTTGTGGATTTACACAGAAGATCATAGA  
CAAGCGC

245/562

**FIGURE 245**

GGNTACCCGAAGGCCAAGCTTTTAAACAATTTGNTTTGTAATCAATGNGTAATTCATGATGA  
ATTATTTTGACTAATGGNTAGCCGAAGGCCAAGCTTTTAATTNTAATAGGTAATGTTCTTCTT  
TTGTCTTATTGAAACAATGNGAATANTCTGTGCATTTCAAATGCACTCCGATTATGCTGTGGT  
TTTATTACATAAGCACAAATATGTGTTTTATTTATAANTTCATAACAAANTTATAATATAATA  
ATTTACCTTAGCAGACATGCAAAAGCTTATTCTTGTGTGANTTACTTTCTTTAAGNTAATAAT  
ATAAAAATAAATATGTATCTTAAAAATCTATAATAAAACATTNGAAATTAAAGATATGTGCTT  
TTTATTTTGCAGATGAGTTCATTTGCTTCTGTAGATGTGTTTTTCAGAGNTAGGTACAGAGGAA  
TGTTTGNTACCTTTAGCGGTGAAAAAAGAAAGAGNGTCNAGAATTTTGTTGGATTGTGTTTGT  
GTGTGCATATATTTGATATCATCATCACATTGTAATCTTTGGACTTGTAATCATAGCCTNN

246/562

**FIGURE 246**

TTCCCACTGTAATGCCAAATGATCCATAGCCTNTTCAGATTCCTTATAAAATTTAAACCAAGA  
GAGGAGAGGAAAGGGTAAATTTTCTGTAATGACCTTNTGCTTAATAGTCTTNTAGAAAAAGGA  
AAGGTGATGAGCAAATAAAGGAACCTTNTAGANTTTACATGACTAGGCTGATAATCCTANTTTT  
TAGGNTTCTATACAGTTAATTCTATAAATTCTCTTTCTCCCTCTCTTCTCCAATCAAGCACTT  
GGAGTTAGATNTAGGTCCTTNTATCTCGTCCCTNTACAGATGTATTTTCCACTTGCATAATTC  
ATGCCAACANTGGTTTTCTTAGGTTTCTCCATTTTCACCTCTAGTGATGGCCCTANTCATATC  
TTCTCTAATTTGGTCCTGATANTTGNTTCGTNTCACGTTTTCCCATTTCCCTGTGGCTCACTG  
TTTTACAATCACNGCTNTGGAATCATGATACCACTTTTAGCTCNTTGCATCTTCCTTCAGTGT  
ATTNTTGTTTTTCAAGAGGAAGTAGATTTTAAATN

247/562

**FIGURE 247**

CGGAGCCTNTGCAGGAGGAGCTTTTCGGTCCTGGCCGNGATTTTNTGCAGGCCCCACGAGTGG  
GAGGTGCTGAGCCGNTCAGGTTCTCCCTTTTGCCACTGGAATCAGGAGAATGTTGCAGAGGAA  
TTGCATTCTGCTGGTAACAAGATAACCCAGCAAGACTCAGACTGCTAACCCAAGGATCAACTATT  
AAGGCCAGACAGATGGGACCGTGTTTCAGAATTCACACAAAAGCTGAAGGATTTATGGATGCGG  
ATATACCTCTGGAATTGGTGTTCCATTTGCCAGTCAATTATCCTTCATGTCTACCTGGTATCT  
CGATTAACTCTGAACAGTTGACCAGGGCCCAGTGTGTGACTGTGAAAGAGAATTTACTTGAGC  
AAGCAGAGAGCCTTTTGTCGGAGCCTATGGTTCATGAGCTGGTTCTCTGGATTTCAGCAGAATC  
TCAGGCATATCCTCAGCCAACCAGAAAANTGGCAGTGGCAGTGAAAAGTGTACTTTTTCAACAA  
GCAC



248/562

**FIGURE 248**

TCGGGTTTTCGGAGCAGTTTTCGAATGGACAGCTCCGTGGAGGAGGATGAACTTATGTTAAAT  
GAAGGTAAGAGTTTTGGGCATNTTATGCCCCCTTTGNTCTNTGACAGCTCTGTGTCTTGTCTT  
TGGCCTNTATCCACCTCCTTCCAAGACAANTGATGATAAGACCAGCGGCTTTAAGAAATGTGA  
AACCAAGTCAATTGTGTCATCGTCCATCAGTGCTTTTACATTGCCTGTGATCAAAATTAATAA  
CTGTGTTATTGATGAGCCCAGTATAGATAACATCACTGAAGATGCTGACAACCTCAAAAGTAG  
GTCAAGGAATTTGTCAATGGATTCCCTTGTGGTTCCTTTGCCCAACACCAGTGAATCCTTCCA  
GCCCCGTCAGCACAGTGNTACCAAGGAATAATTCCATTGGGGAGTCGTTGTGAGTCAGTACAA  
GTCATCTATGGCTCTCGGACCTGGGGNTGGACAGCTCTTGTCTCCTGGGGCTGCCAGAAGACA  
GTTTGGGTCCAATACATCCTTGCATTTGCTCTCGTC

249/562

**FIGURE 249**

TCCTTACAAGGNCCGTGTAACATGACACTGTTAATGATTGCATTTGGCTTGCTGTGGGGGCAT  
TTNTTGCGGATCAAACCCACGCAGAGNGTTTTTCATTTTCCAAGTGTCTGTCTTGTCAAGCAC  
ACCCCTTGTGTCCAGGTTCCCTCATGGGCAGTGCTCGGGGTGACAAAGAAGGCGACATTGANTA  
CAGCACCGTGCTCCTCGGCATGCTGGTGACGCAGGACGTGCAGCTCGGGCTCTTCATGGCCGT  
CATGCCGACTNTCATAACAGGCGGGCGCCAGTGCACTTCTAGCATTGTCGTGGAAGTTNTCCG  
AATCCTGGTTTTTGATTGGTCAGATTCTTTTTTCACTAGCGGCGGTTTTTCTTTTATGTCTTGT  
TATAAAGAAGTATCTCATTGGACCCTATTATCGGAAGCTGCACATGGAAAGCAAGGGGAACAA  
AGAAATCCTGATCTTGGGAATATCTGCCTTTATCTTCTTAATGTTAACGGTCACGGAGCTGCT  
GGANGTNTCCATGGAGCTGGGCTGTTTCCTGGCTGGAGCGCTNGTCTCCTNTCAGGGCCCCGT  
GGTCACCGAGGAGATCGCCACCTCCATCGAACCCATCCGCGANTTCCTGGC

250/562

**FIGURE 250**

CAACTTACCTGAAATGCGCTATTGAATGCACGNGGAAAATCCTTGGGTTCCAGGATGACAC  
CTANTANTGCAGTTTGATTGGCAGAATNGTCGATACGATGGCTGGCAAATNTCCTGGTCCCTT  
TCCCAANTGTGACTGGNGATTCAATGAGTTTCCCAACCCAGTTGCCCATGNTCTCCATGTTAC  
TTGTGTGGAGCTCATGGCCTTGGCAGTTTCAGGCAAAGAAGTTGGGAATGCCCTTCTAAATGT  
TGTCCTAAAAAGTCNGCCTTTAGTGCCAAGAGAGAACATTGCAGCATGGATGAATGCAATTGG  
TTTGATCATCACTGCCCTACCAGAGCCATATTGGATTGTTCTTCATGATCGAATTGTGAGTGT  
CATCAGCAGCCCCAGNTTGACGTCTGAAACAGAGTGGGTTGGNTATCCATTCCGCCTCTTTGA  
TTTCANTGCCTGTCATCAGTCCTACTCTGAGATGAGTTGTAGNTATACGTTAGCTCTTGACACA  
TGCTGTGTGGCACCATTTTAGCATCGGACAANTTTNTCTCATTCCAAAGTTTCTTANTGAAGT  
ANTTCTTCCTATAGTGAAGACCGAATTCAGTTGCTTTATGTATACCATCTTGTTGGAC

251/562

**FIGURE 251**

GAAGGGCATTTTCAGGGAGCAGAATGACAAGACNTATTGTCAACCTTGCTTCAATAAGCTCTT  
CCCACTGTAATGCCAANTGATCCATAGCCTNTTCAGATTCCCTTATAAAATTTAAACCAAGAG  
AGGAGAGGAAAGGGTAAATTTTCTGTTACTGACCTTCTGCTTAATAGTCTTATAGAAAAAGGA  
AAGGTGATGAGCAAATAAAGGAACTTTTAGACTTTACATGACTAGGCTGATAATCTTATTTTT  
TAGGCTTCTATACAGTTAATTCTATAAATTCTCTTTCTCCCTCTCTTNTCCAATCAAGCACTT  
GGAGTTAGATCTAGGTCCTTCTATCTCGTCCCTCTACAGATGTATTTTCCACTTGCATAATTC  
ATGCCAACANTGGTTTTCTTAGGTTTCTCCATTTTTCACCTCTAGTGATGGCCCTACTCATATC  
TTCTCTAATTTGGTCCTGATACTTGTTTTCTTTTCACGTTTTCCCATTTCCCTGTGGCTCACTG  
TCTTACAATCACTGCTGTGGAATCATGATACCACTTTTAGCTCTTTGCATCTTCCTTCAGTGT  
ATTTTTGTTTTTCAAGAGGAAGTAGATTTTAACTG

252/562

**FIGURE 252**

ATTTGTTTGTATAATATAATACATATAGATAGAGGGGCGATAATATANTGGTAGACAAAGAAT  
GCAGGAAATGCCCTTATTCATCACACCACCAAGCAGGCCTCACCCCTAAAGACCCAGCAAAAGT  
AACAAAAGCACATTTGGAAACCCAGGAAGCCAGTAAAGTAAATCTAAAGGCTGACAGGGTGT  
ACATTATTATGTATGTGCAATATAAATCAAATTCAAAGCTGTTTTCTCTTAAATTTTGATANT  
TATAGAGACAGGANTTGCCATGGGGAATTTCTTTCCCCTTACTATATAATTTTATTACTAGAA  
GGAAAAGTAATAGCAATGATAATAATGAACAGACTTNGTGTCTTTATTACATTTGCTTTCCTA  
GTTACCTTTAGANTGTCACCTTCTGAGTTCTTTCTCTGACATGCTTTTCTTTTCTCGTGAAGCG  
TCTTACATTCTGAC

253/562

**FIGURE 253**

AATTTNTATNTACATTTGTGATAATATAGNTAGTGCGTAAGAATATTTCCCCAAGGTCAGTTA  
AGCAAGATTTTCTTATGATCATCATTGCCATGAACTTTCAAACATAGCGATNTTGTGAAAACA  
GTGCCTGTTAATTTACAATGTTTACCTTGAACAGTTGTCAAGTGTGATTTTTATAAGGAGTTG  
GTATGTTTNTAAGCAGTTATNTACTTGATCTTTTAAATANTGGGGTTAAGGGAAACCTGCTTA  
CAGCATCACCTATTTTTCATTCAAATGGCACATAATNGNGCATGTGTAACAGTTGTGTACCTT  
TGTGGGGTTNTTTTGTTNTTTGNTTTTCTTTTGGAGACAGGGTTTCGTTCTGTTGCCCAAGNT  
GGAGTACAGTGGNTCGATCTCANTGCAACCTCCACCCCCCAGGCTCAAGTGATTCTTTCACCT  
CGGCCTCCTGAGTATCCGGG

254/562

**FIGURE 254**

CAGCGAATGTTGGGGAACNTGATTCGGCCTCCATATGAAAGGCCAGAGCTCCCCACATGTCTC  
TATGTAATTGGGCTGACTGGCATCAGTGGCTCTGGGAAGAGCTCAATAGCTCAGCGACTGAAG  
GGCCTGGGGGCGTTTGTTCATTGACAGTGACCACCTGGGTCATCGGGCCTATGCCCCAGGTGGC  
CNTGCCTACCAGCCTGTGGTGGAGGCCTTTGGAACAGATATTNTCCATAAAGATGGCATCATC  
AACAGGAAGGTCCTAGGCAGCCGGGTGTTTGGGAATAAGAAGCAGCTGAAGNTACTCACGGAC  
ATTATGTGGCCAATTATCGCAAAGNTNGCCCGAGAGGAGATNGATCGGGCTGTGGCTGAGGGA  
AAGCGTGTGTGTGTGATTGATNCCNCTGTGTTGCTTGAAGCCGGNTGGCAGAACCTGGTCCAT  
GAGGTNTGGACTGCTGTCATCCCAGAGACTGAGGNTGTAAGACGCATTGTGGAGAG

255/562

**FIGURE 255**

CATTATCAACCCAGCGCCACTCAAACAGGTGGACAATANCAGTTCGTCCATATTGAGTATGTG  
GGTCATATTGGGCCTCTCTTTTCTCGAGAGATAACCCAGCGGCCGCAAGGGGTTCGGGGTGAT  
AATAGATCAATGTGTTGGAAGTGATGGGGATGGAGAGGCGAGTCCCACTGGCGATCCGCAGCA  
GGATGCCCATCAGAGAGAAGCTGGGGCTTCCAGGACAGCATAGAAAGGCTCCACCCGGGCTG  
GATGCTCCAGGACCATCCCTTCATTCTTAAAATGGGCAACGAGAAACCAGGAGACGTCCACCT  
CACCTTGGAGGGAGATGAAGTGGGGGAGGTGGATTTTCGGCGACAGCCTCCTCTGGCTCTGCAG  
TGACATCAAACAAGGGGCCGCCACCAGCCACTGTTTCATGGTGCTGCAGGTCCAGGGCCAGGT  
GCTGACTCCAGGAACCAAACGCAATCGTCACTGTGACCTCATCCCTTACCAGGAAGCCGAGGC  
CTGTGGCTGACCACAGATACCAGCCAGCAGTGGGGAACCAAACGCTGTATCTGTTTGTGCTCT  
TATCAATCAACTCAACATCCACATTTTCCTTCAGGCCCCAGAACTGACGATTTTTATAATCTT  
CTTCGATCTCAAAACAGACTTTAGAAGCATAAGAGGAACTATTTGATTCTCTTCTGAGCAAA  
TGTCTCCTGAATCTTGTCCCTCTGAAGATTCCTGCTCTTCTGATACACTGGGAATGTCCCCC  
CAGATAGTTGACACTCAGGAACAGCACGGAACAATAATGGCTCTGCCTCTGTCTCATCATCTT  
CTTGGA AAAAATGTGAGCGGACGCGTGGGTCGAGGTCGAGGGATCTCTAGAGGATCCGGCCAG  
TGTGGCCTATCGATAGCTTGGAGTTGATTGT



256/562

**FIGURE 256**

TGGGGATCCTTGGACCTTGGACCCAGGNGTCCGTGGACGCTTGGTAGAAAGATGGCGGAGCAA  
GAGCAAGGAAAAATCCCTNTGGTTCCAGAAAATCTCCTGAAAAAGAGGAAGGTTTATCAAGCC  
CTCAAAGCCACCCAGGCAAAGCAGGCACCTTTTGGCAAAGAAGGAGCAGAAGAAAGGAAAAGGG  
NTCAGGTTTAAGCGANTGGAATCATTCCTACATGATTCCTGGCGGCAGAAACGTGACAAGGTG  
CGTCTCAGACGACTAGAAGTGAAACCTCATGCCTTGGAATTGCCAGATAAACATTCCTTGGCC  
TTTGTTGTACGCATCGAAAGGATTGATGGCGTGAGTTTANTGGTGCAGAGAACCATTGCAAGA  
CTTNGCCTAAAGAAAATTTTGTAGTGGTGTCTTTGTAAAAGTCACCCCCCAGAATCTAAAAATG  
CTGNGTATAGTGGAACCTTATGTGACCTGGGGATTTCCAAATNTGAAGTNTGTCCGNGAANTC  
ATTTTGAAACGTGG

257/562

**FIGURE 257**

TGGCCAGAATGTGAATGTATTGAATGGAGTGAGAGAAGAAATGNTGTGGCATCTNTTGTNGCA  
GGTATATTGTTTTTTACNNGGCTGGTGGATAATGATTGATGCAGCTGTGGTGTATCCTAAGCCA  
GAACAGTTGAACCATGCCTTTCACACATGTGGTGTATTTTCCACANTGGCTTTCCTCATGATA  
AATGNTGTATCCAATGCTCAGGTGAGAGGTGATAGNTATGAAAGCGGCTGTTTAGGAAGAACA  
GGTGCTCGAGTTTGGNTTTCATTGGNTTCATGTTGATGTTTGGGTCAC

258/562

**FIGURE 258**

ATCATATGGGCACAAATNTGGTGTCCTTTATGGNGAAAACCTCAAGTAAAAGTTTTATT CNTG  
CCTTTGAAAATGGTTCCAAAAGTAGACCCTGTCCCCACACAGGTCAAGACNACAGAGAAGGCT  
TTGTAGAAATGTGTCACCTATGTACACCTGNTACTTACACATTTCTCTTTTGGAAAAATGAG  
NTANTTAGAATNACAAGAAAATTAAGACATACTGGCCTGGTGCCAGCAGATGGCTTTTCTATA  
GACAACTAGGTTAGTGTGGAAGATATNGGTTAAAATAAACTATGCTGTTTTATTTATCTTCC  
CAACCTGATTGGCAGNTAGACTTTTTTAGGGTCTCATTTAATGGCCCTGTTTTTTTCATTATT  
ATATTTAATGNTAGGGCAGGATTTNGTATGCAAGCTCTTGTTTNTCAGGNTGCCTGCAGAAGA  
AGTCGCTATAAATTATCTGTTGTCTACATGGTACAAGGCCCAT TGANTCATCTGATGCTTGTT  
TTGTTAATTTCTTTAATATTTTTATCACGGGGCAGTGGGAG

259/562

**FIGURE 259**

AATGGCGGTGNTACAGTGTCTGGANTTNGTCGNTGATGCTTGCTCTGTCAAGGCACAGCCT  
ATTGTCTCCTTTGCTCAGTGTGACATCATTCAGACGCTTTTACAGAGGTGACAGCCCAACAGA  
TTCCCAAAAGGACATGATTGAAATCCCTTTGCCTCCATGGCAGGAGAGAANTGATGAATCCAT  
NGAAACCAAAAGAGCCCGCCTGNTCTATGAGAGCAGAAAGAGGGGAATNTTGGAAAAGTGCCA  
GGTAGTGGAGTAAAAAAGGNGACAGTTTATTTTTTTTATTCTATGTGCACANTTACAGTATACA  
TATATATTTATATCACAATTTACGAAACCAAAAAGTTGAGTTTCCAATGGAACCCTTGTTTTT  
TAATAATNGACTTTTTTAAATGTGATCAAGACTATAATATTGTACAGTTATTATAGGGCTTTTG  
GGGAAGGGGAGGATAGCGAGAAGATGCTCTGGGGGTTTTGTTTTTGCTTTTCCTTCAGGGTTT  
TATTTTTGANTGTTTTGTTTTCTTGTTGGCC

260/562

**FIGURE 260**

TGGATTTATANTTTTCTTCTATGTAGTTACTATAAAAGTGTGCTGGATTGACCAATCCTTAC  
CCCCANTATAAAGAGAACCCGTGATGACTTTAGTTTAAAAATTGTGGAAATTGTGGAGCAATT  
TTTCTCACAAATGTGAGAAAAATTNTAAACCATATTAGATAATGTGGAAGTCATATTGTCTATC  
ATATATACTGCCATTTAAAAATAGGTTTTTAAAANTTAGNTAAGTCTTAAGTAATTTGCCGTT  
GNTAATAATTTTATCTCCTTGAGTCGGTTGTTGGGGAGAGATGTTATATTCAATAATTTTGTAG  
TTATTTTGTAAATGCAGAGTGTTTATTCATTTACAGTTNTGCAATGGATGTAGTANTTTGGGA  
TTGCCCTGTCCAGAAAANTTTCAGGTACACACCTTTAAAGGNAAATGTTTNTATNTCAGATGA  
AACATGTAATTTGGGATGGTTCTTCCTTTGTCANTTAAAGGNAGNTAGGAAAAGTCTCTTACC  
CACTTTAAACATGAG

261/562

**FIGURE 261**

TCTGTGGTCAACGGGGTCATCTTTAAATGNTTGGCCGTGNTTGCCCTGTCATCCCACNTGAGA  
ACCATGCTCACCGACCCTGGGGCAGTACCCAAAGGAAANGNTACGAAAGAATACATGGAGAGC  
TTGCAGCTGAAGCCCGGGGAANTCATTTACAAGTGCCCCAAGTGNTGCTGTATTAAACCCGAG  
NGGGCCCACCANTGCAGTATTTGCAAAAGATGTATTNGGAAAATGGATCATCANTGCCCCGTGG  
GTGAACAATTGTGTAGGAGAAAAGAATCAAAGATTTTTTGTGNTCTTCANTATGTATATAGCT  
CTGTCTTCAGTCCATGNTCTGATCCTTTGTGGATTTCAGTTCATNTCCTGTGTCCGAGGGCAG  
TNGANTGAATGCAGTGATTTTTTCACCTCC

262/562

**FIGURE 262**

CATTCTGAACCACTTAATCCTCTNTTGACAACANTNGTAGAACAGAATCCTGAAGATATGGG  
NGACCTATACCTAGATGTTGCTGAAGCTTTTCTGGATGTTGGTGAATATAATTCTGCACTTCC  
CCTCCTCAGTGCTCTTGTTGCTCTGAAAGATACAACCTTGCAGTAGTTTGGCTTNGTCATGC  
AGAATGTTTAAAGGCCTTAGGNTATATGGAGCGAGCTGCTGAAAGCTATGGCAAGGTGGTTGA  
TCTGGCCCCANTCCATTTGGATGCAAGGATTTCACTTTCTACCCTTCAGCAGCAGCTGGGCCA  
GCCTGAGAAAGCTNTGGAAGCTCTGGAACCAATGTATGATCCAGATACTTTAGCACAGGATGC  
AAATGCTGCACAGCAGGAANTGAAGTTATTGNTTCATCGTTCTACTCTGTTGTTTTACAAGG  
CAAAATGTATGGTTATGTGGATACCTTACTTACTATGTTAGCCATGCTTTTAAAGGTAGCAAT  
GAATCGAGC

263/562

**FIGURE 263**

TTGAGACCTGGATGAACAAATTTATATCCTTTCCTTNGAGGAAGAAGCACTCCAGAGACGANT  
AAATGGGNTGTCTTCATCGGTGGAATACAACATAATGGAGTTGGAACAGAACTTGAAAATGTA  
AAGACTCTTAAGACAAAATTAGAGAGGGCGAAAAAAGGCTTCAGCATGGGAAAGAAATTTGGTG  
TATCCCGCTGTTATGGTTCTCCTTCTTATTGAGACATCCATCTCGGTCCTCTTGGTGGCTTGT  
AATATTCTTTGCCTATTGGTTGATGAAACAGCAATGCCAAAAGGAACAAGGGGGCCTGGAATA  
GGAAATGCCTCTCTTTCTACGTTTGGTTTTGTGGGAGCTGCGCTTGAAATCATTTTGATTTTC  
TATCTTATGGTGTCTCTGTGTCGGCTTCTATAGCCTTCGATTTTTTGGAACTTTACTCCC  
AAGAAAGATGACACAACATATGACAAAGATCATTGGAAATTGTGTGTCCATCTTGGTTTTGAGC  
TCTGCTCTGCCTGTGATGTCGAGAACACTGGGAATCACTAGATTTGATCTACTTGGCGACTTT  
GGAAGGTTTAATTGGCTGGGAAATTTCTATATTGTATTATCCTACAATTTGCTTTTTGCTATT  
GTGACAACATTGTGTCTGGT



264/562

**FIGURE 264**

TTTTTTTGGTAGAGATGGGGTTTCGCCATGTTGCCCAAGCTGTTCTTGAAC TCCCGGGCTCAA  
GTGATCCGCCTCCCTNGGCCTCCCAGAGTGCTGGGATTACAGNCACGGACCACCATGCCCAGC  
CTCCACATCTTTTTTTGCACTGTGTATACTCTTNTGAGACATGCCAACTTCCTCCAGGTCAAG  
AAAGGGGTATATAGCTCTCAGCTTCACTCTTTCAGGGCTGATGTGCGCCTTTGCCTTTTCTCAC  
TTCAC TGACCTGTCTATTCCTACA ACTGTCTCTTCTAGAGAAGCCTCAATGATCAGGATTGA  
CAGGCCACACTCTCCCCCACCATTTTTTTCTCCTCCTTCAAGCCTCTTGTCTGTTTCACCCTC  
TTCCACCTTGAGAGGCTGAGGTCTTATTTGACTCTTCACCTGAATTGACCTTCTTCCTTCCCAC

265/562

**FIGURE 265**

TGAGATCTTTTCTCTAATTNTCAGAAGTGTTCAATGNTATTAATTCATTATTTCTCCTCT  
CTGNTTTTTTTTAATTCCTGTCTGGGGAATCCTGTTATCCTGATATGAGCACTCTACTTCT  
ATTCTCCATAGCACTTAGCTCCTTTAAAAATATTCTCTTTGTTCTCTACTTCTGCCTTCTGGG  
AGAGTTTCTCAG

266/562

**FIGURE 266**

TTTTTTTTTCAAGTCTTGATTTGTGGCTTACCTCAAGTTACCATTTTTCAGTCAAGTCTGTTT  
GTTTGCTTCTTCAGAAATGTTTTTTACAATNTCAAGAAAAATATGTCCCAGAAATTGAGTTT  
ANTGTTGCTTGTATTTGGANTCATTGTTGGGGATTGATGTTANTGCACTATACTTTCAACAACC  
AAGACATCAAAGCAGTGTCAAGTTACGTGAGCAAATACTAGANTTAAGCAAAGATATGTAA  
AGCTNTAGCAGAGGAAAATAAGAACACAGTGGATGTCGAGAACGGTGCT

267/562

**FIGURE 267**

GGGCCCAGATTGCGAAATTGAGGCNCCAAGGCGGCCGAGACGGACTGAAGCATTTCAAGGNTC  
CGGNGGGTTCCCATGATTTGAACGGAGTCGTTTCCCCTAATGGGTGTTTTGACCCCCATCCCG  
GTGCTNANGTGGTTTTTCCCCATNATCGGCCAACATGGGCATTTGAAATCCACAGGNGTCATT  
GGGANTTNGCGGGCCCCCTAATTTGTTTCAGACAGGCCGGGAGGGCAGTNTGGCCAGAAGGATT  
CTTAAGTAACTGACCCAGCCCTTTGCCCCACCCTTGGGGTACCGAGACATGGGTAGGGATTA  
GAGGCAAGAGTGGAGAGTCAGACCATCCAGGAACCACATNTTTGGACCTTCAGAAGGAGGACA  
ACATGGCCTTTGGAAAGCCTGCCAAGTACTGGAAGTTGGACCCTGNTCAGGTNTATGCTAGCG  
GGCCCAANGCATGGGACACGGCTNTGCANGACGCCTNTGAGGAGTACAAGCACCGCATGCACA  
ATNTNTGCTGTGACAAATNCCANTNGCANGTGGCATTGGCCCTGAATCTGATGCGNTACAACA  
ACAGCACCAANTGGAATATGGTGACGCTCTGCTTCTTCTGCCTGCTNTACGGGAAGTACGTCA  
GCGTTGGGGCCTTNGTGAAGACCTGGCTGCCCTTCATCCTTCTCCTGGGCATCATCAGCGGCC  
GCCGTAA

268/562

**FIGURE 268**

GAATCTGTTTCCAAAAAAAAAAGCTTTAAGAAGTCTTTAGATTTACAGNTAAGCATATTCTAA  
ATACTATGTGATGAATTATTTCTCTTATGTTAAAAAAATATTAATTTGGACCCAANTATGAC  
TGTGGGTATTCTGCCCAGGGAAGAAGAGCTAGGAGGTTTAAACCTTACCTTGGANTTGCTGCT  
TTGTTTTCTATGCCTTCTTGACAGAAGGATTTATTTCACTTCCGAAATATTAGCCATAATGCCC

269/562

**FIGURE 269**

CACTAGGAAAAATTGAAATNCTATTGGAAATTNTTTTGGCCACAAAGGTAAATAGGTNTACCA  
GGGGAAACAGGCATCAAGAAAATTGCCCCAATTTTTTAAAACAATAGGGTTATTTGAGTAGTTG  
AGTTTAAGAAATGAAAACCACAAATTTTGGTGGAACCTAAACACCACAGTCTATTTGTGTGTA  
ATTTCTCAGGNTTTATTATAGTTCATGATAAAATCAATTTTCCATGTCTANTTTGTTTTTCTT  
CAACAAGTGATCTATCTTTTACAAAAGGGAATATTTTGCTGGAGAAATGCTCATTGTTTCCCT  
TCTGTATGTCTTTGAGGGTAATGCTAAAAGCAAGCTCAAATTTCAAATATGTTATTTTTAAA  
ATATTTTATATAGGATTTGTTAAANTTATAGTTTTCAAGGATTGTCTTTTGTTTCTTTGGATT  
CTGATTAAGTGATTTTTTAATGTATTCCTTTAAAAATATTTATTGGCACATTGTATTTGTACAT  
ATTGATGGGATAAAATTGATGCTTCTGTACATATATATTTGGCATAATCATCAAATTTGGGTA  
TTTAGCTTATTCATCACCTCATTCATTTATCATTTCTTTATGGTGAGAACATTCAAAGTCTC  
TCTTCCAGCTATTTTATAATATATTATAC

270/562

**FIGURE 270**

TTCGGAAGAAGCACCTCAGAGGGATTAAGCTCCTGAGAATGTTACCTGCANTATACCTGATGG  
CGTGCCAATAGATATCACAGTGAAGTTGATGGTCTTCCCTTGNACATNTCAACATTNTTGAAC  
CACTTAATCCTCTNTTGACAACACTAGTAGAACAGAATCCTGAAGATATGGGAGACCTATACC  
TAGATGTTGCTGAAGCTTTTCTGGATGTTGGTGAATATAATTCTGCACTTCCCCCTCCTCAGTG  
CTCTTGTTTGCTCTGAAAGATACAACCTTGCAGTAGTTTGGCTTCGTCATGCAGAATGTTTAA  
AGGCCTTAGGCTATATGGAGCGAGCTGCTGAAAGCTATGGCAAGGTGGTTGATCTGGCCCCAN  
TCCATTTGGATGCAAGGATTTCACTTTCTACCCTTCAGCAGCAGCTGGGCCAGCCTGAGAAAG  
CTCTGGAAGCTCTGGAACCAATGTATGATCCAGATACTTTAGCACAGGATGCAAATGCTGCAC  
AGCAGGAANTGAAGTTATTGCTTCATCGTTCTACTCTGTTGTTTTCACAAAGGCAAAATGTATG  
GTTATGTGGATACCTTACTTACTATGTTAGCCATGCTTTTAAAGGTAGCAATGAATCGAGC

271/562

**FIGURE 271**

TGGTTTTTGCCCCATAAATTCCTCAGCTTGAGCAGTTTGTTAAGGAATGAGGTTACAGATTC  
AGGAATTNTAGGNCCTCAACCTNTAGANTTTGTCCCAAATGTTCTCCGACATGCAGTAGATGG  
GAGACAAGAGGAGATTCTGTGGTCATCGCTGCATNTGAAGACAGGCTTGGGGGGGCCATTGC  
AGCTATAAACAGCATTCAGCACAACTCGNTCCAATGTGATTTTCTACATTGTTACTCTCAA  
CAATACAGCAGACCATNTCCGGTCCTGGNTCAACAGTGATTCCCTGAAAAGCATCAGATACAA  
AATTGTCAATTTTGACCCTAAACTTTTGGAAGGAAAAGTAAAGGAGGATCCTGACCAGGGGGA  
ATCCATGAAACCTTTAACCTTTGCAAGGTTCTACTTGCCAATTCTGGTTCCCAGCGCAAAGAA  
GGCCATATACATGGATGATGATGTAATTGTGCAAGGTGATATTCTTGCCCTTTACAATACAGC  
ACTGAAGCCAGGACATGCAGCTGCATTTTCAGAAGATTGTGATTCAGCCTCTACTAAAGTTGT  
CATCCGTGGAGCAGGAAA



272/562

**FIGURE 272**

CCGGAAACCATGAGGTAATGCCNCAATGGCATATTGTAAATGTCATTTTAAACATTGGTAGGC  
CTTGGACATGATGCTGNATTACNTCTCTTTAAAATGACACCCTTCCTTCGCCTGTTGGTGCTG  
GCCCTTGGGGAGCTGGAGCCCAGCATGCTGGGGAGTGCGGTCAGCTCCACACAGTAGTCCCCA  
CGTGGCCCACTCCCGGGCCCAGGCTGCTTTCCGTGCTTCAGTTCTGTCCAAGCCATCAGCTC  
CTTGGGACTGATGAACAGAGTCAGAAGCCCAAAGGAATTGCACTGTGGCAGCATCAGACGTAC  
TCGTCATAAGTGAGAGGCGTGTTGACTGATTGACCCAGCGCTTTGGAAATAAATGGCAGTG  
CTTTGTTCACTTAAAGGGACCAAGCTAAATTTGTATTGGTTCATGTAGTGAAGTCAAACGTGT  
ATTCAGAGATGTTTAATGCATATTTAACTTATTTAATGTATTTTCATCTCATGTTTTCTTATTG  
TCACAAGAGTACAGTTAATGCTGCGTGCTGCTGAACTCTGTTGGGTGAACTGGTATTGCTGCT  
GGAGGGCTGTGGGCTCCTCTGTCTCTGGAGAGTCTGGTCATGTGGAGGG

273/562

**FIGURE 273**

TGAAGTTGAATTGAATGATATGAGGNTTTTCTTTCCCAAGGTCNACCAGGACCAAGATTNTTT  
TATAGTTATAAGCCTTGAAAGAAATTCTTGCAAGGTGTTGGACNCTTACTNAAGCAGAGAAGA  
TGTCTTTTGAAACTCAGAAACGAACCTTGGTACAGAAAATCAGTATTTAAGGCCCAGAACTTA  
TTGAAAGCGCAATGTACTTCTACCGTGCCACGGGGGATCCCACNTCCTAGAACTCGGAAGAG  
ATGCTGTGGAATCCATTGAAAAAATCAGCAAGGTGGAGTGC GGATTGCAACAATCAAAGATC  
TGCGAGACCACAAGCTGGACAACCGCATGGAGTCGTTCTTCCTGGCCGAGACTGTGAAATACC  
TCTACCTCCTGTTTGACCCAACCAACTTCATCCACAACAATGGGTCCACCTTCGACGCGGTGA  
TCACCCCCTATGGGGAGTGCATCCTGGGGGCTGGGGGGTACATCTTCAACACAGAAGCTCACC  
CCATCGACCCTGCCGCCCTGCACTGCTGCCAGAGGCTGAAGGAAGAGCAGTGGGAGGTGGAGG  
ACTTGATGAGGGAATTCTACTCTCTCAAACGGAGCAGGTCGAAATTTAGAAAAACACTGTTA  
GTTTCGGG

274/562

**FIGURE 274**

TATGGGCATAGAAAACCCTGGAAAGNCCCATCCACCATTATATATAGAGTGATTGTCTNTGCT  
TGNTGAGCTAACAGGGGTGTCAAGCTTCCATTTTGGTATCTACTTCTAAATACACTCAGACCA  
GGAGAAATTTGGACTAATTTTCAAACACAGACACTTTCTAATCATGATGCATTTCAAAAGTG  
GACTCGAATTAAGTGAAGTTGCAAAACATGACAGTGCCCGAGGATGATAACATTAGCAATGACT  
CCAATGATTTACCGAAGTAGAAAATGGTCAGATAAATAGCAAGTTTATTTCTGATCGTGAAA  
GTAGAAGAAGTCTCACAAACAGCCATTTGGAAAAAAGAAGTGTGATGAGTATATTCCAGGTA  
CAACCTCCTTAGGCATGTCTGTTTTTAACCTAAGCAACGCCATTATGGGCAGTGGGATTTTGG  
GACTCGCCTTTGCCCTGGCAAACACTGGAATCCTACTTTTTCTGGTACTTTTGACTTCAGTGA  
CATTGCTGTCTATATATTCAATAAACCTCCTATTGATCTGTTCAAAGAAACAGGCTGCATGG  
TGTATGAAAAGCTGGGGGAACAAGTCTTTGGCACCACAGGGAAGTTCGTAATCTTTGGAGCCA  
CCTCTCTACAGAACACTGGAGCAATGCTGAGCTACCTCTTCATCGTAAAAAATGAACTACCCT  
CTGC

275/562

**FIGURE 275**

TGGGACACGGGTACCCCAAGNGCAGCGCTGGCAAGGCCTTCATGATNTCGGTGTGCTCTACG  
TGACCAATTCCCACCTGGNTGGGGCAAGGTCTACTTCGCCTATTTTACCAACACGTCCAGTTA  
GAGTACACGNACGTGCCCTTCCACAACCAGTATTTCCACATCTCGATGCTGGATTACAACCCC  
CGGGAGCGCGCCCTCTATACCTGGAACAACGGCCACCAGGTGCTCTACAATGTCACCCTGTTT  
CACGTCATCAGCACCTCTGGGGACCCCTGAGCCAATGCTGTGGCTCGGGCTGCTGCCTGGGGG  
GCCTCCGGGGGCTGGGGGCCCTTTTCATTCTGCCTGTGTCCCTCAAGGGTGATCTCTCTGTCT  
CTGTACAGCCCTTTCTCCCCGCCTTTTGTCTGGGCTTTTGTCTCTGCCTATGTATTTCTGTC  
TATTTTTTCAATTTCCCCTCTTCTCCTTTATTGATCTCTGCTTTTAATACACCATTCTTTCT  
TTCTGCCTTTTTATGGATGTCTTTTTCTTTTTATGGCTCTGGTTCTCCAGTTCTTTCCGTCTC  
TGCCTCTCTCTGTCTCTCTCTCTGTCTTCCACCCCTCCCTCCTTGCCTCCC

276/562

**FIGURE 276**

CGAANGCGTGGGTGTGCATCCGGGTGTNTGAAGGCTGTGCCCCTTTGTTTCTTGGCTAAAAT  
CGGGGGANTNAGGCGGGCCGGCNCGGCGCGACACCGGGCTCCGGAACCACTGCACGACGGGGN  
TGGACTGACCTGAAAAAATGTCTGGATTTCTAGAGGGCTTGAGATGCTCAGAATGCATTGAC  
TGGGGGGAAAAGCGCAATACTATTGCTTCCATTGCTGCTGGTGTACTATTTTTTACAGGCTGG  
TGGATTATCATAGATGCAGCTGTTATTTATCCCACCATGAAAGATTTCAACCACTCATACCAT  
GCCTGTGGTGTATAGCAACCATAGCCTTCCTAATGATTAATGCAGTATCGAATGGACAAGTC  
CGAGGTGATAGTTACAGTGAAGGTTGTCTGGGTCAAACAGGTGCTCGCATTTGGCTTTTCGTT  
GGTTTCATGTTGGCCTTTGGATCTCTGATTGCATCTATGTGGATTCTTTTTGGAGGTTATGTT  
GCTAAAGAAAAGACATAGTATACCCTGGAATTGCTGTATTTTTCCAGAATGCCTTCATCTTT  
AAT

277/562

**FIGURE 277**

AGTTTCCTTTAAATTGGGGTNGGGGTGTTAAGCNCTGAAAATATCTTTCNTGATTACTTTACC  
ATGTGGACATATGGGATAAAATACTGTATTTTCAGATTTACATAAAAGTAGATTAGTAATGCNCA  
GCTTTCAGAATAAAAACTGATAAAAAAGACCAAGCACTATCAACTTTGGACAGTAATTTCTTA  
GGTGTTAAACAAGTTTTCTGAATACAATCTGGATGCAAAACGGCCTGATTTGATGAATTCATA  
ATTTTCTTCTGNANACTTTCATTTTATTAAATATTTTATTACTTGGTTAAACNCNAGAATTAT  
CTATGTAAACTTCATGGGNTTTTTTGTGAAAGTTAGATGTTTCAGTAACTAATTTCCCAGTTA  
TGGCCCAGAATTAAACATTTATGATCATATTTTCAGAAGTCAAAATNCAAACTGGATTATCAA  
AACGGTTGGTGTGGTCNCTTTAAACTGGACTATCAGTATGGTTGCCGTGGTCACTTTAANCGG  
GATTATCAGTACGGTTGGTGTGGTCACTTTGGTTTATCATCAATACAGTTGGTGTGGTCACTT  
TAAACTGGATTACCNATATGGTTGGTGTGGTCGCTTTAAAGTTTGNTTTCATTTTTTTCTATT  
TTTAATTNTTAC

278/562

**FIGURE 278**

TTGGTTTTTCTGTTCTGNGTTAGTTTGCTGACTTAAGAGGATACAGACTTGAGGTATAATTT  
GTCTTAGTCAGTTTTGTGTTGCTATAACAGAATACCTGAGACTAGGTAATTTATAAAAAATAAA  
GTTTATTTGGCTCATGATTNTGGAGCTGGAAAGTCNAGATTGGGCAGCCCATATGATGAGGGT  
TGCACACTTNTTCNATTTATGGCAGAAAGTGGAANGGAAGCAGGTGTGTCCAAANAGACATG  
CAGGAGAGGTTGGAGTCANTGCTCTCTCAGGAANTAATTCATTCTNTAGAGAGTGAGAACTCA  
CTTAACNTTGCNAGAGGGCATTAAATCTATTCACCCATGAAACNAACACCCCTNCAGTAGACTC  
CACCATTTAACACTGCCATATTGGGAATCAAATTTCAACATGAGTTTTGGCANGGG

279/562

**FIGURE 279**

CCTTTGGAACTGGGATTAATGTATGCTCTAGATCCATTTATTAGAAATGCAAAAATACTACA  
ATTTTTTGATGGATGAAAATACTCCTGTAACACAAACAGAGAACTGGAGGAACTGAAGAATAA  
CTCACTCATATAGNTCTGCCTCATTCTGTGTGTGTGTGCATGTGTGTGTTANCAGAGGTATTT  
TACTCAGAAAATAGGTTTCAAAGAACATTAATGACTTTCTTTTCCCTTTTANGTNTGNTTAAT  
CAGTTAACTGNTATGGGAAAAGTTTTATAGAACTATATAACCTGAATGTTGGTCTCTTTGNA  
CACATNTTTTNTATGACTGC



280/562

**FIGURE 280**

TGTGGTCCTAATATCATAGATCACTTTANATGTGATTTGTTTCAGTTGTTGACACTTGCCTGC  
ACGGACACCCACATCCTGGGCCTTTTAGTTACCCTCAACAGTGGGATGATGTGTGTGGCCATC  
TTTCTTATNTTAANTGNGTCCTACACGGTCATCCTANGCTCCCTGAAGTTTTACAGCTTTAAA  
NGGCGGCACAAAGCCCTNTNTACCTGCAGNTNCCACCTCACGGTGGTTGTANTGTTCTTTGTCCC

281/562

**FIGURE 281**

TGGTTCAGGTCACCATCCTTAGCNTCAAATTCATAAAATGGTTGCTTCTACCTCCAGCCTGA  
TATCCTTGTGATGGGCAGGCAGAACCCAGGGCTNTAAGGAAAGGAGCCAGCACCTGTATCAAGA  
AGCCAAAGCCTTCCCTGAAATCTTTAGCAGACGTCTGCTTGTGACTATTTGGCTAGAACTTTG  
TGACATGGCCACTCCNTGCTGCAAGGACATTTACAGTTTTTCAGTTGGGCCCATTTGCCACCCT  
GAGCAAAGGGTCNATAAGGAAGAAGACGGAGAGTGGACATGTTGGGCATTCACCTGCCAGCAC  
TCCATCCAGACAGCCNCANAANTGGTGGGTAAACAGAGACAGCATACATTCACCTTATCAACTG  
TTTAGTAAATTCCTGGCATGGGCA

282/562

**FIGURE 282**

AGCCCAGATCCAGGAACCATTCCTATTTTCAGGATTTTGAATGCAAAACCTTACCTTNTTACTCT  
AAAGATGAATGTCAGGGAGAGATTTATTCAACCCTGAGATTTTTCAGTCTCCTTCAGAGTCA  
CAGAATAGATTAAGGCCTGATGATACTCAAAGGCCTGGGAAAACCTGATGNCAAAGAATTTTCA  
GTGCCCTGGCACCTCATTGCAGTGACTNNTGGGATCCTCTGNTTACTTCTTCTGATGATAGTC  
NCAGTGTTGGTGACAAATATCTTTCAGTGNATTCNAGAAAAACATCAACGGCAGGAAATTTTA  
AGAAACTGTAGTGAAAAGTACNTCATGCAAATGNCNACTACTTAAANAGCAGATTTTGACA  
AATAAGACTTTAAAATATGACGTTNTCAAAAATAGCTTTCAGCAGAAAAAGGAACTGGATTCA  
CGCCTTATACNAAAGAACAGATGTCATAGAGAAAATGAGATCATTTTTAAAGTTTTGCAAAT  
ACAGGCAAATT

283/562

**FIGURE 283**

AGGAATGACCTTCCTCAGGGGGCTGAGGATACCCACAGGCCTCCTTTCTCTCCAGCTCCAGG  
GTTTGACTATGCACCTATTTAGGGGCTGCTTGCTCAAGGGAGAGAGGTACAGGAGGTGGTCTG  
GGAAAAACAAAATTGATCTTCCTATCAATTGTATTTTTGTTTAGCGGAATCTATACACACCCA  
TTTCTTTGGATATTATTTCCAGTTACTCCAGCTAATCCAAATAATGATATTTGCCCTCAGTTA  
AGAACAGATTTTATTTTTAGGAACAGAAGTCTAGTAGCAGTTTTGCTTTTTATTAACGTTTTA  
AGGAACATTTACCTTAGATATCATGATTCTTGGGCATTTGCAAAATGCAGTCAATATCAAACA  
GCAATGGTTGCTTGTTTTATGATCGGTCAGAATTTGTCCCTTATATTAATTTTCAG

284/562

**FIGURE 284**

GCCCCGAGTTTCTGTCGCAGGTTGCGAGGAAAGGCCCTAGGCTGGGTCTGGGTGCTTGGCGG  
CGGCGGCTTCCTCCCCGCTNGTCCTCCCCGGGCCCAGAGGCACCTCGGCTTCAGTCATGCTGA  
GCAGAGTATGGAAGCACCTGACTACGAAGTGCTATCCGTGCGAGAACAGCTATTCCACGAGAG  
GATCCGCGAGTGTATTATATCAACACTTCTGTTTGCAACACTGTACATCCTCTGCCACATCTT  
CCTGACCCGCTTCAAGAAGCCTGCTGAGTTCACCACAGTGGATGATGAAGATGCCACCGTCAA  
CAAGATTGCGCTCGAGCTGTGCACCTTTACCCTGGCAATTGCCCTGGGTGCTGTCCTGCTCCT  
GCCCTTCTCCATCATCAGCAATGAGGTGCTGCTCTCCCTGCCTCGGAACACTACTACATCCAGTG  
GCTCAACGGCTCCCTCATCCATGGCCTCTGGAACCTTGTTTTTCTCTTCTCCAAC

285/562

**FIGURE 285**

ATTTAGATTTGNATCTCTTCCCATCAATCATGAATACATAAGGTAATATTTTATAGTTGGAAA  
GCATTGCTTAATATATTGAATCAATAAAAATATTGATTTTCATATATTTAATTTTTATAATCTT  
TACAGATTACAATACTGTGATGAGACTGTTCCCTGTAACCTTTTGATCCACACACAGAATTTCTT  
GGTCCTCAGAAGAAAACAGAACAAGTCCAAAGAGACATTGGATTTTGGTGTCCAAGGCATCTT  
AAGACTTCTGGGGGACAAGGATATAAGTTTCTGGGAATTGACCAGTGTGCGCCTCCATGCCCC  
AACATGTATTTTAAAAGTGATGAGCTAGAGTTTGCAAAAAGTTTATTGGAACAGTTTCAATA  
TTTTGTCTTTGTGCAACTCTGTTTACATTCCTTACTTTTTTAATTGATGTTAGAAGATTCAGA  
TACCCAGAGAGACCAATTATATATTACTCTGTCTGTTACAGCATTGTATCTCTTATGTACTTC  
ATTGGATTTTGTAGGCGATAGCACAGCCTGCAATAAGGCAGATGAGAAGCTAGAAGCTTGG

286/562

**FIGURE 286**

CGTTAANACGAGCCTGCCAGTAAATGTAGCCATCATGTTTCAGTAANGGCCTTGCAAAACAGAT  
TACCCCTTCACCTTTTCACTTAATTGTCTACCTATGAATCATTAAATGNTTTGGTTTGNTTTTA  
ATTCTGTGATAGGTAGGAAAGGATGGAACCTCCTGGCAGACTAGTGTTANAAAGTTTTNGAAG  
CAGGGTGAGTCTTGTACCTTTGNGGTCCTGTNTCACAGACACCTGTNTANTCCCTGACCCTTT  
TAAATGGTAACTTTNTGCCTGTAGGAAATCTTCCCTTTGTGCTTAGGTCTTTTTCNTCTGTGA  
GCTTTAGATAAACNACCTAGTGTTTAACTTTTAAATAAGGGATTCATTTTTTAANACATGAG  
AATTCATTTCAAAANTTTGGNTTTAGNTATTTANTTTANTCTACNTGGNTCTTTTTCAGACAG  
ATGTTCTCTCCTGGATTGTAAAAGTCGAATTCAAAGGATTTTANTTGNAATANACTTAACCT  
TTCTCTTGTAAGNTGCCATNTGTGTANANACAGCTTTGANTGCCTGACAAGAGGAAAATGTTT  
CCC

287/562

**FIGURE 287**

AACTGTCTTTAATGGCCCAGTTTTACCAGGGCTTGTTGTNTAAGGACATTAAGTGTGCTCCC  
CTCAGGGATGGGTTTANTACTAGCTGTCAGAAAGCTATTGGGTATCCTAATGTGTTAATAGCT  
GAAACTCAGCTGTAATTTCTCCTAAATACTTCAGCATTTTGCATTCTGTACANTGTGGTGCTT  
TTTCCNCCTTGTANTGTTCTAACTGTAAGCTCCTAGGGGGCAGCAATTTGGATAAATCTTTTG  
GTAAGTAGTTNTCAATAAAATATCTTCCCTCCCCATACCCCTACCCGAAATNTTATANTGNTC  
TTTACAAAACCTTTGGTCAAGAGTAGAAATATATCCAGGCAGATGTATATGCCATACAATAGCA  
AGAACAGTAAAGCCCACTAATGATTTTGAGTTTTTAAAAATAGAAGGCNATTAAAATGNACTC  
AAAGTTACATTAAGAAAAGCTTTCACGGGGGTAAATATTGAAACAGTCACAAAGGTTAAGAAAA  
TACTGATAGCAGTTTTTGTCTATTTTAACATTGTAGTCATTTGTACTTTGAT



288/562

**FIGURE 288**

GGATTTTCGTAAGTAGTTTAGAGATAGTCACATTTTAAAAATTTAAGATCAAGCAAATGAAGC  
TTATTTTTANGTATTCATAGTATAAAAGACCTTCAGTAAATAGGTAATANTTTTGTTTTATTC  
TAGAAAACAGCTCCTTGAACACAGTGAGCTGGCTTTTCACACATTGCAGTTGTTAGTGTTTAC  
TGCCCTTGCCATTTTAATTATGAGGNTAAAGATGTTTTTGACACCGCACATGTGTGTTATGGN  
TTCCNTGATANGCTNTNGACAGCTNTTTGGCTGGNTTTTNGCANAGTTNGTTTTGANAAGGT  
TATCTTTGGCATTTTAACAGTGATGTCAATACAAGGTTATGCAAACCTCCGTAATCAATGGAG  
CATAATAGGAGAATTTAATAATTTGCCTCAGGAAGAACTTTTACAGTGGATCAAATACAGTAC  
CACATCAGATGCTGTNTTTGCAGGTGCCATGCCTACAATGGCAAGCATCAAGCTGTTTACACT  
TNATCCCATTGTGAATNATCCACATTACGAAGATGCAGACTTGAGGGGTNGGACAAAAATAGT  
TTATTTTACATATAGTNGAAAATNTGC

289/562

**FIGURE 289**

TCCCTTAATTCCATAGACCCCGAAGGGGGTTTCCCGGGTTGGAATCCATTAAATCCGGGCCAG  
GGCTTGNTCCCGTGGTTTAGGATTGGGGGTTANAAATAAAAANTCAGGTNTATTTNTTACCAG  
TCAGTACNATTTTTTAAAGAATGTACTTGGTATATAATATATGGACTTCAGGAACCTTTATTGGG  
GTGGGGGGTTAATTTTGCCTTACCCTGTTCACTTTCANATGATTAGGCTTTTGCACCTTAGAA  
TGAGAAACTTGTGACGTTAGTGTGTTCTTACTAGCTTTAATTTGTANGTAGCAATGAATTGTG  
AATCTTAGTGCAGTGGGTTTTTTTTAAAAAACTCAAAAAGCTGGGAATTAAGTGGTTTCAGTAA  
TAATGNTATACCGAGGTGCTTGCATTGTATTTTCATAATTTTGNTACAAACCNAATTATTTTT  
AATGAGAACAGTNTTGGGTTCANAGGTGTGATGCCAGAATGTATTTTCGTACTGTTAGGCCCT  
TGGAACAGATATCGGTGCTTTTTTGAAAGATGAAAGAAATGCNATGGGTGCTNTTCANGCAAGG  
TTGCAAACCTACCAAGAATGCATAATAGTNTCACTTTTCCCCAATAAANAGATGNGTGTGACT  
AGTTTTGGACTTTTAACTTAATGGGGGTGTCATGTNTCCTANTGTTAATCATTGTCAGCTGC  
AGTGACATGATCCACAGTNC

290/562

**FIGURE 290**

GACTTGGAAGAATTGGACCTAGTGGNTAGACCCAAGGNCCAAAGCCAANAATTCGTGGGGGGC  
CCAGGAANCAGGAGGTCNCATGGGATTCCAGACATAAGATCAGGTTTTAACCCCTTTGGCCC  
AAATTTTGGCTGAAAATGTTGAATTATCAACTCTGAAATTAAAAAGAAAGTTTATATTAAAC  
ANTGCAATTTTCCTTAGAATTTCTGTATATATTAACATCATGAATGATAAATTCTCTTCAATG  
TGCANGTCAGGTTTTTGNACTTGNATATCAAATCTATCTGTGTGTATGAAGTGTATGTTTATT  
GAAATACNAGATATTTAAGAAGCTGATNTGGAAAGTTGGATTTTCATTCTAGTTCCTAATTCC  
CAGAGGNTTTTTTAAAGGAAGGGAATGTNTGTGGTACNCCAGTTGTCAGCTGGGTGGNTACTG  
GATCATCTTTCTTTTATCAACNAGATNAACTATCAACTTCACCAGCATCATGAACCTTGNTGC  
CGTAAAAAGGAGTTCCTACTTCTGTTTCNCTTTGAGTCTNTTCAAATGGATTNTGTGTCCTCC  
TNTGGAGTNTGNGCCATTTANTGNTTNTGACTNTTCCNCTAAGCCAGAGAATGATGATGGAGG  
AAATTATGAAATGTTACNCGAAAATTTGTTTTTCGACCTGAACTGTTTGANGTCAC

291/562

**FIGURE 291**

AACCCATGGGGCCAAGTCAAAAGCCCNAGGTTNTCCAGGCAAGGGCATGGGCATGGGGTTAG  
GANCAGTGAACCTGGAAGTAATCCCAGCCCTGCNGTCATTAGTGTGTTACCTCAGGTAAAGGG  
GGGGAACCCCTACAGGACTGTTACAAGGATTAAATGAAGGAATTTAAGTGTGTGCATGTATNTG  
GCATGTAGAAAATACAGTGTGGTGGGGAGAGAACAGATTNTAGAACCAGACTGCCTGAGTTCA  
AATCCCAGTTNTGCTGCTTCCTGGCTGTGTGACCCCTGGGCAAATCACTTAGCCTGTNTGGGNT  
TCAGATTTCTCATCTGACAATGAAGATAATNAAATACCTATCTTTATGGTTGTAGTAAGGATT  
AAATGAATTGAAATAAAGNTTTTAGATTAATACTTGATATGCTACATAGGTGTCAGCCATTGT  
TAATCANTGNTGTCATTATAGNTATTATCAACATGATTATTTGCTNTAANAGGAACTCAGGCA  
TTTGCAGGGTGTGGGGAACCCCTGAGCTGGGTNTCCCCTGTTGGGTGTTGTGTCCCCATNATAC  
CCTTAGGNCAACCCAGGTCAGGTCAGGGGGATGTGCCCTTNTTTTCCTGGNCCAGGTNTGTAA  
GGCCANCAGCTTTGCCTCATACGTGNGCAGCAGGTNGTTATGG

292/562

**FIGURE 292**

CTAACCCAGTTGAATTTTGGAGCTTGTTGGATTTGCCATTGCCAGCCCAANTATGTTGGG  
GAAAAGTNTNTGAGTGTCATTTTGCNTGTTGAAGCTCTGGNTAATGTGATTATTGATCTGAGA  
ATGAATCTTTNTTAGNTATTCCAAACCTTAGTTATTTTTGCAGTTTGGTANTTTTTTCCTCAT  
TGGAACCTCCCAAAAATCCGATTGCTTTTGCGTGTTTTTTTATTTGCCTGATAACTGATCCTTT  
CCTTGACATTTATTTTAGTGGACTTTCAGTAACTGAAAGATGGAAACCCTTTTGNACCGTGG  
AAGAATTTGCAGAAGACTTTCAGTCGTTTTTGCTGGAATGATTGAGCTTACATTTTTTTATTCT  
TTCCGCATTCAAACCTAGAGACACTCACCTNTGGTATTTTGTAAACCTGGNTTTTCCATTTT  
TGGAATTTTNTGGATGATTTGTCATANTATTTTCTTTTAACTCTTTGGGGATTCCATACCNA  
ATTAAATGACTGCCATAAAGTATATTTTACTCACAGGACAGATTACNATAGCCNTGATAGAAT  
CATGGCATCCAAANGGATGCGCCATTTTGNTTGATTTTCAGAGCAGTTGGTGTTNTTTAGTNT  
TNTTGCAACAGCGATTTTGGGAGCAGTTTNCCG

293/562

**FIGURE 293**

TCCAGGATTTTTCTCCCTGGTNTAAGGTCCTGGTTCACACCCANAGGAACCAGTTTGGTCCTG  
GGCAAGCCACTGCCTATAGGATAAGGNAAGATCAAATAAATCATNTCAGGGAGAACAAGGNCC  
AGCCTTCCTCCTCTATTCACTCAAACACACCACCCAAGCACCCANTTTGGCCAGACTCTGTGA  
TGGTCCCTGCCCTCAAAGGACTGTTTCATGGTCTAGAGATGAAAGAGCCCAGTCAACAGTTATA  
CTGTGTGGTGGCGGCGGGAGGGTAATCACAGGGTATTTATGGGTACAAAAAGGAGGCACCCTG  
ACCTCACCAGAAATAGCTACCCTGTGCCATAGGCTNTAGGCAGACTTTACTGACATTGAANAN  
CCTTTTGCAGNCAATTANCAAAAAGACTACATGTGTAAATGTGACAGAACAGGGATTGAGAGC  
CTGAATGTTTANGCCTGCTTTATCCTCATTTTGTGTCNCTGTGGAGGCAGAGGTGGGAAAATAA  
GTNTAGAAGCCATNTGAGTNTGGGTGGGAGCCACCTNTATATTTGTCATAAGTCTCTGATGGT  
CCTTTGGTTTCTAGCTATANCTGTGTCCACTAGTGC

294/562

**FIGURE 294**

TTAAGGCCTTTTAAAATGGTGGAAATTTTGGNACAATTATNCGGAAATTTTAAATTTTAAAG  
GAATTTTGGAAAGTAGTTTAAAGATAGCCCNNTTTNAAAATTNTAAGATCAAGCAAATNAAGC  
TTATTTTAAAGGATTCAAAGNATAAAAGCCTTCAGTAAATAGGTAAAATTTTGGTTTATTNTA  
GAAACAGNTCCTTGACACAGTGAGTGGCTTTTCACACATTGCAGTTGTTAATGGTTTACTGC  
CCTTGCCATTTTAAATTATGAGGCTAAAGATGTTTTTGACACCGCACATGTGTGTTATGGCTT  
CCTTGATATGCTCTCGACAGCTCTTTGGCTGGCTTTTTCGCAGAGTTCGTTTTGAGAAGGTTA  
TCTTTGGCATTTTAACAGTGATGTCAATACAAGGTTATGCAAACCTCCGTAATCAATGGAGCA  
TAATAGGAGAATTTAANAATTTGCCTCAGGAAAACTTTTNCNAGTGGATCAAATNCAGTACC  
ACATCAGATGCTGTCTTTGCAGGTGCCATGCCTACAATGGCAAGCATCAAGCTGTNTACACTT  
CATCCCATTTGTGAATCATCCACATTACGAAGATGCAGACTTNAGGCCTGGTTGCAGTANGCTT  
GAAATCTGGGATGTGGAAGACCCTTCCAATGCAGNTAACCTTCCTTANGTAGCGTCCTGNTC  
GAAGACGCCAG

295/562

**FIGURE 295**

TCCAAAAAAAAAATAATGGAAAAGTGGAAAGAGAAAAATTGTTTCAAAAACCTATAGCACACCT  
GTTGTTAGATTCTTGTCTTGCCTAANGTTTTTCAATTTTANTATTTTCTACAGTTTGGACCGA  
ATTCTAATTTTTNTTGACTACAAGTNTTCAAAATAATGNTTTCANTTTTTTCTTCTTTTTTCC  
ATTTTTTTCCAATTTGGAGTCNCTGAAAACCTAANCTGTGCTTTCATAAAGCCCTGCAAACCTGA  
ATCTAGACAACCTTCAGAAGAAAAATNACAGCAACCTATTTACATACATAAGCCACTTTCANAC  
CTGCCTACCGATGTATGGACTTCAGAGTAATGTGGNTTATAGCAATTTTCCAGGATTGNTCTT  
TTGTTTGNTGNTGTTCTCCCTTCCTCCCCCTATTTTGTCTTTATGGGACATGACACTTCACAA  
CCTTNTAAAAATGAGTTTTTCCTAATAACTCAGGACCTACTNGTNTAGAAATNAACCATCCTAG



296/562

**FIGURE 296**

TTTTTTTTTCCCCTTTGGGCCAGGTCGGGGTATGATAGGTCGGGGAANAGGGGGCTTTGGAGG  
CCGAGGCCGAGGCCGTGGACGAGGGAAAGGTGCCCTTGCTNGCCCTGTATTGACCAAGGAGCA  
GCTGGACAACCAATTGGATGCATATATGTCGAAAACNAAAGGACACCTGGATGCTGAGTTGGA  
TGCCTACATGGNGCAGACAGATNCCGAAACCAATGATTNAAGCCTGCCCATCCTNCCATGANA  
GACTNTTGTTAGTCAACACATCTGTAAATAACCTTGAGATNACAGATGAGAAGAAATCTGATT  
GATGCTGGATGGACCTATCACAATAGGCTGTGGACTTACTTGCCACCAGNTTGTGCATTTAGT  
GTGTTCCCTTTTACTTTTTGATACTGTGTTGTATGAAACCCTTTTGTCCCTTTGATTTGGTTTTT  
TGNTTTTGTTTTTTTTANGGGGGANGGGGGGTTTCCCCTCCTTTGCCCAGACTTNTCTTTGAAC  
ACAAATGCATTAGCCTTGTGGNTAGAACACCCTNTTCCTACCTCTGTNTCCCC

297/562

**FIGURE 297**

GGTAATGGAAAACCCGCAATTACATTTGAACCAACCTAATAGATNTAAGGAAAAGCGCTTTCC  
ATTCGTAGCATCAGTCTGGCCACATCCCTTGTGAGCCACTGCGCCCGGCTTGTGCGCGTATT  
TTTGGAAATGCATTTGGAGCTTGGGTCAGTAGTTTTTGTTCATGTGATGTCACCAACATGTT  
GCCTATACAGATTGAATATCCCTTATCCAAAATGCTTGCAACCAGAAGTGTTTTGGATTTTG  
GAATTTTTTTTGGATTTTGGAAATATCTTCATGTAAATAATGAGATTTGTTGGGGATCAGACTC  
AAGTCTAAACATGAAATTCGTTTATGTTTCATATATACTTTATACACATACCTTAAAGGCAGT  
TTTATACAGTATTTTCAATGGTGTGCATGAAACAAAGTTTGTGTTTCATTGATCCATCAGAAAG  
CAAAGATGTCACTGTCTCAGCCACACGTGGACAATCTGGTTGGTTAGCGTCCCCATCGTT

298/562

**FIGURE 298**

GGCCCCGCGTGCCGACATGGGAAAGTCTCTTTCTCATTTGCCTTTGCATTCAAGCAAAGAAGA  
TGCTTATGATGGAGTCACATCTGAAAACATGAGGAATGGACTGGTTAATAGTGAAGTCCATAA  
TGAAGATGGAAGAAATGGAGATGTCTCTCAGTTTCCATATGTGGAATTTACAGGAAGAGATAG  
TGTCACCTGCCCTACTTGTCAGGGAACAGGAAGAATTCCTAGGGGGCAAGAAAACCAACTGGG  
GCATTGATTCCATATAGTGATCAGAGATTAAGGCCAAGAAGACAAAGCTGTATGTGATGGCT  
TCTGTGTTTGTCTGTCTACTCCTTTCTGGATTGGCTGTGTTTTTCCTTTTCCCTCGCTCTATC  
GACGTGAAATACATTGGTGTAATCAGCCTATGTCAGTTATGATGTTTCTAGAAGCGTACAATT  
TATTTAAATATCACAAACACACTAAATATAACAAACAATAACTATTACTCTGTCTGAAGTTGAA  
ACCGAACCCCT

299/562

**FIGURE 299**

GAGCGGAGCCGGCGGAGCCTCTGGAATCACCCGGGTCGCTGTTCCCTGAGCAGCTGCAGAGCAT  
CGAGGGCTGGAGAGGAGCACATACTGTCCATGGAGCTGGTGGTCAAGGTGGACAGGGGCGGTG  
GTGATGGCGCAGTTTGACACTGAATACCAGCGCCTAGAGGCNTCCTATAGTGATTACCCCCA  
GGGAGGAGGACCTGTTGGTGCACGTCGCCGAGGGGAGCAAGTCACCTTGGCACCATATTGAAA  
ACCTTGACCTCTTCTTCTCTCGAGTTTATAATCTGCACCAGAAGAATGGCTTCACATGTATGC  
TCATCGGGGAGATCTTTGAGCTCATGCAGTTCCTCTTTGTGGTTGCCTTCACTACCTTCCTGG  
TCAGCTGCGTGGACTATGACATCCTATTTGCCAACAAGATGGTGAACCACAGTCTTCACCCTA  
CTGAACCCGTCAAGGTCACTCTGCCAGACGCCTTTTTTGCC

300/562

**FIGURE 300**

TATGGAACAGCCTCCTTTTGACANCAGTTACGGGCTGGTGGTGGCAGGGTCTGTTCTGGTCCT  
GGGAGCCATCATCGGTGACTGGGTGGACAAGAATGGTAGACTTAAAGTGGCCCAGACCTCGCT  
GGTGGNACAGAATGTTTCAGTCATCCTGTGTGGAATCATCCTGATGATGGTTTTCTTACATAA  
ACATGAGNTTCTGACCATGNACCATGGANGGGTTCTCACTTCCTGNTANATCCTGATCATCAC  
TATTGCAAATATTGCAAATTTGGCCAGTACTGNTACTGCAATCACAATCCAAAGGGATTGGAT  
TGTGTGTTGTTGCAGGAGAAGACAGAAGCNAACTAGCAAATATGAATGCCNCAATACGAAGGAT  
TGACCAGTTAACCAACATTTTAGCCCCCATGGCTGTTGGCCAGATTATGACATTTGGCTCCCC  
AGTCATCGGCTGTGGNTTTATTTTCGGG

301/562

**FIGURE 301**

ACCGCCTGACCGTGCTGGCTGGTGCAATGCTTGCCTTGGGACTAATGACATGCTTGTCAGTTT  
TGTTTGGCTATGCCACCACAGTCATCCCCAGGGTCTATACATACTATGTTTCAACTGTATTAT  
TTGCCATTTTTGGCATTAGAATGCTTCGGGAAGGCTTAAAGATGAGCCCTGATGAGGGTCAAG  
AGGAACTGGAAGAAGTTCAAGCTGAATTAAAGAAGAAAGATGAAGAATTTCAACGAACCAAAC  
TTTTAAATGGACCGGGAGATGTTGAAACGGGTACAAGCATAACAGTACCTCAGAAAAAGTGGT  
TGCATTTTATTTCACCCATTTTTGTTCAAGCTCTTACATTAACATTCTTAGCAGAATGGGGTG  
ATCGCTCTCAACTAACTACAATTGTATTGGCAGCTAGAGAGGACCCCTATGGTGTAGCCGTGG  
GTGGAACGTGGGCGAACCCCTTGC

302/562

**FIGURE 302**

TCGAACCCANGGGGNCCGCCGAACGCGTGGGACCATATAGAGAAATAGCATGAATATTTTTAT  
TAGGAGATGTTTCAAAGACTGTATTCCAATGGTTAAAGGAAAGTCCAAAACCTCTTTAAGGAA  
CACTGCAAGTTGAGCCTCTGCTGTTTTAATAGGTAGGTGACCTTGCCTGAGTCAGTCTTTTTG  
AATTTCAATTTTCTAATCTTTAAAATGAGGTTTTTGGTGATCCCTCAGTTTCCTTTCAGCTCT  
GGAATTTGGTGGGTAAGTTACCTTGAATGTGTATCTTTCTTGTTAAAATTTAAAAACAAT  
ATAGAAGGAAACAAATCCTTTTTACTCCTATTTTTTAGAAATAACCCCTAAACCTGGTAATAT  
TTTGACGTGTTTTTTTCAAACCTGTCTGTGCATTTTTTAAAGGAGCTTCTGTCGTATATAGTT  
ATGCCCTGCTTTTGTGTGCATGTTAAGCATTTGGTATGTTATTTTAAAGTGGAATGCCTTGAA  
GAATGAATCAGTCAGACCTACTGTTAACATTTTGATGTATTTGAGCTGACTTACAATTTTTT  
GGTATTTGATATTATGTATAATTATATCCTGCATTTACTTAGCATATTAAGGATTTTTTTATA  
TGTAATTTTAAAGTGGA

303/562

**FIGURE 303**

ATTTTTTATGTATTCATAGTATAAAAGACCTTCAGTAAATAGGTAATATTTTTGTTTTATTCT  
AGAAAACAGCTCCTTGAACNCAGTAAGCTGGCTTTTCACNCATTGCCAGTGGTAAGTGTTTAC  
TGCCCTTGCCATTTTAATTATGAGGCTAAAGATGTTTTTGACACCGCACATGTGTGTTATGGC  
TTCCTTGATATGCTCTCGACAGCTCTTTGGCTGGCTTTTTTCGCAGAGTTCGTTTTGAGAAGGT  
TATCTTTGGCATTTTAACAGTGATGTCAATACAAGGTTATGCAAACCTCCGTAATCAATGGAG  
CATAATAGGAGAATTTAATAATTTGCCTCAGGAAGAACTTTTACAGTGGATCAAATACAGTAC  
CACATCAGATGCTGTCTTTGCAGGTGCCATGCCTACAATGGCAAGCATCAAGCTGTCTACACT  
TCA



304/562

**FIGURE 304**

ATGAAATCCTGCTTCTTTTCCTCAGAACTACTATATTCAGTGGCTAAATGGCTCCCTGATTC  
ATGGTTGTGGAATCTGGNTTCCCTTTTTTCCAACCTTTGGTTAATTGGAATTGATGCCCTTTG  
CCTTTTTCTTTCTGGAATCAGAAGGCTTTGCTGGCCTGAAAAGGGAATCCGAGCCCGCATTT  
TAGAGACTTTGGTCATGCTTCTTCTTTCGTTACTCATTCTTGGGATAGTGTGGGTAGCTT  
CAGCACTCATTTGACAACGATGCCGCAAGCATGGAATCTTTATATGATCTCTGGGAGTTCTATC  
TACCCTATTTATATTCCTGTATATCATTGATGGGATGTTTGTTACTTCTCTTGTGTACACCAG  
TTGGCCTTCTCGTATGTTTCACAGTGATGGGTCAGTTGCTAGTGAAGCC

305/562

**FIGURE 305**

ATAGTATTAAGTCNATTGNGCAAGTGNAGCCTTAGAAGATTTGGAGTGTTTTTNACTCTTTTT  
CNTGGTGGCTTAGAATTTTCTCCAAGAAAAGTTAAGAAAGGTGTGAAGATTTCCCTTACAAGGN  
CCGTGTACATGACACTGTTAATGATTGCATTTGGCTTGCTGTGGGGGCATCTCTTGCGGATCA  
AACCACGCAGAGCGTCTTCATTTCCACGTGTCTGTCCTTGTCAAGCACACCCCTCGTGTCCA  
GGTTCCTCATGGGCAGTGCTCGGGGTGACAAAGAAGGCGACATTGACTACAGCACCGTGCTCC  
TCGGCATGCTGGTACGCAGGACGTGCAGCTCGGGCTCTTCATGGCCGTCATGCCGACTCTCAT  
ACAGGCGGGCGCCAGTGCATCTTCTAGCATTGTCGTGGAAGTTCTCCGAATCCTGGTTTTGAT  
TGGTCAGATTCTTTTTTCACTAGCGGCGGTTTTTCTTTTATGTCTTGTTATAAAGAAGTATCT  
CATTGGACCCTATTATCGGAAGCTGCACATGGAAAGCAAGGGGAACAAAGAAATCCTGATCTT  
GGGAATATCTGCCTTTATCTTCTTAATGTTAAC

306/562

**FIGURE 306**

AACCTATATAAAATAGTTTTTAGCAGTTTATAGCTGTGACCATCAAGTCAGATAATTTGGGAT  
GTTACAGAGAGCTCTGGGTGATTATGACAGTGACCACCCACATCTCTTATTTGTTNTGCTTC  
ATTTCTCTACTAGGGAGAGGAGGTCATATAATATATGGTATTTTTATGTTATTTTAGATAAAT  
CCATATCAACACAGCACAGGAGAACNAATTATACCCCCTGGTAGATTTTGGGGTATAAACGTC  
ATGAAATGTTTCTCAGAAAGTGAGAAATATTTCTTGATTGTATCTTTAAAATTAATGCAAAAT  
TGTTATGTTACTCCATAATTTATTTGTGTGCATTACTGTAAGGTTTCATGTGTATTCATATTAA  
ATTTTTTCTTTTAAAAATTGGGTTCAATGAATTATCTAGGATGATTGCATTGTTTGTGGCATC  
AAGTGTTGTTTCTCCCTTTCCATACCAAGCATATCCTGCTTTTGGTACAGG

307/562

**FIGURE 307**

TTACTTGTGAGTATCATCNTGTCCTTTAATCCTGTACCCTAAAATAAGNAATACATTTTTGAC  
ANAGGCTTAATGTTTTAACAAAAGAGTGTGGACATTTTTATTTTAAAATTTAGGCAAAAGTCA  
CTATCAAATGGTTGCTTATTTGTCTCACACANCCATATAGTTTTTCCTGGANGGTTTTGTTTT  
GTTGTTGTTGAAAAGACTTTGNTTACAGNTANATGNAACCTTTTTATAGAAAAAAAAAATTGT  
TGAAAGGTCCAGTTCTCAGTACCATGTGAGTTAATGATACTACAATAAGTTCTTTTTAAAAA  
GTGATTAATGTATTTTATAAATTACCTTTTCACATATGCAAATCTGTTTCTACTACAATGTT  
ATTTTTACTAATGCCTTATTGTTGCACTCTTTTTGAAATATCCTGCAGTGAATATATGAATCA  
ATTTGGGCTTAAACTGAAAGCCAGTTGGCTGAAAGGTTTGAAATACGTACCCC

308/562

**FIGURE 308**

TTCTTTCTTTTCCCATNTCATTTCATTCAGGCTCCTTTTCGCANAAGTGAGGTATTTAGATAAT  
CAAAACCCACACAAGACCTCAACAGCAAATACAGATGAAATGTAATTATTATTTCAATTAAA  
AAGGGAATAATATTTGTAGGCCATTGTNACCAGTATTCTCTCGTTTTAACTAGTTTTGCTGCA  
TTTAAATTAAGTGCTGCTCTTCAGCTTTTGTGTACAGCTATAAGTGCACATTGGAATTTATAT  
GTATATATATATAGAGAGAGAGAGAGAGAGAGAGAAAATGACTGCTGGTTCAGTGTGTGTCCCTC  
AGATCATACCACTACGAGTGCCTCAGCCTGGAAAAGCTAACCATGAAATTGATAACAATACGC  
TTTTGGAAATGAAATCAGGTAAGAATCACATATGTTTGAAATTGTTTAAAATAACATTGTCAT  
ATTTCTTGTGTTATCTGGTTGCTGGTTTATCTCTTTG

309/562

**FIGURE 309**

GTGGCCCGTCTGGCTAGTCCTGTNTAAGCGCGCCCATTTTCGAGCCCAAGTTTCCAGCTCGGGT  
TTCCGGGCTCAGAATTTTCCAGGAGTGGGTTCCTTGGGCAGTGGCTGTGGAACAGGAATGGCGC  
AGCTANAGGGTTACTGTTTCTCGCCGCCNTTGAGCTGTACCTTTTTAGTGTCTGCCTCCTCT  
TCTCCGCCTTCAGCCGGGCGCTGCGAGAGCCCTACATGGACGAGATCTTCCACCTGCCTCAGG  
CGCAGCGCTACTGTGAGGGCCATTTCTCCCTTTCCCAGTGGGATCCCATGATTACTACATTAC  
CTGGCTTGTACCTGGTGTGAGTTGGAGTGGTCAAACCTGCCATTTGGATCTTTGGATGGTCTG  
AACATGTTGTCTGCTCCATTGGGATGCTCAGATTTGTTAATCTTCTCTTCAGTGTGGCAACT  
TCTATTTACTATATTTGCTTTTCCACAA

310/562

**FIGURE 310**

CGCNTCGGCCCATGNACGCCTTGTGCGGTTCGGGGAGTCGGCTCCAAGTCTGGGACTCCAAC  
CTGTCTGTGCACACAGAAAACCCGGACCTCACTCCCTGCTTCCAGAACTCCCTGCTGGCCTGG  
GTGCCCTGCATCTACCTGTGGGTGCGCCCTGCCCTGCTACTTGCTCTACCTGCGGCACCATTGT  
CGTGGTACATCATCCTNTCCACCTGTCCAAGCTCAANAATGGTCCTGGGTGTCCTGCTGTGG  
TGCCTCTCCTGGGCGGACCTTTTTTACTCCTTCCATGGCCTGGTCCATGGCCGGGCCCCCTGCC  
CCTGTTTTCTTTGTCACCCCCTTGGTGGTGGGGGTCACCATGCTGCTGGCCACCCTGCTGATA  
CAGTATGAGCGGCTGCAGGGCGTACAGTCTTCGGGGGTCCTCATTATCTTCTGGTTCCTGTGT  
GTGGTCTGCGCCATCGTCCCATTCCGCTCCAAGATCCTTTTAGCCAAGGCAGAGGGTGAGATC  
TCAGACCCCTTCCGCCTCAC

311/562

**FIGURE 311**

CCATCAGGAAGGTGAAAGAGGTCTTTGGGACAGGGGCCATGAGACATGTGGTCATCCTCTTCA  
CCCACAAAGAGGACTTAGGGGGCCAGGCCCTGGATGACTATGTAGCAAACACGGACAACTGCA  
GCCTGAAAGACCTGGTGCGGGAGTGTGAGAGAAGGTACTGTGCCTTCAACAACTGGGGCTCTG  
TGGAGGAGCAGAGGCAGCAGCAGGCAGAGCTCCTGGCTGTGATTGAGAGGCTGGGGAGGGAGC  
GAGAGGGCTCCTTCCACAGCAATGACCTCTTCTTGGATGCCCAGCTGCTCCAAAGAACTGGAG  
CTGGGGCCTGCCAGGAAGACTACAGGCAGTACCAGGCCAAAGTGGAATGGCAGGTGGAGAAGC  
ACAAGCAAGAGCTGAGGGAGAACGAGAGTAACTGGGCATACAAGGCGCTCCTCAGAGTCAAAC  
ACTTGATGCTTTTGCATTATGAGATTTTGTCTTTTCTATTGTTGTGCAGCATACTTTTTT



312/562

**FIGURE 312**

TCTTTGTTCTCACAAGTTATCTTTACATTGGAATGACCCTGAATTAGGAAGTTAAAGTGAAC  
TGGTTGGATTTGGATACTGCTNTAAAAGTTAGAAAATTAGGTCATTTGACATTTNTGCTCCGT  
GTTTTGCCATGTTTGGTTCCTACATACTTTTGCAAAGATCAAGGAAGACCTTTGAGGCATCTC  
TTTATCTCTTATTTCTATTACTATCACCCCAATTCAGTCATCATCATTACCCTGGACTTCTG  
GGATAGCTTCCCACTGTTCCCACTCATCTACTCTTGCTCACTGCCTTCCCCCAAACCCCTA  
AAATTCATTCTCCAGATAGTGACTAGAGTGAATCGACTATATCTTCTCTTTTCCTGCTCTGGA  
TATAATTTATATCTTTTCCTGCTCTGGATATAATTTATATCCTTCATTCTCCATTTCTGTGCC  
CCTGTGTGCCAACTGCTATTGTCTGCATTAGATGGACTTCCTTATCTTCTGGCTTCTATTGAA  
TTTGGTGAAC TGGGGAGGGTCAAGTAGGAGATCAGTGTGTGGGAGAAGAAAGAGTTTGAGTA  
TTTATCACCTAGGAAGGGGGACTTCCAGGACACTGTTTGGCAGGGATGCTGGGCCTCTACTGG  
AGGCCTAGTTCCGACTGTGTTGCCC

313/562

**FIGURE 313**

TTTTTTTTTTTTTTTTTTTTGGATTAATGAGGAAATCATTCTGTGGCTCTAGTCATAATTTATG  
CTTAATAACATTGATAGTAGCCCTTTGCGCTATAACTCTACCTAAAGACTCACATCATTGGC  
AGAGAGAGAGTCGTTGAAGTCCCAGGAATTCAGGACTGGGCAGGTTAAGACCTCAGACAAGGT  
AGTAGAGGTAGACTTGTGGACAAGGCTCGGGTCCCANCCGGACGNGTGGG

314/562

## **FIGURE 314**

ATTGCGTTTTTTTTTCCAAAAATTGCTGAAATATTGTTTTGCCATTTTAAAAAGTCTCAG  
GTTATTACCACTCTGCCATTAAATATTGTATGCCTGCATTTTAAAAATTCTGTGCATGTAC  
TTTATGGAGTACATTCTATTTTGTTCAGATACCCCGGACGCGTGGG

**315/562**

**FIGURE 315**

CGGACGCGTGGGGAAACCCTTGCCCTCAAGGGTTTTTTGTGTTTTGTTTTGTTTTGTTTT  
GTTTTGGGTTTTGTTTTGTTTTGGTTTGGTTTTGAAACGGAGTCTCGCTCTGTCGCCCAGGCTGG  
AGTGCAGTGGCGCAATCTCGGCTCACTGCAAGCTCCGCCTCCCGGGTTCACGTCATTCTCCTG  
CCTCAGCCTCCCGAGTAGCTGGGACTACAGGCGTCCACTACCACGCCTGGATAATTTTTTGTGA  
TTTTTCAGTANAGACGGGGTTTTCACCGTGTTAGCCAGGATGGTCTTGATCTCCTGACCTCATGA  
TCCCGCCTGCCTCGGCCTCCCAGTGTGGGATTACAGNGCGTGAGCCACCGNGCCGGGCAC  
CTTCAAGGTTTTGTTAATTTTGGATAATGCTACAATCCGTTGCTGCAAAGAACTCGAAAATGC  
ACACGCCAACATAGGAGTTCTTTTTATGCCCCCAAACATTAAGTNTTTCATCCAACCCCTCAA  
TCGGGGCATAAATAAAGCATTCAAGGCACACTACNACAAGGGAGCTTTATATGAAGGCCTGTG  
AGGCTCTCAGGACCAACAAGGAAACCACCATGCTGGACTATTGGAAGTCGGTCACTACATGCA  
ACGTTATTGATTATGTCAGTACAGCCTGGGAGAGCATTGGTCAGGCTACTACCAATAACTGTT  
GGGAAAATGTTTGGCCAGACTGCGTGGAGAATTTTGAAGGGTTTGAAGGTGTTACAGAAAATA  
TAAAGAACACTGTCAGAGACATAATGCATATGGCACAGCAGGTAAGTGGAGAGGGCTTTGATG  
ACGTGAAGGAAGGAGATGTGGAGTACATTTTGGCAGAGAAGGCAGTGGAAACCAACCAACGAAG  
ACCTGGATGAGATGGCAAAACAAGGCATTGGAGTTGATGGCCATGAAAGTCGGCCCAAGACTT  
CCAGAATTGTCCCTCTCACAGCGCCC

316/562

**FIGURE 316**

AAATTCTACTTCCTGGATTTTGGGAAGGCCAAAACATTTTTTCCCATGGGATACATCCCCATG  
TTTNTGGCACAATCCTTCTTTGAAAATAATATGGAACCTAGATATATTTAGNCATTACGTTCN  
TCTGGNTGNATGACATCATTCAAGAGCTTTTCAAAGCATTTGTTTCAGATCTTCAGTACTGGCC  
AGTTTTCATACAGTCTCGGGGTTTTAAACTTTGAAATCAAGGACACGACGTCTCCAGTCTAC  
CTCCGAGAGATTAGTTGAAACNCAGAATATAGCGCCATCATTCGTGAAGGGGTTTCTTTTGCG  
GGACAGAGGATCAGATGTTGAGAGTTTGGACAACTCATGAAAACCAAAAATATACCTGAAGC  
TCACCAAGATGCATTTAAACTGGTTTTGCGGAAGGTTTTTCTGAAAGCTCAAGCACTCACAC  
AAAAAACCAATGATTCCCTAAGGCGAACCCGTCTGATTCTCTTCGTTCTGCTGCTATTTCGGCA  
TTTATGGACTTCTAAAAAACCCATTTTTATCTGTCCGCTTCCGGACAACAACAGGGCTTGATT  
CTGCAGTAGATCCTGTCCAGATGAAAAATGTCACCTTTGAACATGTTAAAGGGGTGGAGGAAG  
CTAAACAAGAATTACAGGAAGTTGTTGAATTCTTGAAAAATCC

317/562

**FIGURE 317**

CGCTTGGGCAGGTTGGGGTTGAACTNTTCACCCCTTGCGGTNTGTACTGCNTCCCAANTGAG  
CAGCCAGGAGAAGGCTAGAGCCTGTGCCTTTCAGCTAGATAGCTGGAGGAACTGGTCCTCCCT  
CCTTAGGCTGTGCTGGCCTGAGCTGGGAGCCTGAGAGCTGGGGCAGTTGTCTCTAAAGTGGCT  
TCTGGGATTCTGGTAAGAGCGTTACATCCTTACTATTCAAAGTGCCATCCACAGACCTGCTGA  
TGGGCAGCATGAGCATCACCTGGGAGCTTGCTGCGCTGTAGAATCTTGAGGGGTCTCCATCCA  
GATCAGCTGAATCAGAGTTTGCATTGTTAACAAGATTCTGCTTCTCAGAAGATGCACTATTAT  
AGATACTCTAACGCCAAGGTCAGCTGCTGGTACAAGTACCTCCTTTTCAGCTACAACATCATC  
TTCTGGTTGGCTGGAGTTGTCTTCCTTGAGTCTGGGCTGTGGGCATGGAGCGAAAAGGGTGTG  
CTGTCCGACCTCACCAAAGTGACCCGGATGCATGGAATCGACCCTGTGGTGCC

318/562

**FIGURE 318**

NTGCAGTCAACGCAGCTTCCCGGGTTCAGCCTGGGAANATGCGCGAATCGGNAACCCCAGAGC  
CCGGTGGTTAGACCGGGGTCCGCCGCTTCCCCACAGCCNNTTCCTAATCGTTCAGACGGAG  
CCTGGTCGACTTCGCCGGAGACTGCCAGATCTCGTTCCTCTTCCCTGTGTCATCTTCTTAATT  
ATAAATAATGGGGGATGAAGATAAAAGAATTACATATGAAGATTCAGAACCATCCACAGGAAT  
GAATTACACGCCCTCCATGCATCAAGAAGCACAGGAGGAGACAGTTATGAAGCTCAAAGGTAT  
AGATGCAAATGAACCAACAGAAGGAAGTATTCTTTTGAAAAGCAGTGAAAAAAGCTACAAGA  
AACACCAACTGAAGCAAATCACGTACAAAGACTGAGACAAATGCTGGCTTGCCCTCCACATGG  
TTTACTGGACAGGGTCATAACAAATGTTACCATCATTGTTCTTCTGTGGGCTGTAGTTTGGTC  
AATTACTGGCAGTGAATGTCTTCCTGGAGGAAACCTATTTGGAATTATAATCCTATTCTATTG  
TGC

319/562

**FIGURE 319**

TCAGCGGGTAAGAAAATTCTACTTCCNGGGATTTTTGTAAAAGGCAAAAACCTTTTNTTCCCC  
ATTGGCATAACATTCCCAANGTTTNTGCCCAATCCTTCTTTTGAAAATTAAATATGGAACCTTAG  
ATATATTTAGTCATTACGTTCNTCTGGCTTGTATGGACATCATTCAAGAGCTTTTCAAAGCAT  
TTGTTTCAGATCTTCAGTACTTGGCCAGTTTTTCATACAGTCTCGGGGTTTTAAACTTTGAAAT  
CAAGGACACGACGTCTCCAGTCTACCTCCGAGAGATTAGCTGAAACACAGAATATAGCGCCAT  
CATTCGTGAAGGGGTTTCTTTTGCGGGACAGAGGATCAGATGTTGAGAGTTTGGACAAACTCA  
TGAAAACCAAAAATATACCTGAAGCTCACCAAGATGCATTTAAACTGGTTTTGCGGAAGGTT  
TTTCTGAAAGCTCAAGCACTCACACAAAAAACCAATGATTCCCTAAGGCGAACCCGTCTGATT  
CTCTTCGTTCTGCTGCTATTTCGGCATTATGGACTTCTAAAAACCCATTTTTATCTGTCCGC  
TTCCGGACAACAACAGGGCTTGATTCTGCAGTAGATCCTGTCCAGATGAAAAATGTCACCTTT  
GAACATGTTAAAGGGGTGGAGGAAGCTAAACAAGAATTACAGGAAGTTGTTGAATTCTTGAAA  
AATCC



320/562

**FIGURE 320**

GCCNAGCGGACGGGCCGCTTAAACGGGCTGCTCGTGCCGATTCTTTTACCTGAGAAATGCTAC  
GACCAACTTTTCGTTCAAGTGGGACTTGCTTCACGTCCCCTGCCTCAAGATTCTCCTCAGCAAA  
GGCCTGGGGCTGGGCATTGTGGCTGGCTCACTTCTAGTAAAGCTGCCCCAGGTGTTTAAAATC  
CTGGGAGCCAAGAGTGCTGAAGGGTTGAGTCTCCAGTCTGTAATGCTGGAGCTAGTGGCATTG  
ACTGGGACCATGGTCTACAGCATCACTAACAACCTCCCATTTCAGCTCTTGGGGTGAAGCCTTA  
TTCCTGATGCTCCAGACGATCACCATCTGCTTCCTGGTCATGCACTACAGAGGACAGACTGTG  
AAAGGTGTCGCTTTCCTCGCTTGCTACGGCCTGGTCCTGCTGGTGCTTCTCTCACCTCTGACGCC

321/562

**FIGURE 321**

GTTGGCCTGATTCTCCCCACCAGAGGACAGACGTTGAAAGATACCACGTCCAGTTTTTCAGCAG  
ACGCAACTATCATGGACATTCAGGTCCCGACACGAGCCCCAGATGCAGTCTACACAGAACTCC  
AGCCCACCTCTCCAACCCCAACCTGGCCTGCTGATGAAACACCACAACCCAGACCCAGACCC  
AGCAACTGGAAGGAACGGATGGGCCTCTAGTGACAGATCCAGAGACACACAAGAGCACCAAAG  
CAGCTCATCCCCTGATGACACCACGACGCTCTCTGAGAGACCATCCCCAAGCACAGACGTCC  
AGACAGACCCCCAGACCCTCAAGCCATCTGGTTTTTCATGAGGATGACCCCTTCTTCTATGATG  
AACACACCCTCCGGAAACGGGGGCTGTTGGTCGCAGCTGTGCTGTTTCATCACAGGCATCATCA  
TCCTCACCAGTGCGGACGCGTGGGCGGACGCGTGGG

322/562

**FIGURE 322**

CAGTGCCTTTAGATTGTGTTTTGCCTCCTCCAATGTAGAGTTGACATNTGGACCCCAGAGCCC  
AGCAGGGCTTTNTGTCAGACATGTAGGGTGGTAGAAATGGGCCCTCCAGGTCCCCCTGCAGTG  
CACTGGGCAGAGACCTCCGGAAAGCCGGCAGCGGGAGCGCTTCCTGGGCAGCTTCCCCCAGCA  
CAGTGTTCCCAAACCAGTCCATCCGGAAAACAGTCTGTACAGCAAATGCTGTGTGAGATCTTA  
GGCTTTTCACTTTTTTTTTGTTTTGTTTTGTTTTGAAAGAAAGAAAAAATACAATTAACAAG  
CCTCTTTTGTAATGGGTTTCCTTTCTATGTATAAAATCGTGGTGGTCCCTTGTTTTTACATG  
TTCATGCTGTGTAATTTTGAGATGTTACTGAGATATGTTCTGAACATAATGTGCATTTTTTTC  
TGTACAGATGAAATGGGAGAATTTAATAAAGAGTTTGCAGCCCACGCGTCCGCGGACGCGTGGG

323/562

**FIGURE 323**

GAAGTGTTCACTGGACAATTNGCAAGTTAGGTCCAGTTCAGTTGGAGGATTCTTCCATTGTT  
CCAAGGTGTGGNAATTNCAATGGTCCTGATCTCCATTTTGTGNCAATCTATTNCAATGTCAT  
AATTGCCTATAGTCTTTACTACATGTTTGCTTCTTTTCAAAGTGAAGTACCATGGAAAAATTG  
TTCTTCGTGGTCAGATAAAAACTGTAGCAGATCACCAATAGTAACTCACTGTAATGTGAGTAC  
AGTGAATAAAGGAATACAAGAGATCATCCAAATGAATAAAAGCTGGGTAGACATCAACAATTT  
TACCTGCATCAACGGCAGTGAAATTTATCAGCCAGGGCAGCTTCCCAGTGAACAATATTGGAA  
TAAAGTGGCGCTCCAACGGTCAAGTGGAATGAATGAGACTGGAGTAATTGTTTGGTATTTAGC  
ACTTTGTCTTCTTCTGGCTTGGCTCATAGTTGGAGCAGCACTATTTAAAGGAATCAAATCGTC  
TGGCAAGGTGGTATATTTTACAGCTCTTTTCCCCTATGTGGTCCTACTCATCCTGTTAGTACG  
AGGTGCAACTCTGGAGGGTGCTTCAAAGGCATTTCATACTATATTGGAGCCCCGGACGCGTGGG

324/562

**FIGURE 324**

CGGGGGGCNTACACCACTGCCTGNGTCTTCACCACCGCCGCGTGCAGTTGGAATTGATCACA  
CCTTTTCAGTTGTACTTCAATCCTGAATTAATCTTTAAACACTTTCAAATATGGAGATTAATC  
ACCAACTTCTTATTTTTTGGGCCAGTTGGATTCAATTTTTTATTTAACATGATTTTTCTATAT  
CGTTACTGTCGAATGCTAGAGAAGGCTCTTCCGAGGTCGGACAGCAGACTTTGTATTTATG  
TTCCTTTTTGGTGGATTCTTAATGACCCTTTTTGGTCTGTTGTGAGCTTAGTTTTCTTGGGC  
CAGGCCTTTACAATAATGCTCGTCTATGTGTGGAGCCGAAGGAACCCCTATGTCCGCATGAAC  
TTCTTCGGCCTTCTCAACTTCCAGGCCCCCTTCTGCCCTGGGTGCTCATGGGATTTTCCTTG  
TTGTTGGGGAACCAATCATTGTGGACCTTTTGGGTATTGCAGTTGGACCGGACGCGTGGG

325/562

**FIGURE 325**

TGCAAATTNTGAGATTCAGAGACTAAAGTAATTTATTTATACATAGCTAATCAGTGCCAGAGC  
TGTGAATCTAAGATTATCTTGCTCTTAATCACAAAAATACACAGTTATTAGTTGTTTGCATTT  
GATGCAAATGACTTGGAACCCACACATTTTACACATTTTAAATGAATGAAATGACTAGTTTGA  
TTCATTACACGTTTGTGGAAATTTTGCAGCTAGGTTTTAAATTAAGAACACCAGATTTATTTA  
AATACAATTTAAATCATTGTATTCCAAATGGAAGTTTTCTTCTATAAGAATACCAGGCTGGA  
TGTGGTGGCTCACACTTGTAATCCTAGCACTTTGTGTGGCCGAGGAAGCGGACGCGTGGG

326/562

**FIGURE 326**

GTCAGGATTTTTGAAGTTTTTTTTTTATAGTGAGATAATGGAGTTGGTCTTAGCCGCTGCAG  
GAGCCCTTCTTTCTGTGGATTCATCATCTATGACACACACTCACTGATGCATAAACTGTCAC  
CTGAAGAGTACGTATTAGCTGCCATCAGCCTCTACTTGGATATCATCAATCTATTCCTGCCGG  
ACGCGTGGG

327/562

**FIGURE 327**

CAAGTTAGGTGATCCAGNTTTTGTGGTCTTTTGCAACCCTTGTGGTCATTGTGCCCTTGATAT  
TAATCTTCGTGGTGGGTCCCTCGCCATGGCAGACAAACATTCTTGTGTACATAACAATCTGCTC  
TGTAATCGGCGCGTTTTTCAGTCTCCTGTGTGAAGGGCCTGGGCATTGCTATCAAGGAGCTGTT  
TGCAGGGAAGCCTGTGCTGCGGCATCCCCCTGGCTTGGATTCTGCTGCTGAGCCTCATCGTCTG  
TGTGAGCACACAGATTAATTACCTAAATAGGGCCCTGGATATATTCAACACTTCCATTGTGAC  
TCCAATATATTATGTATTCTTTACAACATCAGTTTTAACTTGTTTCAGCTATTCTTTTTAAGGA  
GTGGCAAGAGATGCCTGTTGACGATGTCATTGGTACTTTGAGTGGCTTCTTTACAATCATTGT  
GGGGATATTCTTGTTGCATGCCTTTAAAGACGTCAGCTTTAGTCTAGC



328/562

**FIGURE 328**

AAAGTGGTCCTTTTAGGGTAAAGAGTTTTAAAGAGTTTAATGNGTNTATGGCAGGTTTGGGAA  
AGGTAAGAAATGGGTCTTTTTCCTCCTAATGTTTTTGGCACTTAAAACATAAAATTCATTAT  
CCTATTAAAAAATTAAATTCAGTTTGCTAATCCAGAAATTGTTCCCAAATGAAAACCTTGTTTT  
AAGTCCACCCCTTAGTTTCCTTATTTTACAAGGTCTCTCTTCAGGGACCAACAGGGGCTTAGA  
GAGCCTTAGTTAGATTAAAGGGAGACCCTACCTCTTAAAACCAGTTTTCATTTATGCAAACAA  
GGACAATTAAGGGAACCCTGACCCACAGGCTCTCAAGTCTTCCCAAGGCCAGAATCGAAAGA  
AAATTAAAATTTGAATGCTGAATATTCTGGCTCTACTCTGGCCTTTTTTTCTGGTTCCCTTCC  
AAAATGCACAAATCATACCCTTGTCTGCTCCAATTCAGTCTCCAAACCTGGTGCCTGTGCTCC  
TGGCCCCCCTAGCATCATGCTATCCCAGGAGTATCAGGACCAGACACATCCACGG

329/562

**FIGURE 329**

GGCNACGGCGGCCNAAGACGGACATGAAGCAATATCAAGGTTCCGGCGGGGTCCCCATGNATG  
TGGAACGNAGTCGCTTTCCCCTACTGCGTGGTGTGNACGCCCATCCCGGTGCTCACGTGGTTT  
TTCCCCATCATCGGCCACATGGGCATCTGCACATCCACAGGAGTCATTCGGGACTTCGCGGGC  
CCCTACTTTGTCTCAGAGGACAACATGGCCTTTGGAAAGCCTGCCAAGTACTGAAGTTGGACC  
CTGCTCAGGTCTATGCTAGCGGGCCCAACGCATGGGACACGGCTGTGCACGACGCCTCTGAGG  
AGTACAAGCACC GCATGCACAATCTCTGCTGTGACAACTGCCACTCGCACGTGGCATTGGCCC  
TGAATCTGATGCGCTACAACAACAGCACCAACTGGAATATGGTGACGCTCTGCTTCTTCTGCC  
TGCTCTACGGGAAGTACGTCAGCGTTGGGGCCTTCGTGAAGACCTGGCTGCCCTTCATCCTTC  
TCCTGGGCATCATCCTCAC

330/562

**FIGURE 330**

TTTGATTTAATGTTGGTTGTGTGTCTCCTCCTGGCAACTGGATTTTGCCTGTTTCAGAGGTTTG  
ATTGCTTTGGATTGCCCATNTGAGCTCTGCCGATTATATACGCAATTTCAAGAGCCCTATNTA  
AAGGATCCTGCTGCTTATCCTAAAATTCAGATGCTGGCATATATGTTCTATTCTGTTTCCTTAC  
TTTGTGACTGCACTGTATGGCTTAGTGGTTCCTGGATGTTTCCTGGATGCCTGACATCACATTG  
ATACATGCTGGAGGTCTGGCTCAGGCTCAGTTTTCTCACATTGGTGCATCTCTTCATGCTAGA  
ACTGCTTATGTCTACAGAGTCCCTGAAGAAGCAAAAATCCTTTTTTTAGC

331/562

**FIGURE 331**

GAAAATATCTGGAGGTACTGCACATAAGGATTCCAATTTCTATTTTCAGAACTTTCATTTGTA  
ATTTATGTACGCATCTAACGTCTATTTACGTGTATACTGAGTTAGGGTGTACAACCTTTTCCCT  
GAGGCTGTATCTCAAAAACCTTTGGAAGCTGAAGAATTTGTCCAAATCTATGTTCCCTTTTTGTT  
TGTAATCACCTGATGATGGTGATATAGCTGTGGCCAACGAAATGTCAAGGGAAGTCTGCTGG  
GGAAGGTAGACGTAGGATAGGAGTATGGGAAAAAATTATTCACCTCAAAGCATGATGCACAGA  
GGAGCTATGATCTTTTCTTGTTTTCTCACTGGATGTTGTCATGTCTGTATGTACTTCCTGGA  
ACTGTGGCACCATCTTACAACCATGAAAGGAGCTCACATGAAATCATGTTGAACATAGCAGAG

332/562

**FIGURE 332**

AGGTTGGTCCTTTTCCGGTTTTTTGGCCAATTTCAAGTTTCCAGNNTCCATNATCCAAGTTTG  
AAGCCCCNTGGCGGATCCTTAAAAATCCCTGACCTGACCAGGGTCGCCAAGGGTCGCACAAGG  
CCTGGGCCAGGTTCCACAGGGAGGTGAAAAAACTCCCATTCCGTTNAAAAGCAGTTTCCTTT  
GGGACCCATTTCTTTTCCCTTTGGCCATGGCCGTGNCCTCCAAAGGTTCCGGTAGTTTAATG  
CAAATGTTCTACCAATAGCCCCNAGAACTCCACCACCCTCTCTCTGTCTTGTGGCTCAAGTCG  
AGCAACCTGAAAGGATATATTTTTTCAAATAAGTAATTCCTGTAGGCAATAAAAAGATACACT  
ATCTTCTGAGTGAAATATAAAGAGTTCACAGCAGCTGTCTCCCCAGTTTGCATTTTCCTCTGC  
ACCTGATGGGAAGGACAGATAAAGATAATGGGATTTTTTCTTTATTTTTTATTTACCTCCCT  
CTCTCCCTGGAAGGTGGAAATGTAACAAATTGGATTGTGAGTGTGTCTGTCCTTTGTGCTTGG  
TGCCTGGAGCAGGGCATCCGGCTGCCGGGCAGAGCTGCTGCGAGAGAGGTCAGAGCTACC

333/562

**FIGURE 333**

CCAAGTTGAAGCCCATGGCGGTCCTTAAATCCTGCCTGACCAGGGTCGCCAGGGTCGGGCAAG  
CAAGTGCCAGAAGAATAAAGAAGATGGACGCAAAAAGAAGAAAGGAAGNNCCAGAAGAGACGA  
AGAGATGAAACGACAGTCAGATGANATGAGGAGGAAAGAAAGGTTTCANAAAGCCGNCGGAAA  
TGAAAGNCGTCCTGGTTTGAANGAANTTGCCAANAGATAAATCCAGCAGGANAGGCCNAGAAA  
GATCGAGGTCTGCTTATCTGCTGTTACCTTGACACCAGAGCAGCTATAGGTATCTGCCAGAG  
CTATGAAATCATTGAGCCGGATCCTCTTCCTCGTCTTCCTCCTCGCCGGCCTGAGGTCCAAGC  
CGCTCCCTCAGCCCCCTCTGCCTTTGGGCTGTGGCTTTCCGGACATGGCCCACCCCTCTGAGAC  
TTCCCCTCTGAAGGGTGCTTCTGAAAATTCCAAACGAGATCGCCTTAACCCAGAATTTCTG  
GACTCCTTACCCTGAGCCTTCCAAGCTACCTCATAACGGTTTCCCTGGAAACCTTCCCACTTGA  
CTTCACTGAGCCCCCTCAACCCTGACCTCCGAGAAACCCCG

334/562

**FIGURE 334**

TTCAGACTCACTGAATCAGAACCNTGGGATAGGCCAGCACGCTGTGCTTTACCAAGCTCTAGG  
TGATGCCAATTCATACTCAAGTGTGAGGCTGACTGGCTTATTTGAAGGGAGAGAAAGGAACAG  
GCACATGGCGACATATCAGCATTTACACAAGGCGTGCTGGGTAACCATAGGAACACCTTTATT  
ACGGTTAAATAGGAAACAGGCATCAATGCAGAGGGCCCCCAGGAGAAATCAGGAAGGTCGCGAC  
TGTCACTGTCTGAGGGCACTGTTGTGAAACGATGGCCGAAGGTGACAACCACAGCAAAGTTTC  
AAGGAAGTTCACTGAAACGTGGAAAAACCCACTCAATGTCCTGCTCTCATTTATATTGAGTGG  
CTTAAGTATTTATTTTCTTGTTTTTTAGAGGAAGGGAG

335/562

**FIGURE 335**

GAAGCTTCCGTTGCCAAGCGACATGTTCAAGGTAATTCANAGGTCCGTGGGGCCAGCCAGCTT  
GAGCTTGCTCACNTTCAAAGTCTATGCAGCACCAAAAAAGGACTCACCTCCCAAAAATTCCGT  
GAAGGTTGATGAGCTTTCACCTACTCAGTTCCTGAGGGTCAATCGAAGTATGTGGAGGAGGC  
AAGGAGCCAGCTTGAAGAAAGCATCTCACAGCTCCGACACTATTGCGAGCCATACACAACCTG  
GTGTCAGGAAACGTACTCCCAAATAAGCCCAAGATGCAAAGTTTGGTTCAATGGGGGTTAGA  
CAGCTATGACTATCTCCAAAATGCACCTCCTGGATTTTTTCCGAGACTTGGTGTTATTGGTTT  
TGCTGGCCTTATTGGACTCCTTTTGGCTAGAGGTTCAAAAATAAAGAAGCTAGTGTATCCGCC  
TGGTTTCATGGGATTAGCTGCCTCCCTCTATTATCCACAACAAGCCATCGTGTTTGCCCAGGT  
CAGTGGGGAGAGATTATATGACTGGGG



336/562

**FIGURE 336**

GGCGGCCGAGGCGGACGGCCGCTTAAACGGCTGCTCGTGCCGATTCTTTTACCTGAGAAATGC  
TACGACCAACTTTTCGTTTCAGTGGGACTTGCTTCACGTCCCCTGCCTCAAGATTCTCCTCAGC  
AAAGGCCTGGGGCTGGGCATTGTGGCTGGCTCACTTCTAGTAAAGCTGCCCCAGGTGTTTAA  
ATCCTGGGAGCCAAGAGTGCTGAAGGGTTGAGTCTCCAGTCTGTAATGCTGGAGCTAGTGGCA  
TTGACTGGGACCATGGTCTACAGCATCACTAACAACCTCCCATTCAGCTCTTGGGGTGAAGCC  
TTATTCCTGATGCTCCAGACGATCACCATCTGCTTCCTGGTCATGCACTACAGAGGACAGACT  
GTGAAAGGTGTCGCTTTCCTCGCTTGCTACGGCCTGGTCCTGCTGGTGCTTCTCTCACCTCTG  
ACGCC

337/562

**FIGURE 337**

CGGAACGCGTGGGCGNACGCGTGGGCAAGATGTCCCTGTGGACTCCCAAACCTCTACTCCAGAT  
GGGNAGGTGCCCTTAACACCAAGATTTTAAAAGCTCCAATTCAGAGCAAGAGTCGAAAACCTC  
ACAGATAAAGTTATAGTTATTTTCAGGGTTCTGAAAAGACGCAGAACATGAAGGGACTCAGAAG  
TCTGGCAGCAACAACCTTGGCTCTTTTCCTGGTGTTTGTTTTCCTGGGAAACTCCAGCTGCGC  
TCCGCAGAGACTGTTGGAGAGAAGGAACTGGACTCCTCAAGCTATGCTCTACCTGAAAGGGGC  
ACAGGGTCGCCGCTTCATCTCCGACCAGAGCCGGAGAAAGGACCTCTCCGACCGGCCACTGCC  
GGAAAGACGAAGCCCAAATCCCCAACTACTAACTATTCCGGAGGCAGCAACCATCTTACTGGC  
GTCCCTTCAGAAATCACCAGAAGATGAAGAAAAAACTTTGATCAAAC

338/562

**FIGURE 338**

CCNTGCACAAGCAGCACTTTCTTTTGCCATAGCAACATGTGCATCAATAATTCTTTAGTCTGT  
AATGGTGTCCAAAATTGTGCATACCCTTGGGATGAAAATCATTGTAAAGAAAAGAAAAAGCA  
GGAGTATTTGAACAAATCACTAAGACTCATGGAACAATTATTGGCATTACTTCAGGGATTGTC  
TTGGTCCTTCTCATTATTTCTATTTTAGTACAAGTGAAACAGCCTCGAAAAAGGTCATGGCT  
TGCAAAACCGCTTTTAATAAAACCGGGTTCCAAGAAGTGTTGATCCTCCTCATTATGAACTG  
TTTTCACTAAGGGACAAAGAGATTTCTGCAGACCTGGCAGACTTGTCGGAAGAATTGGACAAC  
TACCAGAAGATGCGGCGCTCCTCCACCGCCTCCCGCTGCATCCACGACCACCACTGTGGGTCG  
CAGGCCTCCAG

339/562

**FIGURE 339**

AAATAAAGAACCATGGTATCATGTTGNTCAGTGCTTCAGACAGAAAGATTGTTGAAGCATCAA  
GGAGAGCTTTTGTTATGTGGCAATGAACTACGAAGAGGAAATGGCCAAGAAACCCGATTGTCT  
AGAGAAAGTTTACCAACTACCTGATGGGAAGGTCATCCAGCTCCATGACCAGCTCTTTTCTTG  
TCCAGAGGCCCTCTTCTCTCCGTGTCATATGAACCTTGAGGCCCCTGGCATTGATAAGATATG  
CTTCAGCAGCATAATGAAATGTGATACAGGCCTGAGGAATTCCTTCTTTTCCAATATTATCCT  
TGCCGGGGGATCAACCTCTTTCCTGGTTTAGACAAGCT

340/562

**FIGURE 340**

TGGCGGTCCTAAAATCCTGNCCTGACCAGGGTCCGGCGGTTTCAGTTGGAGGAAAAGTGTAGCC  
TTGCAGGTGGCAANTGGTCCAGGTACCGGTATTTGGCNGGCCCGTTTTTGCCTCCTCCTCCGT  
GGGTGCGGCGGGAATNTTGGCCGGNCGGCCTTGGGACGGCCCAGGTCCCGGCCGCAAGGTCCG  
GGCCAATACATAGTCATCAGTAGAACTTCTTGAAGTTGTTCAAGAAAAATTTGAAAGTAGCA  
AAATAGAAAATAAAGAATTAACAGCAGATACAGAGGCAGCATGAAGTGTGTCTTAGGAAACA  
GAACACAGCAGTGAAAAACAGACAAAATCCGCTCAGATACAACTGCAGCTGATAATGTTTTT  
CGGCTTCAATGTCTTTAGAGTTGGGATCTCTTTTGTCTAATGTGCATTTTTTACATGCCAAC  
AGTAAACTCTTTACCAGAACTGAGTCCTCAGAAATATTTTAGTACATTGCAACCAGGAAAAGC  
CTCTTTAGCTTATTTTTGTCAAGCTGATTCCTCAAGAAATACA

341/562

**FIGURE 341**

CCGAATCAAGTTCGAGTCATCCGTGTGGGCATTNGTCCCCNTGGCACAGTTGGCTTCTTTCC  
AGAAGCCCGTTTTGTTTGTTTTACGTCTAAATTCGCGTCGGTCTTATTTCTCTCCCTGGCAA  
GGTCTGAAGACGGGTAGGAGAATAACCTGTGTCAGCGTGTTATGATGCCGTCCCGTACCAACC  
TGGCTACTGGAATCCCCAGTAGTAAAGTGAAATATTCAAGGCTCTCCAGCACAGACGATGGCT  
ACATTGACCTTCAGTTTAAGAAAACCCCTCCTAAGATCCCTTATAAGGCCATCGCACTTGCCA  
CTGTGCTGTTTTTGATTGGCGCCTTTCTCATTATTATAGGCTCCCTCCTGCTGTCAGGC

342/562

**FIGURE 342**

AGTTCCGGCAAGGGTGCATCCGGCNTGTGTGTGGCGCAAGGCAAGGAAACCGGTACCCGGGTC  
CTGGCCCCAGCGCTGACGTTTTCTCTCCCCTTTCTTCTCTCTTCGCGGGTTGCGGCGTCGCAG  
ACGCTAGTGTGAGCCCCCATGGCAGATACGACCCCGAACGGCCCCCAAGGGGCGGGCGCTGTG  
CAATTCATGATGACCAATAAACTGGACACGGCAATGTGGCTTTCTCGCTTGTTTACAGTTTAC  
TGCTCTGCTCTGTTTGTCTGCCTCTTCTTGGGTTGCATGAAGCAGCAAGCCTTTACCAACGT  
GCTTTGCTGGCAAATGCTCTTACCAGTGCTCTGAGGCTGCATCAAAGATTACCACACTTCCAG  
TTAAGCAGAGCATTCCCTGTCCCAGGCTTTGTTAGAGGACAGCTGCCACTACCTGTTGTATTCA  
CTCATCTTTGTAAATTCCTATCCAGTTACAATGAGTATCTTCCCAGTCTTGTTATTCTCTTTG  
CTTCATGCTGC

343/562

**FIGURE 343**

CCTGACCCAGGGTCCGGNGGCAATTTTCCATTTATGCCCTGTGGTNCGGGACATACCTAGATN  
TCAGNCCATTTCCCTCCAGGTTTTGGCCTTGTTTTAAGGCCCTGGGCTGGGATTNCAAGTGGCT  
TGATCAACCCCNNTTGGNCCAGTACTACCCTTAGGGNCCGTGACCNTGACTNNTGTCAGCAT  
TTTCATACCTATCGGGTTGGGCGTCTTCATTTCGCTACAAATACAGCCGGGGGCTGANTACATT  
GTGAAGGTTTTCCCTGTGGTCTCTGCTAGTGACTCTGGTGGTCCTTTTCATAATGACCGGCACT  
ATGTTAGGACCTGAACTGCTGGCAAGTATCCCTGCAGCTGTTTATGTGATAGCAATTTTTATG  
CCTTTGGCAGGCTACGCTTCAGGTTATGGTTTAGCTACTCTCTTCCATCTTCCACCCAACTGC  
AAGAGGACTGTATGTCTGGAAACAGGTAGTCAGAATGTGCAGCTCTGTACAGCCATTCTAAAA  
CTGGC



344/562

**FIGURE 344**

CCTAAATAGGGCCCTGGATATATTCAACACTTCCATTGTGACTCCAATATATTATGTATTCTT  
TACAACATCAGTTTTAACTTGTTTCAGCTATTCTTTTTAAGGAGTGGCAAGATATGCCTGTTGA  
CGATGTCATTGGTACTTTGAGTGGCTTCTTTACAATCATTGTGGGGATATTCTTGTTGCATGC  
CTTTAAAGACGTCAGCTTTAGTCTAGCAAGTCTGCCTGTGTCTTTTCGAAAAGACGAGAAAGC  
AATGAATGGCAATCTCTCTAATATGTATGAAGTTCTTAATAATAATGAAGAAAGCTTAACCTG  
TGGAATCGAACAACACACTGG

345/562

**FIGURE 345**

TTAAGTGCAAACCATGCAGTGCCCGAGGATGATACCATTAGCAATGACTCCAATGATTTACCC  
GAAGTAGAAAATGGTCAGATAAATAGCAAGTTTATTTCTGATCGTGAAAGTAGAAGAAGTCTC  
ACAAACAGCCATTTGGAAAAAAGAAGTGTGATGAGTATATTCCAGGTACAACCTCCTTAGGC  
ATGTCTGTTTTTAACCTAAGCAACGCCATTATGGGCAGTGGGATTTTGGGACTCGCCTTTGCC  
CTGGCAAACACTGGAATCCTACTTTTTCTGGTACTTTTGACTTCAGTGACATTGCTGTCTATA  
TATTCAATAAACCTCCTATTGATCTGTTCAAAGAAACAGGCTGCATGGTGTATGAAAAGCTGGG

346/562

**FIGURE 346**

GCAGCATT CAGAGT TACTGG CTGTCAT TTTTCAT GGTGAT GATTTT ATTTGT AGCTTT CATAA  
CCTGTT GGG AAGAAG TTACTACT TTTGGT ACAGGCT ATCAGG ATA ACTTCCT ATATGA ATGAAA  
CTATCT TATATTTT CCTTTT CATCCCA CTCCAG TTATACT GTGAGAT CTAAAAA ATATTCT  
TATCCA AGCTCAT TGTCTGT TTTCTC AGTACCT GGTACC ATTTGT ACTACT TCAGGTA ATCA  
TTGTTTT ACTTAA AGTTCAG ATTCCAG CATATAT TGAGAT GAATATT CCCTGG TTATACT TTG  
TCAATAG TTTCTCAT TGCTAC AGTGTATT GGTTTA ATTGTC ACAAGCT

347/562

**FIGURE 347**

ACAATGTTGGGTAAAATAATTGGGGGGGACTTTTGGGGCCNTTCAGGNTTAATAGTATTAAGTC  
TATGGGCAANTGGAGCCTTAGGANAATTTGGGGGGTTTTTAATCTTTTTCCTGGTGGGCTTAG  
ATTTTCTCCAGAAAAGTTAAGAAAGGTGTGAAGATTTTCCTTACAAGGCCCGTGTTACATGCC  
ACTGTTAATGATTGCATTTGGCTTGCTGTGGGGGCATTTCTTGCGNATCAAACCCACGCAGAG  
GGTNTTCATTTCCAAGGTGTCTGTCTTTGTCAAGCACACCCCTCGTGTCCAGGTTCTCATG  
GGCAGTGCTCGGGGTGACAAAGAAGGCGACATTGACTACAGCACCGTGCTCCTCGGCATGCTG  
GTGACGCAGGACGTGCAGCTCGGGCTCTTCATGGCCGTCATGCCGACTCTCATAACAGGCGGGC  
GCCAGTGCACTCTTAGCATTGTCGTGGAAGTTCTCCGAATCCTGGTTTTGATTGGTCAGATT  
CTTTTTTCACTAGCGGCGGTTTTTCTTTTATGTCTTGTTATAAAGAAGTATCTCATTGGACCC  
TATTATCGGAAGCTGCACATGGAAAGCAAGGGGAACAAAGAAATCCTGATCTTGGGAATATCT  
GCCTTTATCTTCTTAATGTTAACGGTCACGGAGCTGCTGGACGTCTCCATGGAGCTGGGCTGT  
TTCCTGGCTGGAGCGCTCGTCTCCTCTCAGGGCCCCGTGGTCACCGAGGAGATCGCCAC

348/562

**FIGURE 348**

AAAAAAAAAAAAAAAAAAGAACCCTTCTGCCTTATCATTCTCTCTTTATTACCGAAATG  
CGGAGACAGAAAGTCAACAGAGAAAGAATTGTTTTCCCCAAGGCCACACAGATTGCTCCAACA  
CTTGACTTTTCCTGCTAGGAACTCAATCCAAGAGATGGGCTTTCTTTTGTTCTCTGACTATAA  
AAGGGTGTCACCTTGTCACCATCTTCTATCACACAGGACCCCTATGGGCTTGGTTTGGTTTGG  
TTCTTTCATCATTATTATTTGGAAAGTTATATTCCTTTACTGTCCTTGAGGTGTGAGGCTTC  
ACCTCATCTTGTCTCCATATCCCTGAG

349/562

**FIGURE 349**

TGGATCCCATGGCCAGGGNGGCGTCCAGGTGCAAACCAGTAGAACNCAAGGCCTGAACCTGGG  
GCCAGACACCTTGTTTTCCCGGCCATGGTCAAGACCNTCCAGTACNTGCCTTACTGTGGGCC  
CAGAANTGGGCCAAGTCTTGGCAGCCCGTGCCGCAGGTTGTTGTGCAGTTTGGGGTGTTCTTC  
TGCACCATCCTCCTTTTGCTCTGGGTGTCTGTCTTCCTCTATGGCTCCTTCTACTATTCCCTAT  
ATGCCGACAGTCAGCCACNTCAGCCCTGGCATTCTACTACAGGACCGACTGTGATTCCCTCCA  
CCACCTCACTCTGCTCCTTCCCTGTTGCCAATGTCTCGCTGACTAAGGGTGGACGTGATCGGG  
TGCTGATGTATGGACAGCCGTATCGTGTTACCTTAGAGCTTGAGCTGCCAGAGTCCCCTGTGA  
ATCAAGATTTGGGCATGTTCTTGGTCACCATTTCCCTGCTACACCAGAGGTGGCCGAATCATCT  
CCACTTCTTCGCGTTCGGTGATGCTGCATTACCGCTCAGACCTGCTCCAGATGCTGGACACAC  
TGGTCTTCTCTAGCCTCCTGCTATTTGGCTTTGCAGAGCAG

350/562

**FIGURE 350**

AAATTTGAAACCCATAAGTTACCAAGTCTATATCAGGNGCAGTGGCTTTGATTAAAGCCCATT  
TTTAAAACTTAAAACTCAACNCNTCCCAGATTATAATAGAAAAAGAAATGGCNTCAGTTTGA  
TCTCGTTCAGAATGCCCCAGATTGTTCTGCTTTGGGGCAGCTGTTTAGTTCAGAGTTATATTN  
CAGAGAATTATTTTCTGAGATAATCTTAACTAGAATGTTCAAACTAATTGATAATTGAAGT  
ATCAAGATACGTAGAACACCTCAGAGATTTTCTTCAGGAACTTCCACAACTTTGAATCCTT  
GTATCTTTATTTGGTATTCATACTACTAGTAGCAAAATACAGGTTTTTTGTTTTGTTTTGTTT  
TGTTTTGGCTTCATAGAGTATCTCAAATTGAACTTTTCTGCACAAAGAATAAAATTAAGGAT  
TTTATAAACTCAAATTGGCACCTACTGAATTAAAATACATAAAATCATTTAAATATAATTCAG  
CATATGGGAAGTAACATTGCACTAATATGGAAATCACTGCCAGAGACAGTCTATTTTCTTTTA  
ATTTGTTACTACTTAGTCACAAA

351/562

**FIGURE 351**

TCAGAAGGGAATGAAATCCNCAGCGGACCTGGCATCAAAAACCTTTGGGCAAAGCAATTGAATT  
GNAAGCAATAAAACNGACTTTATCAAGTCCTAAATGTACAAGAGAAGAAGAGAAAATCACTTG  
ACAATGAAGTTGAAAAGACAGCAAATCTTGTCATTAGCAACTGGAATCAGCAAATTAAGGCCA  
AGAAGAAATTAATGGT TAGTACCAAGAAACATGAAGCACTTTTCCAGCTTGTAGAAAGCTCCA  
AGCAATCTATGACTGAGAAGGAGAAGCGGAAGCTCCTCAATAAACTGACAAAATCAACTGAAA  
AGTTGGAAAAGGAAGATGAAAATTACTACCAAAAAACATGGCGGGTTATTCTACCAGACTGA  
AATGGGAAAACACACTAGAGAACTGCTACCAGAGCATTTCTGGAGCTGGAGAAGGAAAGAATTC  
AACTTTTATGCAATAACTTAAACCAGTACAGCCAACATATTTCTCTTTTGGCCAAACCCTGA  
CCACATGCCACAC



352/562

**FIGURE 352**

TTTAAAGAAATGGGTAAATACTGAGCCTTTNTGCAACCTTTTTTGGAAGCACCAGCCNCAGA  
AGATTCTGTGACTTGTGTGCTTTTAGGTGCACCCTCAGACNTCTGGCTCAGTACACCTCGGGN  
TGATTGAGACTGTTGCCTCAGTCTCTCATTTGGGTTGACATTATTCATTTAATGAATGAATA  
CATTTGTCGCAGAAAGTGGAATTCTCTCATTGTTGAGAGAAAATTCTCAGCTTGAGTCAAGAA  
GTTTCCATATTTACCAGAACCTTCTAGCTTTGATGAGCATAATCACTGCTAAAATAATGTGTC  
TTCTGAGCAGCTGGGTACCAGTGCCTGTGGCCTGTAGCATTAGTTACTGCCTGAGGGATGGTG  
ACTGTTACCGCAGAATGGTGGGCTTCGTTGACTTGTCTTCTCTCCTCTCCCTCTTACCCACTT  
CCCGGAGAAACAGGACAGCAGGCACAGCCAGTAACAAGCTGTGGTACGCCTCCCTGGCCCTGG  
TGACGCTCATCATGTATTCCATTGCCACTGGAGGCTTGGTTTTGATGGCAGTGTT

353/562

**FIGURE 353**

GTGGGCCAATGCTGTCCAAACTACAGGGGGTTAATGTAAAGCTTGTGNTAACATATGAAAAGT  
ATTTAGAAAGAGCTTGGCATGTAGTAACCACTCAATAAAAGTTAGCTACTATTATGAAGTGTT  
TTCCAATGGTTTATTTAGAAGCAAAATAGTATCAGTNTAGAAGTCCAGGCTTGTTTTTCTCCC  
AAACATGTTTTCACAGTGCTTCCATGGTCTCCTTCTCCTTTTCTTCTCCTCTCCTCTAAA  
AACATATTTTGCTGTGTCTGCTTGGTCATCTTTCACTGGGCCAGAGAAAGAATCCCTGAGGGT  
TGGACAAGGGGAGCAGCTGAGTTGGTGAGAAAAGGAGCCCAGCAGGTTGAATGCCTCGAACCA  
CTGTGATGAGCTCTTGAGCTGGGTGCCAATCAAAGTGAAGCAGTGGGGCTTGCCAGGTGAGAT  
GTTAATTTGAGCAGTCACACGTGTCCCTGTCTGGACTCTCCCTAGGACTCTTGACCCTACCCT  
GCAGTGGTTTGAAATGGATTTTATTAGGCTTTCATTACATTCTCATATCATTTTTTTCACTTG  
GTATCTAAGCTACACGAGAGCCAGTGTAGTGCTTTGTCCTTG

354/562

**FIGURE 354**

CCGGTAACCCATTGGGCCTGGCNTAANAAAGTTTTTTTAAGCCATTAGACGTTTTTAAAGGAA  
TTGGNAGATGNCAATTGGGGAAATATTTAAAATTTAAGTAAAATATAAAGCTTCCTTATTTCA  
TGTAACCCAGNCAATCTCAGTATACATGATCAGTTGTGTCTGACAGGTAAATCTATTTGAGGC  
CTTATCACACGTTACTTTTAAGAAGCTAGAAAGGAAAAGTCACTGATCTTAAGTATTTATAATA  
CTTCATGTGGTCTAATACTTTTTACGTTTTGTTTTGATTTCAGATTTAGTCCGGATTCCCGGTA  
TCTGGCAGTAGGTTCTAGTGAGAACTCAGTGGATTTTTATGACCTAACGCTGGGCCCCACTCT  
TAACAGAATCAGCTACTGCAAAGACATTCCAAGCTTTGTCATTCAAATGGACTTCTCTGCAGA  
TAGCAGTTATCTCCAGGTACAGTACCAATACTGTATACCCAGGTGGCAAGTTCTTCTGCTTTT  
ACATTTTCGTGTTAGTGAATGCATTTAAAGTTCCTGAGCTCCAGAGCTCCAGCTTCTCAACTCC  
TCCCTTTGTACCTTCTGACCTACAGCTCCTCTTTCC

355/562

**FIGURE 355**

TCATGGCGGTATACTTTGGCAAGTGGTTATCTTTTAACGGGTTTCATTTTCCCAGTTGTTAAA  
TTTACAGTTGGTTAANTAAAAGTTTTTCCCAGTACGANCAGGGCGTAATCANAGATCCNTAAG  
TGTTTAGTNCAGGGCATGTGCTTTTTTAAAGTGGGNATGGCTATTTACAGATTGGCCTACACTG  
TTNTGGTGGGAGCCNTCAGTGACCAAGGAGCAGAGGTAAGTGAACCCACCCTTGAAGCCATN  
TGGATGCTCCGTTTCATTCAAATCTGGGGTGTCTAACCCAAAGTAACTGGCCACAGACTGCAA  
TGTAAGATACAAATCTTCAGGACCTAGTGTGTGCACATGTTGGCTCTTATATAAGATGGCATC  
CTTAGTACTTGTCTATGTAGAAAAGAATTTGTGGGCTCACAAAGTCCCTACAGAGTCTCACAC  
TCTCATGGCCAATAAGTATACAGGGATACCCGGAATTAGACAAACACAGATGAGACATTTATT  
TCTGTATATGAATTTATTTATTTATTTATTTATTTTGGGACAGGGTCTCGCTCTGTGCC  
CATCCTGGAGTGCGGTGGCCTGGCTCATTGCAAGCTCCGCCTCCCGGGTTTACACCATTCTGC  
CTC

356/562

**FIGURE 356**

TTAATTAGATAATTTAAAGTAGCGTTTTTTTCTACAATGTNTGAAGAAGTGACCTACGCGACA  
NTCACATTTTCAGGATTCTGNTGNAGCAAGGAATACCCGAGATGGAAATAACNTAAGAAAAAGA  
GGGCATCCAGCTCCATCTCCCATTTGGCGTCATGCTGCTCTGGGTCTGGTAACTCTTTGCCTG  
ATGTTGCTGATTGGGCTGGTGACGTTGGGGATGATGTTTTTGCAGATATCTAATGACATTAAC  
TCAGATTCAGAGAAATTGAGTCAACTTCAGAAAACCATCCAACAGCAGCAGGATAACTTATCC  
CAGCAACTGGGCAACTCCAACAACCTTGTCATGGAGGAGGAATTTCTCAAGTCACAGATCTCC  
AGTCTACTGAAGAGGCAGGAACAAATGGCCATCAAACGTGCCAAGAGCTAATCATTCATACT  
TCAGACCACAGATGTAATCCATGTCCTAAGATGTGGCAATGGTACCAAAATAGTTGCTACTAT  
TTTACAACAAATGAGGAGAAAACCTGGGCTAACAGTAGAAAGGACTGCATAGACAAGAACTCCAC

357/562

**FIGURE 357**

CAAAAANAGTGCCCGTCCNGTTGTTGTAAGTGAAGGGACGGCAGTCAGTTGACCCTGCAGTGT  
GCAGGCGAGCGCAGGGAGTACGCCATGTCCTGAGAAGGGGCGATTCTCAGGCTNTGGCAGTTA  
CAGCTTCTCCTCACCCCTGCCGAGCAACCAGGCCACGGGGCTCCGTGCATCGCCACCTAGAGTG  
TTACCCTNTTCCTTGTTACGGAGGTTCTCCGCAGTGTGTGAGAAAGAGGCCCTCTCTCAGAT  
GAATGGATAAAGAAAATGCAGGACATATGGGGGGAGGAGCCAAGATGGCCGAATAGGAACAGC  
TCCGGTCTACAGCTCCCAGTGTGAGCGACACAGAAGACAGGCAAGAAGAATAAATGTCTCTGG  
TGGAAC TTTTGCTCTGGTGGAAGTGTCTTTCTAGAACTGGTGTTGCAGCATCCCTGGAAGTGT  
CAGAGAGCCCTGGGAGTATCCAGGTGGCCCGGGTCAGACAGCAGTCCTGCCCTGCACTTTCA  
CTACCAGCGCTGCCCTCATTAACCTCAATGTCATTTGGATGGTCACTCCTCTCTCCAATGC

358/562

**FIGURE 358**

GGTTCCTAAAGATTGAAGCTTTTAAAGACTCAGCTTTTGACACATTTACTAATTATACTTAA  
TTGTTTCCTTGGTGATTTACCCCCGTGGGTTTGTTTCCCTTGAAGTCCACACTCATTACGTTC  
AGAGCCTTTTTNTACACTACTTGAATTATTTTTATTTAGGTATATAAAATACTGGTGGCAATA  
GCATAAATTCTAAGTGTTAACTTGATGAAGTAATATTGTACACCTATGTAAGCACTGCCCAG  
ACTGATATACATTTACAGCCTAAGGAGGCTTCTTTGTGCTGCTTTGCTATTAATATTCCATTG  
CCCAGAAATAGCCCCTCTCCTAATTTCCATAACCAGAGATAAGCTTACATGTTTTTCCGCTTC  
ATGTAAATGGAATCGTACGCTGAACCCTTTTTTGTGTCTGGTTTCTTTTGCTCAACATTATTT  
CATGCAACAATAAGGATGGCTCTCTCAGACATAATATTCATTTTTATTTATGTAGTGTTTTAT  
GGGAATTGCACTGAGTTAGAGAACTGAAGTNTGAAGGAATAGTTTCCACAAGACTGCCCTCA  
TTTCAGAC

359/562

**FIGURE 359**

AGTGCCGTCCCGGTGTTGTAAGTGAAGGACGGCAGTCAGTTGCCCTGCAGTGTGCAGGCNAGC  
GCAGGAGTACCGCCATGTCNTAANAAGGGCGATTNTCAGGNTNTGGCAGTACAGTTTCTCCTC  
ACCCTGCGAGCAAACCAGGCCACGGGGCTCCGTGCATCGCCACNTAGAGTGTTACCCTCTTCC  
TTGTTACGGAGGTTCTCCGCAGTGTGTGAGAAAGAGGCCCTCTCTCAGATGAATGGATAAAG  
AAAATGCAGGACATATGGGGGGAGGAGCCAAGATGGCCGAATAGGAACAGCTCCGGTCTACAG  
CTCCCAGTGTGAGCGACACAGAAGACAGGCAAGAAGAATAAATGTCTCTGGTGGAACTTTGC  
TCTGGTGGAAC TGCTTTTCTAGAACTGGTGTTGCAGCATCCCTGGAAGTGTGAGAGAGCCCTG  
GGAGTATCCAGGTGGCCCGGGTCAGACAGCAGTCCTGCCCTGCACTTTCACTACCAGCGCTG  
CCCTCATTAACCTCAATGTCATTTGGATGGTCACTCCTCTCTCCAATGC



360/562

**FIGURE 360**

CAAAATGTTAAGAACGTCCACTCCTAATCTGTGGGTGGTNTGCATTGCCGGGCCCCNTGGTTN  
TCTTNTGGCATTNTNTGCTTNTGCNTCATATTCTTGTTAGGCCAGGTGGGCTTGTTGCAGGAC  
ACCCCCAGTGCNTGGATTACGGGCCCCCTTTCCAGCCCCCTTTGCACCTTGAGTTTGTCTG  
ACTATGAGTCCTTCGGCTGCTGTGATCAGCACAAGGACCGCCGCATCGCTGCCCCGGTACTGGG  
ACATCATGGAATATTTTGATCTGAAGAGACATGAGCTGTGTGGAGATTACATTAAAGACATCC  
TTTGCCAGGAGTGCTCGCCCTACGCAGCCCACCTNTACGACGCCGAAAACACCCAGACGCCTC  
TCCGGAATCTCCCGGGCCTCTGCTCTGATTACTGCTCTGCCTTCCATTCTAACTGTCACTCAG  
CCATTTCCCTGCTGACCAATGACCGCGGCCTCCAGGAGTCTCATGGAAGGGACGGTACCCG

361/562

**FIGURE 361**

CCCACGCGTCCGGCTTGAAGACTGACAAGATGTCCCTGTGGACTCCCAACTCTACTCCAGAT  
GGGGAGGTGCCCTTAACACCAAGATTTTAAAAGCTCCAATTCAGAGCAAGAGTCGAAAAC  
ACAGATAAAGTTATAGTTATTTTCAGGGTTCTGAAAAGACGCAGAACATGAAGGGACTCAGAAG  
TCTGGCAGCAACAACCTTGGCTCTTTTCCTGGTGTGTTGTTTCCTGGGAACTCCAGCTGCGC  
TCCGCAGAGACTGTTGGAGAGAAGGAAGTGGACTCCTCAAGCTATGCTCTACCTGAAAGGGGC  
ACAGGGTCGCCGCTTCATCTCCGACCAGAGCCGGAGAAAGGACCTCTCCGACCGGCCACTGCC  
GGAAAGACGAAGCCCAAATCCCCAACTACTAACTATTCCGGAGGCAGCAACCATCTTACTGGC  
GTCCCTTCAGAAATCACC

362/562

**FIGURE 362**

AATCACCCGGGTCGCTGTTCCCTNAGGTGGTCAAGGTGGACAGGGGCGGTGGTNATGGCNCAGT  
TTGACANTGAATACCAGCGCCTAGAGGCCTCCTATAGTGATTACCCCCAGGGGAGGAGGACC  
TGTTGGTGCACGTGCGCCGAGGGGAGCAAGTCACCTTGGCACCATATTGAAAACCTTGACCTCT  
TCTTCTCTCGAGTTTATAATCTGCACCAGAAGAATGGCTTCACATGTATGCTCATCGGGGAGA  
TCTTTGAGCTCATGCAGTTCCTCTTTGTGGTTGCCTTCACTACCTTCCTGGTCAGCTGCGTGG  
ACTATGACATCCTATTTGCCAACAAGATGGTGAACCACAGTNTTCACCCTACTGAACCCGTCA  
AGGTCACTCTGCCAGACGCCTTTTTGCCTGCTCAAGTCTGTAGTGCCAGGATTCAGGAAAATGG

363/562

**FIGURE 363**

GTCCGAACCTGAGCAAACACAGCAGCCCGAGTGTTCCCAAGGCCAAAATGCTGAGAACGTCCA  
CTCCTAATCTGTGTGGTGGTCTGCATTGCCGGGCCCCCTGGCTCTCTTCTGGCATTCTCTGCC  
TCTGCCTCATATTCTTGTTAGGCCAGGTGGGCTTGCTGCAGGGACACCCCCAGTGCCTGGATT  
ACGGGCCCCCTTCCAGCCCCCTCTGCACCTTGAGTTTTGCTCTGACTATGAGTCCTTCGGCT  
GCTGTGATCAGCACAAGGACCGCCGCATCGCTGCCCCGGTACTGGGACATCATGGAATATTTTG  
ATCTGAAGAGACATGAGCTGTGTGGAGATTACATTAAAGACATCCTTTGCCAGGAGTGCTCGC  
CCTACGCAGCCCACCTCTACGACGCCGAAAACACCCAGACGCCTCTCCGGAATCTCCCGGGCC  
TCTGCTCTGATTACTGCTCTGCCTTCCATTCTAACTGTCACCTCAGCCATTTCCCTGCTGACCA  
ATGACCG

364/562

**FIGURE 364**

CCCACGCGTCCGTGAACACACAAAGAGCTTATTTTGTTAGGCAAATACACATTAATAAGAATG  
CCTAGAAGAGGACTGATTCTTCACACCCGGACCCACTGGTTGCTGTTGGGCCTTGCTTTGCTC  
TGCAGTTTGGTATTATTTATGTACCTCCTGGAATGTGCCCCCAGACTGATGGAAATGCATCT  
CTTCCTGGTGTGTTGTTGGGGAAAATTATGGTAAAGAGTATTATCAAGCCCTCCTACAGGAACAA  
GAAGAACATTATCAGACCAGGGCAACCAGTCTGAAACGCCAAATTGCCCAACTAAAACAAGAA  
TTACAAGAAATGAGTGAGAAGATGCGGTCACTGCAAGAAAGAAGGAATGTAGGGGCTAATGGC  
ATAGGCTATCAGAGCAACAAAGAGCAAGC

365/562

**FIGURE 365**

TGGTTGGGGCCTCCAAGATTAGAATGTTACTAGGGCCAAAANCAGTGGGATTGGTAAAAGAGG  
CAATGATACCCCCATGAGAGCNTTCACATNCAGAACCAGNCAGAACTTCAAAGGTTTTGATGA  
TANCAATGATGATTTCTGACAATGGCAGAATGTCAATTCATTATCAAACATGAACTTGAAAA  
TCTTAGAGCTAAAGATGAAAAAATGATCCCTGGTTACCCTCAGGCAAAGTTGTATCCAGGAAA  
ATCATTGTTGAGAAGATTGCTCACGTCTGGCATCGTGATTCAGGTGTTTCCACTGCATGACAG  
TGAAGCCCTGAAGAAGCTTGAGGACACCTGGTACACTCGGTTTGCTTTGAAGTATCAGCCCAT  
AGAGAATCACAGATTGGAATCTGCCTATCAGAACCATCTAATTCTGAAAGTTTTAGTGTTCAA  
CTTCCTCAATTGCTTTGCCTCACTCTTCTATATTGCCTTTGTCTTGAAAGATATGAAGCTTTT  
GCGCCAGAGCTTGGCCACTCTCCTAATTACCTCCCAGATCCTCAACCG

366/562

**FIGURE 366**

ATTTGATTAAATTATGAATGAGTTTTACAAATTCCTTTCAGAGTTTTACTAAGATCACACAAA  
TAACAGCTTTNTTATTCAGTGAAAAAGATATTTTATTTCTGATGTTTTATTTGCACTCGTGGA  
ATATGTTACCATTAATCAGAAACATCATGGCAACCCCTAAGAATAGACTAAGTTTGTGTTGGC  
TGAGGGATTNTATTTGGTTTGCTTTTTTTTTTGCTTTGTTATATTTTATTGCTACA

367/562

**FIGURE 367**

GGCTACAAC TGCTCAACATGGGAAAAGACATTCCGGGCAGATCGGCTTTTGAAAGCTTAAAGG  
GAGCTTGATGCTGGCAATGGGATCAGAGTGTTTGACNTGACATCGGGATGTTTCATTGCTAGTC  
TGACCATCTGGCTCCTCTGTANAAACATTGTTTCAGAAACCTGTGACAGACGAAGCAGCACAGA  
GTAACCCGGAGTTTGAAAATGAAGAATTGGCTGAAGGAGAAAAAATTGATTCAGAAGAGGCNC  
TGATCTATGAAGAGGATTTCAATGGAGGAGATGGTGTTGAAGGCGAGTTGGAAGAAAGCACGA  
AGTTAAAAATGTTCCGCAGGCTTGCCTCTGTGGCCTNTAAGCTCAAGGAGTTCATTGGCAACA  
TGATCACCACTGCTGGGAAAGTCGTTGTTACCATCTTACTGGGCTCCTCGGGCATGATGTTGC  
CGTCTTG



368/562

**FIGURE 368**

TTAAGCCGGAAAATCCCCTTGAACCCAGAAGCGGAAGGTNCAGTCACCCAAAATGGNGCCCAT  
TGCATTCCAGCCTCGGTNCGGAGCAAGACTTTGTTTAAAAAAAAAATTAAATTAGCCATTAC  
CCCTAGNTAATTTTTTAAATTTTTTGTGAANANAGGGCCTCACTGTCTTGCCCAGGCTGGTCTC  
GAACTCCAGGCTTCAGGTGATCCTTCTGCCTTGCCCTCCCAAAGGGCGGGATTACAGGTGTGAG  
CCACTGTGCCCAACTCATTACTTTTTTAAAAAATTACTTTCCATTTCTAGTTTATATATGACA  
GGTACTTACTTTAAGTAGTAAATATTATGTTTAAACAATAAATAAAAATGATCAGGATTTCCCC  
CGACATGCTTTCCTTCTCTCTTTTTCTCCTTTCTCTCTCAFTTTATCCCTTCTCCTGCC  
TTTTTGGAAGTCCTTATTGGAGGAAAAAATAACTTGCCCTATTTGTTTCCTCACTAATTGTTA  
TCAGTCTCGGTATCAAGGCAAGCAGATTCAAATTGCTGTAATATATACAGTGCAATTAGATT  
AGAGTCTACTAAGAATTTAATTGGAGAATGTTCAAATACTTTTCTAAAGTTAATTTTTTTAG  
TATTCA

369/562

**FIGURE 369**

TAGAAGGTCCGTCATGGACCCCAGATCCATTTCTAGTAAAGGCGTCATGACACCCNGGATCC  
ATTTCTAGTAAAGGCGTCATGACACCCCGGATCCTTTTCCCCTCAGAGGGGCTNGTCATGAC  
TCAGACACATCTCCTCCCAGAGGATCCGTCATGACTCCTCAGACACTTCACCCCCAAGGAGGG  
CCCGTCATGATTCTCCAGATCCTTCTCCCCCAAGGAGGCTCAGCATAATTCTTCAGGTGCAT  
CTCCTAGGAGAGTCCGTCATGATTCACCAGATCCCTCTCCTCCTAGGCGAGCCCGTCATGGTT  
CCTCAGATATCTCTTCCCCCAGAAGGGTCCATAACAACCTCCCCTGACACATCTAGGAGGACTC  
TTGGCTCTTCAGACACACAGCAACTCAGAAGGGCCCGTCATGACTCCCCTGATTTGGCTCCTA  
ATGTCACCTATTCCCTG

370/562

**FIGURE 370**

CGGANGCGTGGCCGAACGCNTGGTCCAACCATATGCCAGGTTCAACNCGGATAAAAGTTAGGA  
AACGTAACCAGCTTCATTTTTTTGNCAGCAGACTTAAAGATCTGAAACTTGGAATAATATCA  
AGGATTTATGTGCTGCTCTTTGGATTCTGATGAAGAATCCAGTGCTCATATGCCTAGCTCTGT  
CAAAGCTACAGAATATTTAGTTATTATTGGAGCTTCTGAATTTTTGCCTATATATTTAGAAA  
ATCAGTTTATATTAACACCCACTGTGGCAACTACACTTGCAGGACTTGTTTTAATTCCAGGAG  
GTGCACTTGGCCAGCTTCTGGGAGGTGTCATTGTTTCCACATTAGAAATGTCTTGTAAGCCC  
TTATGAGATTTATAATGGTTACATCTGTGATATCACTTATACTGCTTGTGTTTATTATTTTG  
TACGCTGTAATCCAGTGCAATTTGCTGGGATCAATGAAGATTATGATGGAACAGGGAAGTTGG  
GAAACCTCACGGCTCCTTGCAATGAAAAATGTAG

371/562

**FIGURE 371**

AATAAAAAATGGCTTAAAAGAACATTTCCGAACCAAAAGGAACCGGTTCCNGCCTTAACAAAG  
TGGGACATTGGCCNTCAAAGGGGNCCTCATGGGAACATCNTGTTTTGCGGGGGCANGCACAAT  
GGTCAAGGGCTTCCCTAACCGTTTGCANAAGNAGTTAANCAGCATGTGTCCCAATGNCCCCCG  
CAGGTAAACGTGCTGCCTGAAANAGCCAGTCCGTGTGGACCGGGGCTCCATCCTGGCCTCATT  
CAGGGTTTCCAACCATTTGTGGGTCCACCGCTTTGAGTACGAGGAACACGGGCCTTTCTTCCTC  
TACAGAAGGTGTTNTGAACGGCGACAACCTTTGGCGTCGTGAGATTCTTGTGAGGCGTCTGCCT  
GGAAGCCGGCAGCAATTTTTGCTTCTTTAAAGAGAAAAAGAAGGCTAGGGACTCAGATTCCTG  
GATTCTGAGATCCAGACCAGCTCCTCCCAGACCTNTCCAGAAGAAGCCATGGGAACCCCTCGT  
ATCCAGCATTTGCTGATCCTCCTGGTCCTAGGAGCCTCCCTCCTGACCTCGGGCCTAGAGCTG  
TATTGTCAAAGGGTCTGTCCATGACTGTGGAAGCAGATCCAGCCAATATGTTTAACTGGACC  
ACAGAGGAAGTGGAGACTTGTGACAAAGGGGCACTTTGCCAGGAAACCATACTAATAATTAA

372/562

**FIGURE 372**

GTGCGCATAAAGAGGAGGCGCTTGCCTTCAGCTTGTGGGAAATCCCGAAGATGGCCAAAGCAA  
CTCAACTGTTTCGTTGCTTCCAGGGCCTGCTGATTTTGGAAATGTGATTATTGGTTGTTGCGG  
CATTGCCCTGACTGCGGAGTGCATCTTCTTTGTATCTGACCAACACAGCCTCTACCCACTGCT  
TGAAGCCACCGACAACGATGACATCTATGGGGCTGCCTGGATCGGCATATTTGTGGGCATCTG  
CCTCTTCTGCCTGTCTGTTCTAGGCATTGTAGGCATCATGAAGTCCAGCAGGAAAATTCTTCT  
GGCGTATTTCAATTCTGATGTTTATAGTATATGCCTTTGAAGTGGCATCTTGTATCACAGCAGC  
AACACAACGAGACTTTTTCAC

373/562

**FIGURE 373**

TTTAAGGATGTTGCCATGNACCATGTTTTTTCAAATTTGCTTTTCATTTGGGNCCGTTTTGGA  
GTCTTTGACCGCTANGATGGTTTTTCGTCGTCTGGGAACTTGATCAGACTTTGAAGATTNTAAA  
TTTGGAAGATCAGGGTGCACTTTTGAGTGATGATGAAATATTTGTAGCCGCCAAATTGGGAAA  
CATACCTGCATGGCCTTGCGCAAATACTTTGAGGCTCACCTGGCCATTAAATTGGAACAAGTG  
AAGCAGTCACTTCAGAGGACTGAGGGTGGCATTNTTGTCCACCCACAACCCCCGTACAAGGCA  
TGCTCATATACTCATGAACAGATTGTGGAAATGATGGAATTTTTGATAGAATATGGCCCAGCG  
CAGCTATATTGGGAACCAGCTGAAGTTTTCTCAAACCTTNTTGTGTGCAACTCTTGTTGCAG  
CTTATTTNTATTGCCTGCAATTGGAAGACCTATTATGCAAGGAATGACACTGTGCGCTTTGCT  
TTGGATGTCCTGGCTATTCTTACTGTGGTGCCAAAAATCCAGCTCCAGTTGGCAGAATCAGTG

374/562

**FIGURE 374**

AAATTTTTTAAAAAACTCCTTAATAGGCCCTTTTTTTTTTTAACCTGAAAGTTGACTACCTA  
CCTTTCAGGAAATATATATTTTTTGGGTTTAGCTAGGTTGACTTTCTTCTAGAAATGGAAAAG  
ATGGCACCCCTCGGTACCAAAGTGCTGGGACTCTGCACTATGCTTGTGTGTATGTGTGTGCCTC  
TGTCTTGCTCTCTTATCTCCCAGCAGTGAGACATTGGACGTGTTTGCTCATGAAGATGCAGTA  
TATGGCTTGTCTGTGAGCCCAGTGAATGACAACATTTTTGCCAGTTC

375/562

**FIGURE 375**

TTTTTTTGGGAGGAGGAATGTNCATTTCAGGGAGTAGCTTTTTGGGAAAAATTNTNTAGGGCTA  
CANACAGTCATGGGTGACTTTCTTTCTGCTGTGAAAACCTCCAGAGTNTCTTTAGGGATTTTC  
CCTAAGGTGACCACCAGGCACACCTCAGTNTTTTTGACCCAGAGCCTGAAAACCTGTTTTCANT  
GGGTTCCACCAGTCCCAGCAAAATCCTCTTTGTATTTATTTTGCTAAGTTATTGGGGTTTTGC  
TTACATCTCATGATTGATATAATAACCAAAGTTCTATAGCCTTNTCTTGCAAGTATTTGGATTTG  
CTTGAAACCGGGAAAACTGTTCCCATTAGGCTTGTTAATGTCAGAGTGACACTATTATGAATC  
TTTCTCTCCCTTTCCTCGGCCTGTTTCTTCTCTTTCTCCTTCAAACCTTGCTCTGCAGCTAA  
GGAAGGTGAGTCTACTTTCCTGAGGCTTTGGGGTCAGAGTATATGTTGTTGGAGAAAGAGG  
GCAATCAGGACTNTTCTGGGACCCAGATGAGTTCTTCACTAGCCCTTNTGAA



376/562

**FIGURE 376**

AAATGTTACCCTATCCTCGGANAAGGGTTGAATCCCNCTGATGTGTGTGGATCCATTTTGGT  
GGTGNCAATGATTCTCTCGTCCTATTTTATTAACCTTCATCTACCTTGCAAGAGCACAAAAAA  
CCATGCTAACTTTAACTTTGGATGTGCAATTACATTCCTCCTTGTTGCAGGGACATTTTTTCC  
ANANAGNTCCAATCCTGGTTAATCCGAAGCCAAAGAGAGTGTTTCTTCAGCATATGACTAGAA  
CATTCCATGACTTGGAAGGAAATGCAGTTAAACGGGACTCTGGAATATGGATCAATGGGTTTG  
ATTATACTGGAATTTCTCACATAACCCCTCACATTCCTGAGATCAATGATAGTATCCGAGCTC  
ACTGTGAGGAGAATGCACCTCTTTGTGGTTTTCTTGATCTTCCAGTGCACCTTTCTGATCA  
GGAAAACTGGTATCTTCCTGCCCCAGAAGTTTCTCCAAGAAATCCTCCTCATTTCCG

377/562

**FIGURE 377**

TTTGACTGGGTGTAAGAATATGCTGTTCCAGCAGACCAAGGATGGCATTGGGAAATCTGCNTN  
TGGGGTAGGCACATCTTCATGGGCTATTTGGAAAGTGAGACTTGAAACTACAGAGGCCATCGA  
TGATGAAGGCTGGTTACACTCTGGGGATTTGGGCCAGCTGGACGGTNTGGGTTTCCTCTATGT  
CACCGGCCACATCAAAGAAATCCTTATCACTGCTGGTGGTGAAAATGTGCCCCCATTCCTGT  
TGAGACCTTGGTTAAGAAGAAGATCCCCATCATTAGTAACGCCATGTAGTAGGAGATAAACT  
GAAGTTTCTGAGCATGTTGCTGACGCTGAAGTGTGAGATGAATCAGATGAGCGGAGAACCTCT  
GGACAAGCTGAACTTCGAGGCCATCAACTTCTGTCGGGGTNTGGGCAGCCAGGCATCCACCGT  
GACTGAGATTGTGAAGCAGCAAGACCCCCCTGGTNTACAAGGCCATCCAGCAAGGCATCAATGC  
TGTGAACCAGGAAGCCATGAACAATGCACAGAGGATTGAAAAGTGGGTCATCTTGGAGAAGGA  
CTTTTCCATCTATGGTGGAGAGCTAGGTCCAATGATGAAACTTAA

378/562

**FIGURE 378**

GTGGAGGAAGAAGACATTATACAAAACAAATTTAGAACTGGGATCATGAGTGGAAAAACAAA  
GGCAAGAAGGGCTGCCATGTTTTTTAGACGTTGCTCTGAAGACGCCAGCGGTAGCGCCAGTGG  
CAATGCTTTGTTATCAGAGGACGAAAATCCTGATGCGAATGGGGTAACTCGATCATGGAAGAT  
TATTNTAAGTACAATGCTTACACTGACTTTTCTTCTTGTAGGACTCCTAAATCATCAGTGGCT  
TAAAGAAACAGATGTTCTCAGAAATCCAG

379/562

**FIGURE 379**

AGCCAAAATCCTTGGCCAAATTTNGCATTTCCAANTCCGGAGGCCAAGAAAGGAAGAAAGTTC  
CCCAGGTNGAAAANCAAACCTTGGATTTTCAGCAATATGGATTTATTAATCAAATGTGGTTACC  
ATTTGGGGCCCTTCCGGGGGATTTTAAGTACTTTTCCATACCTAGCTNTTATACATACTATTAT  
TCTCATGGCAGTAGCAACTTTTGGTTCAAATATCCCCAAAACATGCTCAAAGTAGAACATTTT  
GTTTCAATATTAGGAAAGTGCTTTGAATCCCCTTGGACGACAAAAGCGTTGTCTGAGACAGCA  
TGCGAAGACTCAGAGGAAAACAAGCAGAGAATAACAGGTGCCCAGACTCTACCAAAGCATGTT  
TCTACCAGCAGTGATGAAGGGAGCCCCAGTGCCAGTACACCAATGATCAATAAACTGGCTTT  
AAATTTTCAGCTGAGAAGCCTGTGATTGAAGTTCCCAGCATGACAATCCTGGATAAAAAGGAT  
GGAGAGCAGGCCAAAGCCCTGTTTGAGAAAGTGAGGAAGTTCCGTGCCCATGTGGAAGATAGT  
GACTTGATCTATAAACTCTATGTGGTCCAAACAGTTATCAAAACAGCCAAGTTCATTTTTATT  
CTCTGCTATACAGCGAACTTTGTCAACGCAATCAGCTTTGAACACGTCTG

380/562

**FIGURE 380**

CGGATCCTTTAAAATCCCTGACCTNGACCCAAGGGTCCGGTAAAATCAATTTGTNTTACCCAA  
AGACCAATTTTTGACATATCTTGAATAGGATGNCTATAAATTATGACTTTTAAATTGTTGTAA  
TTTTTGTACTATTATCTGANATTTTTATTTTTATGNATTTTCGTAAGTAGTTTAGAGATAGTC  
ACATTTTAAAAATCTAAGATCAAGCAAATGAAGCTTATTTTTATGTATTCATAGTATAAAAGC  
CTTCAGTAAATAGGTAATATTTTTGTTTTATTCTAGAAAACAGCTCCTTGAACACAGTGAGCT  
GGCTTTTTCACACATTGCAGTTGTTAGTGTTTACTGCCCTTGCCATTTTAATTATGAGGCTAAA  
GATGTTTTTGCACCGCACATGTGTGTTATGGCTTCCTTGATATGCTCTCGACAGCTCTTTGG  
CTGGCTTTTTCGCAGAGTTCGTTTTGAGAAGGTTATCTTTGGCATTTTAACAGTGATGTCAAT  
ACAAGGTTATGCAAACCTCCGTAATCAATGGAGCATAATAGGAGAATTTAATAATTTGCCTCA  
GGAAGAACTTTTACAGTGGATCAAATACAGTACCACATCAGATGCTGTCTTTGCAGGTGCCAT  
GCCTACAATGGCAAGCATCAAGCTGTCTAC

381/562

**FIGURE 381**

GAATAAGTTGGGATTTTTNAGCAAGGATTCCAATNTGATTCTTAAAAAGGAGTTAGCCATAA  
AGCCAGTGGTTTTAATTAGATTCAGATTGATTTTTAAATTTACGGGTTTCAGNTTCAGGGA  
ATGCTACCCNCAAAATGAGATTTCACTACTATATACCAGTGAAATTTCTACTCTCANATTTTC  
TGTAATGTCATTTTTTCATAGTTAGGTTTTAGAAAGTATCTAATCAGGTGTGATGGTCAAATA  
AAGGGTTCAAACACATTTCTATTTTCTGNTTCAATAAATATTTTTTATATTGCTTATTCTTAT  
CTATCTTTACCTAATTTCTTCCTATCTTTTTCGNTAACTTTCTTTTTTTTTATTTTCTTCTAA  
TGAAGATTCTGCTTTCTTCATCTAAACCTGTCCCAAAAACCTATGTACCAAAACTTGGCAAGG  
GTGATGTAAAGGATAAGTTTGAAGCCATGCAGAGAGCCAGGGAAGAAAGAAATCAAAGGAGAT  
CTAGAGACGAAAAACAAAGAAGAAAAGAACAATATATTAGAGAGAGAGAATGGAACAGGAGAA  
AGCAGGAGGTATTTTATTTTACTTTATTCTCGTGAAAATATTTGTTTGCATTTTTTTCATTTA  
AATTGTATTTATTCACATTAAC

382/562

**FIGURE 382**

GTCCATGGAGCTGGTGGTCAAGGTGGACAGGGGCGGTGGTGATGGCGCAGTTTGACACTGAAT  
ACCAGCGCCTAGAGGCCTCCTATAGTGATTACCCCCAGGGGAGGAGGACCTGTTGGTGCACG  
TCGCCGAGGGGAGCAAGTCACCTTGGCACCATATTGAAAACCTTGACCTCTTCTTCTCTCGAG  
TTTATAATCTGCACCAGAAGAATGGCTTCACATGTATGCTCATCGGGGAGATCTTTGAGCTCA  
TGCAGTTCCTCTTTGTGGTTGCCTTCACTACCTTCCTGGTCAGCTGCGTGGACTATGACATCC  
TATTTGCCAACAAGATGGTGAACCACAGTNTTCACCCTACTGAACCCGTCAAGGTCACCTCTGC  
CAGACGCCTTTTTGCCTGC

383/562

**FIGURE 383**

GGATGGGAAGGATCGATTAAAGGATTGGCTTTTGGAACTTACTGGTGGGAATAAGGTTGGC  
CTTGTGCAAAGTCCCCAAGGCNTGACATTAGTTTGCTGGCAAGGCAATTGATTCCTCNTTCA  
ACATCGCTTATGCAGCTTCTGTTCTTCGGTAATCTATGAATTTTGGATCGTGTCATCAAAT  
GTCCATTGGTTCCTTCTTCCTGGTGAGTGCTCTGCTGATCAACGTTCTGAAAGTGAGCCCATT  
CAACAACGGTCAACTGGTCATGGGATCTTTCGTCAAGAATGAGTTTTCGGCCCCCTCCTACCT  
TATGGGCTATAATAAATCCTTGAGTGTGGTGGCAACCACAACCTTTTCTGACTGGGATTATTCA  
GCTAATAATGGGCGTATTGGGTTTGGGCTTCATTGCCACTTACCTTCCGGAGTNTGCAATGAG  
TGCTTACCTGGCTGCTGTGGCACTTCATATCATGCTGTCCCAGCTGACTTTCATCTTTGGGAT  
TATGATTAGTTTCCATGCCGGTCCCATCTCCTTCTTCTATGACATAATTAATTACTGTGTAGC  
TCTCCC



384/562

**FIGURE 384**

TGTTTATGTCACCTACCTTCNCCTTTTAAAGTTTGTCCNAGCAAACCTTGCAGAATTTTAGA  
TGAACATGGNAAAAATGTTACAATCTGTGGGCCTGACTTTGGTCAAGACCTGTACANAGATGA  
AAACTTGGTGACTATACTGGGGACCAGCTTCTTAATCGGATGTATCTTGTATTTCATGTTTGAC  
ATCAACAACAAGATCGAGTTCTGACGCTCTGCAGGGGCGATACGCAGCTCCTGAATTGGAGAT  
AGCTCGCTGTTGTTTTTGCTTCAGTCCTGGTGGAGAGGACACTGAAGAGCAGCAGCCGGGGAA  
GGAGGGACCACGGGTCATTTATGACGAGAAGAAAGGCACCGTCTACATCTACTCCTACTTCCA  
CTTCGTGTTCTTCCTAGCTTCCCTGTATGTGATGATGACCGTCACCAACTGGTTCAACTACGA  
AAGTGCCAACATCGAGAGCTTCTTCAGCGGGAGCTGGTCCATCTTNTGGGTCAAGATGGCCTC  
CTGCTGGATATGCGTGCTGTTGTACCTGTGTACGCTGGTCGCTCCCCTCTGCTGCCC

385/562

**FIGURE 385**

AACAGGGGGGCGCTTGNTCCAGAAATGTTTCCCCTGGGGAAAGTGGCATCACTTAATGACAT  
TCAGCCAACTTACNGAATCCTGAAACCATGGTGGAATGTGTTTATGGATTACCTAGCTGTTGT  
TATGTTAATGGTAGCCATCTTTGCAGGAACCATGCAACTTTACCAAAGATCAGGTGGTCTGTT  
TGCCAGTATTGCCATCTCCTGTAAATTCAAAGGCACATACACCACCAGGAAATGCCGAGGTCA  
CCACCAACATCCCAAAGATGGAAGCAGCCACCAACCAAGACCAAGATGGGCGGACAACAAACG  
ACATTTTCCTTTGGGACATCTGCTGTGACACCTGACATACCTCTCAGAGCCACATATCCTCGCA  
CAGATTTTCGCACTTCCAAATCAGGAGGCAAAGAAAGAGAAGAAAGATCCAACAGGTCGAAAAA  
CAAACCTTGGATTTTCAGCAATATGTATTTATTAATCAAATGTGTTACCATCTGGCCCTTCCGT  
GGTATTCTAAGTACTTTCCATACCTAGCTCTTATACATACTATTATTCTCATGGTCAG

386/562

**FIGURE 386**

ATCAAGTTGGTGAAGAAAGAACCTATGAAATCTGTACAAAAGATTGGGGCTTTGTTCTTCCTG  
TTAAGTGGTGTACTGGTGATGACCGGAAGCATGGCCTTGATTGTTTTGGATTGGGTACACAAT  
GCACCTGGAGGTGGCCATTAATTGGCACCCTCAAACCTCAAACCTCAGTCCATCTGATGCCAGT  
GTTGAGTAAACTCAACTACTATGAAATTTACCTAATGTTTTTCAGTTTCACTTCCTTTTGAAG  
TGCAGATTCCTCG

387/562

**FIGURE 387**

TGGATTTAATGGGGGGAAAGGGCGGAAAANGGNCAAGGATCCAAACTGGNGAATTGGTGATT  
TTCGGGTCCCTNTCCGCTTTCGGGCCGGNCAGCGCTGCCAAGGGTATATTTCTTTTTTCNGA  
TCCTGCAACAAGCCTCTTTAAACTGTTTAAATGAGAATGTCCTTGGNTCANAGAGTACTACTC  
ACCTGGCTTTTCACACTACTCTTCTTGANCATGNTGGTGTTGAAANGGATGAGAAAGNCCTTG  
GACTGGTTCCTCATATTCATTCCAGTTGGAAANTTGANACTATCCTTCTTGTCCTGCTGATTG  
TGAAAATGGNTGGGCGGTGTAAGTCTGGCTTTGACCCTCGACATGGATCACACAATATTAAAA  
AAAAAGCCTGGTACCTCATTGCAATGTTACTTAAATTAGCCTTTTGCCTCGCACTCTGNGGTA  
AACTGGAACAGTTTAC

388/562

**FIGURE 388**

GTTAGGTGATCCAGGTTTTGGGGTTTTTGCAACCCTTGGGGTCATTGGGCCCTTNAAATTAAT  
CTTCGGGGGGGGTCCTNGCCATGGNCAGCCAAACATTTTTGGGNACATACCATTTGGTTCTGT  
AATCGGGGCGTTTTTCAGTTTCCTGTGTAAAGGGCNTGGGCATTGCTATCAAGGANCTGTTTGC  
AGGGAAGCNTGTGNTGCGGCATCCCCTGGNTTGGATTCTGCTGNTGAGCCTCATCGTCTGTGT  
GAGCACNCAGATTAATTACNTAAATAGGGCCCTGGATATATTCAACACTTCCATTGTGACTCC  
AATATATTATGATTCTTTACAACATCAGTTTTAACTTGTTCAGCTATTCTTTTAAAGGAGTGG  
CAAGATATGCCTGTTGACGATGTCATTGGTACTTTGAGTGGCTTCTTTACAATCATTGTGGGG  
ATATTCTTGTTGCATGCCTTTAAAGACGTCAGCTTTAGTCTAGCAAGTCTGCCTGTGTCTTTT  
CGAAAAGACGAGAAAGCAATGAATGGCAATCTCTCTAATATGTATGAAGTTCTTAATAATAAT  
GAAGAAAGCTTAACCTGTGGAATCGAACAACACACTGGTGAAAATGTCTC

389/562

**FIGURE 389**

AAAAAAAAAAAAAGAATNTGACTATATACCATGGAAAAGCCNCCACTNTGCCACTTAAATA  
AACATCAGGATCAGAGATTCCAAGAGGACAATNTGCATCAAGTNTTCACCAAGTGTTTTTTAA  
GCGAAATAATGAAATAGGGAGCAGAAATATGCCTGTTGCCCATAGAAACGAGGTNTATTNTTGT  
CCTCAATTAGGCTTTTTTTTTTNTTCATAGTTACACCAGAACTAAAGTAAAAGTGGTTTTTCTG  
TTCTTTCTACTTCTCCCCATGAAATGGGCATATCATNTCAACACTTCACTCCAAGTCGCCACG  
GGCAACCTTATGACCCTAGGTCCTCCACCCCTAATGTATCATCATTGCCA

390/562

**FIGURE 390**

AGGGCGCCCATTTTCGAGCCCAAGTTTCCAGTTCGGGTTTCCGGGCTCAGAATTTTCCAGGAGT  
GGGTTCTTGGGCAGTGGCTGTGGAGCAGGAATGGCGCAGTAGAGGGTTACTGTTTCTCGGCCG  
CCTTGAGCTGTACCTTTTTTAGTGTCTGCCTCCTTTTCTCCGCCTTCAGCCGGGCGCTGCGAG  
AGCCCTACATGGACGAGATNTTCCACCTGCCTCAGGCGCAGCGNTACTGTGAGGGCCATTTCT  
CCCTTTCCCAGTGGGATCCCATGATTACTACATTACCTGGCTTGTACCTGGTGTGAGTTGGAG  
TGGTCAAACCTGCCATTTGGATCTTTGGATGGTCTGAACATGTTGTCTGCTCCATTGGGATGC  
TCAGATTTGTTAATCTTCTCTTCAGTGTTGGCAACTTCTATTTACTATATTTGCTTTTCCACAA

391/562

**FIGURE 391**

CCAGTTTTTCATGGACATAGAAAATTCCAAAAGAATAATAATATTGAATTTAAATTTGGGGGG  
GTTAAAAAANAAAACTTAACTTTATAAAATTATTTATTNTATTTTAAGCCTTNTATCATATT  
TTCCCCATCCAATTGTTTGGTTTCAGTGGTCCAGCTTTTATTTACAGGCATATAAAAGAAATT  
GTGAGATGTTTTGCAAGCTTTTTTTTACTTTGAGAGCTTTTAATTTGTATGTTTTTATGTGGA  
TGAAGAGCATTTTTTATGTTTTTGTGCAATAGGTTCCAATATGCATTTATTAGACATCTGTTT  
AAATGGTAATGTAGCATTTATTTTGCTAAATTGAAAGGGAACATAGATGGAATTCCAAAATAT  
GTACATTCAGCTGTTTGGTTTTTCGTTTTTCATTGTTATTATTGTGAGAATGCTGTTATTGGG  
GTTGTGTGTGAGTGCCCGTCAGCCAGTGATGCCTCGGGCCACGCTGTGGGGCCACCTCAGTCC  
TGCTGGGTCTGGTGCCTTGGACCCACGTGCTTGTGGCCAGGCTGCCCCTGGGCGGGGCCAT  
GTGGCCTCAGACCACAAGAG



392/562

**FIGURE 392**

CGTCTCCAGTCTACCTCCGAGAGATTAGCTGAAACACAGAATATAGCGCCATCATTCGTGAAG  
GGGTTTCTTTTGC GGGACAGAGGATCAGATGTTGAGAGTTTGGACAAACTCATGAAAACCAAA  
AATATACCTGAAGCTCACCAAGATGCATTTAAAAC TGGTTTGC GGAAGGTTTCTGAAAGCT  
CAAGCACTCACACAAAAACCAATGATTCCCTAAGGCGAACCCGTCTGATTCTCTTCGTTCTG  
CTGCTATTCGGCATTTATGGACTTCTAAAAAACCCATTTTATCTGTCCGCTTCCGGACAACA  
ACAGGGCTTGATTCTGCAGTAGATCCTGTCCAGATGAAAAATGTCACCTTTGAACATGTTAAA  
GGGGTGGAGGAAGCTAAACAAGAATTACAGGAAGTTGTTGAATTCTTGAAAAATCCCGAACCC  
CTT

393/562

**FIGURE 393**

GGTCAAGTTCAGTAGTGGTCTCAATAAGTGTGTTAACTTGCTTTGGGTGATTGCAATCAGCA  
TGGGATTTGGCCATTTCTATGGCCCAATTCANATTCAGAAGCGTCNACAGTTAGTCAGAAAGA  
TACATGAAGATGAATTGAATGATATGAAGGATTATCTTTCCCAGTGTCAACAGGAACAANAAT  
CTTTTATAGATTATAAGTCATTGAAAGAAAATCTTGCAAGGTGTTGGACACCTANTGAAGCAG  
AGAAGATGTCCTTTGAAACTCAGGAACCCCTT

394/562

**FIGURE 394**

GCAGTGGGTGATCATAGGCACTAACCCTCAAACCTCCTGAAGTTCAANAGATTGTCCCATGTCA  
GCCTCCCAAGTAGCTGGGACTATAGACAGGNGCCATCATGCCCAGCTAATTATTTTTTTAATT  
TTANAGAAGAGTCTTGCTAGGTTCCCCAGGCTGGTCTCGAACTCCTGACCTCAAATAATCCTC  
CCNCCCTCAACCTCTGAAGTAGCTGCAATGACAGGTGCAAGCCCACTGTGTTTGGCTAGAGTC  
TCATGTTTTTCTAATTCCAAAAAGTTCCATAATGATTTTGATTCAGATTGTATTGAGTTTAC  
ACATTAATTTAAGAAGTGACATCTTCATAATACTAACTTTCCCCAAAAAGAAACAGGGTATGT  
TTTTCCATTTATATGAGTGGGGTTTTTTTTTGTTTTGTTTTTACGTTTTGTAGTTTTCTTCATA  
TAGGTTTTGCCAGAGGTTCCCAAACCTTCTTGGTTCATGG

395/562

**FIGURE 395**

AGCATGGGAAAGGTAGGAACCNAGGGAAAGGGGCCCCCGAGCGCAAGGTGTCGGTGCCCACC  
TTCAGNTGGAGGAGATTCAAAAGCATAACCTGCGCACCGACAGGTGGCTGGTCATTGACCGCA  
AGGTTTACAACATCACCAAATGGTCCATCCAGCACCCGGGGGGCCAGCGGGTCATCGGGCACT  
ACGCTGGAGAAGATGCAACGGATGCCTTCCGCGCCTTCCACCCTGACCTGGAATTCGTGGGCA  
AGTTCTTGAAACCCCTGCTGATTGGTGAAC TGGCCCCGGAGGAGCCCAGCCAGGACCACGGCA  
AGAACTCAAAGATCACTGAGGACTTCCGGGCCCTGAGGAAGACGGCTGAGGACATGAACCTGT  
TCAAGACCAACCACGTGTTCTTCCTCCTCCTGGCCCCACATCATCGCCCTGGAGAGCATTG  
CATGGTTCAC TGTCTTTTACTTTGGCAATGGNTGGATTCTACCCTCATCACGGCCTTTGTCC  
TTGC

396/562

**FIGURE 396**

AATGGTACAACAGTCCCTTAATGGTTGCCNCAATGGCNTGAAATCCAAGNATTACAGACTTTT  
GTGATAAGGTNAAGCTTGGGGCATCGTCCTAGAAACGGTGGCCACAAGTGGGGTTGTGACCTC  
GGTGGCCTTCATGCTCACTCTCCCGATCCTCGTNTGCAAGGTGCAGGACTCCAACAGGCGAAA  
AATGCTGCCTACTCAGTTTCTCTTCCTCCTGGGTGTGTTGGGCATCTTTGGCCTCACCTTCGC  
CTTCATCATCGGACTGGACGGGAGCACAGGGCCACACGCTTCTTCCTCTTTGGGATCCTCTT  
TTCCATCTGCTTCTCCTGCCTGCTGGCTCATGCTGTCAGTCTGACCAAGCTCGTCCGGGGGAG  
GAAGCCCCTTTCCTGTTGGTGATTCTGGGTCTGGCCGTGGGCTTCAGCCTAGTCCAGGATGT  
TATCGCTATTGAATATATTGTCCTGACCATGAATAGGACCAACGTCAATGTCTTTTCTGAGCT  
TTCCGCTCCTCGTCG

397/562

**FIGURE 397**

GACCTCGACCCCAGGGTCCGGTTNTACTTTGTCCTGCCTGCTGCTGGGGTCCCTGGGTCTATG  
TGCATCCTCTTCACTATCTACTGGATGCAGTANTGGTGTGGGGCTTTGCCTGGAATGGCAGCA  
TTTACATGTTCAACTGGCACCCAGTGCTTATGGTTGCTGGCATGGTGGTATTCTATGGAGGTG  
CGTCACTGGTGTACCGCCTGCCCCAGTCGTGGGTGGGGCCCAAAGTGCCCTGGAAACTCCTCC  
ATGCAGCGCTGCACCTGATGGCCTTCGTCCTCACTGTTGTGGGGCTGGTTGCTGTCTTTACGT  
TTCACAACCATGGAAGGACTGCCAACCTCTACTCCCTTCACAGCTGGCTGGGCATCACCCTG  
TCTTCCTCTTCGCCTGCCAGTGGTTCCTGGGCTTTGCTGTCTTCCTCCTGCCCTGGGCGTCCA  
TGTGGCTGCGCAGCCTCCTAAAACCTATCCACGTCTTTTTTGGAGCCGCCATCCTCTCTCTGT  
CCATCGCATCCGTCATTTTCGGG

398/562

**FIGURE 398**

AGAGGAGCTGCCGGTGCCTCCTCAGAACATCTCCTGATCGCTACCCAGGACCAGGCACCAAGG  
ACAGGGAGTCCCAGGCGCACACCCCCCATTTCTGGGTCCCCAGGCCAGACCCCCACTCTGCC  
ACAGGTTGCATCTTGACCTGGTCCTCCTGCAGAAGTGGCCCCTGTGGTCCTGCTCTGAGACTC  
GTCCCTGGGCGCCCCCTGCAGCCCCTTTCTATGACTCCATCTGGATTTGGCTGGCTGTGGGGAC  
GCGGTCCGAGGGGCGGCCTGGCTCTCAGCGTGGTGGCAGCCAGCTCTCTGGCCACCATGGCAA  
ATGCTGAGATCTGAGGGGACAAGGCTCTACAGCCTCAGCCAGGGGCACTCAGCTGTTGCAGGG  
TGTGATGGAGAACAACCTATGTACCTACACACCGTCAGCGACTGTGACACCAGCTCCATCTGT  
GAGGATTCCTTTGATGGCAGGAGCCTGTCCAAGCTGAACCTGTGTGAGGATGGTCCATGTCAC  
AAACGGCGGGCAAGCATCTGCTGTACCCAGCTGGGGTCCCTGTCGGCCCTGAAGCATGCTGTC  
CTGGGGCTCTACCTGCTGGTCTTCCTGATTCTTGTGGGCATCTTCATCTTAGCAGTGTCCAGG  
CCGCGCAGTCCCCCTGACGACCTGAAGGCCCTGACTCGCAATGTGAACCGGCTGAATGAGAGC  
TTCCGGGACTTGCAGCTGCGGCTGCTGCAGGCTCCGCTGCAAGCGGACCTGACGGAGCAGGTG  
TGGAAGGTGCAGGACGC

399/562

**FIGURE 399**

ATCCTGGACTTGACCCAGGNGTCCGTTGATTGGAACCGGTGGTCGGCAAACAAGTCCGCTGG  
GCAGCAGGAGNAGCAGNAGGATTATTAAATAACGCAGTTGGACTCTGGCAACTGGGAGTGAAG  
AGGAGCCCAACAGCCGAGAAGGGAAGGAGGCANAGGAGGGGGACCAGAAGGACACCCCCGTGC  
CCCGAAGACATAAATCCCTGAGTGCCCGGGAGGAGCCTTAACAAGCGCACGGAGCCCTCAAGG  
TGCAAAGTTGGCTTTCACAGTGCAAGCCTTTGATTCCCAATGGGGGACTCAGGATCAAGACGA  
TCTACCCTGGTCTCCCGGTTGCCAATATTCAGAAGAAGTATTAACAGAAGACATGATTCTCTT  
CCTTCTTCACCTTCTTCCAGTAATACAGTTGGTGTCCACAGTTCCTCTCCTTCCAGCACTAAC  
TCAAGCTCAGGTAGCACAGGTAAACGGAGGAGCATATTCCGTACTCCTTCCATTAGCTTCCAC  
CATAAGAAGGGGAGTGAGCCTAAGCAAGAGCCTACCAACCAG



400/562

**FIGURE 400**

GGCTTCCCTCGCGCCCCACCGNCCTNTTCCGGAAGGCGGCTCCCTCCCTGCGCAGCCCGGAGC  
CCCTGAGATCAGCCTCGAGCAGGCGCCCGAGCGAGACTATCCCTAAACGGGAACGGCGGTGGC  
CGACTCGCGAGTGAGGAAAAGAAGGAAAGGGCAGACTGGTCGCGAAGAGAAGATCCAGGCCTC  
AGAGGAGGAGAAAGGCCGGAGCCAGCCGAGCTGTCACGACCGGAGGGGGGACTCGCAGCCTTA  
CCAGGGGGGTGATGTTTTACAGGCACTTAAGTATTCATCGAAGAGTCACCCCAGTAGCGGTGA  
TCACAGACATGAAAAGATGCGAGACGCCGGAGATCCTTCACCACCAAATAAAATGTTGCGGAG  
ATCTGATAGTCCTGAAAACAAATACAGTGACAGCACAGGTCACAGTAAGGCCAAAAATGTGCA  
TACTCACAGAGTTAGAGAGAGGGATGGTGGGACCAGTTACTCTCCACAAGAAAATTCACACAA  
CCACAGTGCTCTTCATAGTTCAAATTCACATTCTTCTAATCCAAGCAATAACCCAAGC

401/562

**FIGURE 401**

TAACAACCACAGAACTGGANTAGTGGTCCTACAGTAGCTGCAGCTGATACCACTGAACTAA  
TTTCCCTGAAACTGCTAGCACCACAGCAAATACACNTTCTTTCCCAACAGNTACTTCACCTGC  
TCCCCCATAATTAGACACATAGTTCCTCCACAATTCCTACACCTGCTCCCCCATAATTAGT  
ACACATAGTTCCTCCACAATTCCTATACCTACTGCTGCAGACAGTGAGTCAACCACAAATGTA  
AATTCATTAGCTACCTCTGACATAATCACCGCTTCATCTCCAAATGATGGATTAATCACAATG  
GTTCTTCTGAAACACAAAGTAACAATGAAATGTCCCCACCACAGAAGACAATCAATCATCA  
GGGCCTCCCCTGGCACCGCTTTATTGGAGACCAGCACCTAACAGCACAGGTCCCAGCAAT  
CCTTGCCAAGATGATCCCTGTGCAGATAATTCGTTATGTGTTAAGCTGCATAATACAAGTTT  
TGCCTGTGTTTAGAAGGGTATTACTACAACCTC

402/562

**FIGURE 402**

CCACAGTATGGAAGAATATCCCTGACTTCTAGCCCTGTGCGCCTTCTTTTGTTCCTGCTGTTG  
CTACTAATAGCCTTGAGATCATGGTTGGTGGTCACTCTCTTTGCTTCAACTTCACTATAAAA  
TCATTGTCCAGACCTGGACAGCCCTGGTGTGAAGCGCAGGTCTTCTTGAATAAAAATCTTTTC  
CTTCAGTACAACAGTGACAACAACATGGTCAAACCTCTGGGCCTCCTGGGGAAGAAGGTAAAT  
GCCACCAGCACTTGGGGAGAATTGACCCAAACGCTGGGAGAAGTGGGGCGAGACCTCAGGATG  
CTCCTTTGTGACATCAAACCCAGATAAAGACCAGTGATCCTTCCACTCTGCAAGTCGAGATG  
TTTTGTCAACGTGAAGCAGAACGGTGCATCCTGGCAGTTCGCCACCAATGGAGAG  
AAATCCCTCCTCTTTGACGCAATGAACAT

403/562

**FIGURE 403**

GTCGGGTGGTACGGCCGCTCCCTGCAGGNGAGTTCGTGNACGACGACGTGTGGGCGATCGTGA  
ACAAACCCCGACGTGCGGGCCCGGCGCCCCGCTCCGTTGGGGCATCTTCACCAACGACTTNTG  
GGGCAAGGGCATGGCCGAGAACACCAGCCACAAGTCCTACCGCCGCTTTGCGTCCTCACCTTC  
AAGCTAAACATATTTTTGACTGGTATGAACCCATTCTACTTTCATGCAGTAAATATAATTTTA  
CACTGCTTAGTGACTCTTGTGCTGATGTACACCTGTGATAAACTGTCTTCAAGAATCGTGGA  
CTTGCTTTTGTAACGGCATTGCTTTTTGCTGTACATCCTATTCATACTGAGGCGGTGGCTGGG  
ATCGTTGGCAGAGCGGACGTGTTAGCGTGTCTGCTGTTTCTATTGGCCTTTCTCTCGTACAAC  
AGGAGTCTGGATCAGGGCTGTGTTGGGGGAAGTTCCCTTCCACGGTGTCTCCCTTCTTCTTG  
CTGCT

404/562

**FIGURE 404**

CTTGTTTGGTCGGTGGAATATGTTGGGATTTATGTTTGCCTCTGAACAAGTGTCTTGCTCACA  
TCGTAAATGACTTTCTCTCCGAAACGCTAAATATTCTTTCCCGCAGGAGCTCATATCCTTATT  
TTCCATGACAGATCTTAACGGACAATATATGCAAAAGATATATAAAGATGATAACTAATATAG  
TTATACTGAGCCTGATCATTTCGATTTCGTTAGCTTTCTGGATTATATCAATGACTGCAAGCA  
CCTATTATGGTAACTTACGACCTATTTCTCCGTGGCGTTGGCTGTTTTCTGTTGTTGTTTCCTG  
TTCTGATCGTCTCTAATGGCCTTAAAAAGAAAAGTCTAGATCACAGTGGGGCTCTAGGAGGGC  
TAGTCGTTGGATTTATCCTAAC

405/562

**FIGURE 405**

AATGCCCCCAAGTTAAATACCTCCTCNACCTTTACNTAAGTTGCTCCTTTATTTTTATTTTAT  
TATTATTATTATTATTATTATTTTTTTGAGATGGAGTCTCACTTTGTAACCCAGGNTGGAATGC  
AATGGCATGATNTCAGCTCACTGCAACCTCCGCCTCNTGGGTTCAAGCAAGTNTCCTGCCTCA  
GCCTCCGAGTAGCTGGGACTACAGGTGCACGCCACCACGCCTGGCTAATTTTTTTGTATTTTAG  
TAGAGACGGGGTTTCACCGTGTTGCCCAGGCTGGTCGCGAACTCCTGAGCTCAGGCAATCCGC  
CCACCTCAGCCTCCCAAAGTGTTGGGATTACAGGCATGAGCCACCATGCCCAGCT

406/562

**FIGURE 406**

GGGCTTGAAAATCTAAATACTTTGAAATTAGAATAATATCTTGTGTTTTAGAGCTTTAAATTT  
TCAAATATNTGCTGTCCACACACCCCCATTGGAGGAGGACCTGTGTCACTAACCCAAATTTGTA  
GCTGAGAAAACAGAGGCAGAGAGAGGTTAAGTAAAAAACCCCAAGAGAGTTCACCTAATATTG  
TGAAGAAAGCAAACCCAGGGTTTCACTAACTTGTCCATGTGTGTATGTGTGTGGCTGCGTTCA  
CCCCTGTGTGTGTGTGTACTGTGTGCATGCCTGTGTGTTTGTGCACACCCATGTGTATGTACC  
TGCATACACACCCAAGTGTGTGTGTTACCACAACGAAAGCGCAGATTTATTGAAAAGAAAGTG  
CACTCCACAGAGTGGGAGCAGGCTAGAGCCAGTGGCTCAGGAGCCTGGTTACAGCATTTTCTG  
GAGTTTAAGTGCCCTCCAGAGTTTTCCCATTG

407/562

**FIGURE 407**

CAGCCAGGCCAGAGAGGGAGCCGAGCCAGGCCATNTCCAACCATGTCCGANGAGGCCTCGGCC  
ATCACTTCCTACGAGAAGTTTCTTAACCCCCGAGNAGCCCTTCCCACTCCTGGGACCTTCCTC  
GCGGGGGGGCACCTGCCCCGAGCAAGGAGCCGGGCTGCCTGGACATCAAGCGACTTCGGGTGCC  
AGCTGTCCTCCTGCCATCGCACCGACCCGCTCCACCGCTTCCACACCAACAGGTGGAACCTAA  
CTTCTTGTGGAACAAGTGTTGCCAGCTCAGAAGGCAGTGAGGAGCTGTTTTCATCTGTGTCTG  
TTGGAGATCAAGATGATTGCTATTCCTGTAGATGATCAGGACTTCACTTCTTTTGATTTAT  
TTCCTGAGGGGAGTGCTCTGCAGTGATGTCTCTTCTTCTATTAGCACTTACTGGGATTGGTCAG  
ATAGCGAGTTTGAATGGCAGTTACCAGGCAGTGACATTGCCAGTGGGAGTGATGTACTTTCTG  
ATGTCATACCCAGTATTCCAAGTTCACCTTGCCTG



408/562

**FIGURE 408**

TCAAAAAGGTTGCATTCTNTTTTGCATAAACAGGGACTTTATATAGTTAACTCCCNTTATATAA  
ATTCTCCTATAGTAATCTCAAAGAGTATTNTAGACTTCTCAATGCTTTTTATTGTTGCTGAAA  
AGCAAAAAGACTTGCTGTGNAAGTGGAGAAGACTTCAACATCAAAGTGATTTTTTCTACTCTC  
CTAGGAATGAAAGGAACACAAAGGGACCCGGAAGCATTCTTGTCCAGATTGTGTCAAAATCT  
CAATTGCCATCTGAGAATAGAGAAGGTAAAGTGCTGTGGACTGGCTGGTTCTGCTGTGTATTT  
GGAGACAGTCTTCTGGAGACTGTTTCAGAAGATTTACCTGTCTGCCCTTATTCCTTGCAAAT  
GGAGCAGAGTCTAACACAGCAATAATTGGAAGTTGGTTTCAGAAAACCTTTGACTGTTATTTT  
AGTCCTTTAGCAATCAATGCATTTAATCTTTCCTGGATGGCTGCCATGTGGACTGCATGCAAA  
ATGGACCATTATGTGGCTACTACTGAATTTCTTTGGTCTGT

409/562

**FIGURE 409**

GACATTTATTTTTCATCCATTGCAACCCATTGCCATAAGAACATNCCCATGGCCTTGAAGCGC  
TTCACAGCAGCATNGTGGAATGCAGAATTGGAGCCAAGCAATTTTCAAAGCAAGNTTNCTGAA  
AATGAAAAAAAAATACTTATATTGAAAACTTTTGTAGCGTTATGGTGAAAATGGAAGATTATC  
CTTTTTTGGTTTGNAGAACTTTTAACAACTTGGGCCTTGGAGAGAGAAAAGTAGTTGAGAT  
TAATCATGAGGATCTTGGCCACGATCATGTTTCTCATTTAGATATTTTGGCAGTTCAAGAGGG  
AAAGCATTTTCACTCACATAACCACCAGCATTCCCATAATCATTTAAATTCAGAAAATCAAAC  
TGTGACCAGTGTATCCACAAAAAGAAACCATAAATGTGATCCAGAGAAAGAGACAGTTGAAGT  
GTCTGTAAAATCTGATGATAAACATATGCATGACCATAATCACCGCCTACGTCATCACCATCG  
TTTGCATCATCATCTTGATCATAACAACACTCACCATTTTCATAATGATTCCATTACTCCCAG  
TGAGCGTGGAGCGGCCGC

410/562

**FIGURE 410**

TACCTATTCCCAGGTTTAATGTTGATTATTTATATTTGAAAAAANTTGATTTGTANAACTGG  
GTANATTACTTTCAAATTAATCATTTATTCCTAATTGACCAGGGATGAGTGAGATGTTTATTT  
AGAAAACAAATAATTTTAGATAGGAAAATTGAATCTTTAAAAAATAATGGTGATTTAATATAT  
CAATGTGTGGTTTTTGTGTGTATGTGTGTAANATTGGAGCATCCAGGAGTGTGCGGTGTGTAT  
ATGACCTTATTTTTCTACTGTATCTTAGAGGTTGCCNCTTCCATGGGTATAAACTTAATTGG  
ATTTCTCGATTTTTATTTTGTATGCACTTTTACAACCTTATGTCATTTTAGGTTGTTTATTA  
ATGCCAGTTTTGTATAATAAAATTATTAGAGAAGTTATGAAGGAGGATGGCATGAGTGGGGCG  
GCCGN

411/562

**FIGURE 411**

ACGCAGAGCGTTTTCAATTTCCACGGGTCTGTCCTTGTCAAAGCACACCCCTCGGTGTCCAGG  
TTCNTCATGGGCAAGTGCTCGGGGTGACAAANAAGGCGACATTGACTACAGCACCGTGCTCCT  
CGGCATGCTGGTGACGCAGGACGTGCAGCTCGGGCTTTTCATGGCTGTCATGCCGACTCTCAT  
ACAGGCGGGCACCAGTGCATCTTCTAGCATTGTGCGTGGAAGTTCTCCGAATCCTGGTTTTGAT  
TGGTCAGATTCTTTTTTCACTAGCGGCGGTTTTTCTTTTATGTCTTGTTATAAAGAAGTATCT  
CATTGGACCCTATTATCGGAAGCTGCACATGGAAAGCAAGGGGAACAAAGAAATCCTGATCTT  
GGGAATATCTGCCTTTATCTTCTTAATGTTAACGGTCACGGAGCTGCTGGACGTCTCCATGGA  
GCTGGGCTGTTTCCTGGCTGGAGCGCTCGTCTCCTCTCAGGGCCCCGTGGTCACCGAGGAGAT  
CGCCACCTCCATCGAACCCCC

412/562

**FIGURE 412**

CAGTTTTTTTATAGTGAATACCAAANCATCAGCAANCACTGGACTGTCAACCCAAGGCTTAT  
TGATATTTGCGGAGTTGATTTCTGCGATTAAGAGACGTTGGCTCGCCTTCNTCGTGATCATTG  
TGAGCCTGGGCTATGGCATTGTGAAGCCTCGTTTAGGAACAGTCATGCACCGGGTGATCGGAC  
TGGGGCTTCTATACTTAATCTTTNCAGCTGTTGAAGGCGTGATGAGAGTCATTGGGGGTTCTA  
ACCATTTAGCTGTTGTTCTTGATGACATTATTTTAGCAGTTATTGACTCCATTTTTGTGTGGT  
TCATTTTTATTAGTTTGGCACAAACTATGAAGACCCTAAGGCTAAGAAAGAACTGTGAAAT  
TTTCATTATATAGACATTTTAAAAATACTCTGATCTTTGCTGTGCTGGCTTCTATAGTGTTTA  
TGGGGTGGGCGGCCGC

413/562

**FIGURE 413**

ACGTGGTCTGCCTGTTATTGGAAAGATATATTAAGATCCAGTTCTGGATTNCANCTGTTTATT  
TTTTTGGGAAATGCTTNAAAAAGCAGTTTTTTTATAGTGAATACCAAAACATCAGCAACACTG  
GACTGTCAACCCAAGGCTTATTGATATTTGCGGAGTTGATTTCTGCGATTAAGAGGACGTTGG  
CTCGCCTTCTCGTGATCATTGTGAGCCTGGGCTATGGCATTGTGAAGCCTCGTTTAGGAACAG  
TCATGCACCGGGTGATCGGACTGGGGCTTCTATACTTAATCTTGCAGCTGTTGAAGGCGTGA  
TGAGAGTCATTGGGGGTCTAACCATTTAGCTGTTGTTCTTGATGACATTATTTTAGCAGTTA  
TTGACTCCATTTTGTGTGGTTCATTTTTATTAGTTTGGCACAACTATGAAGACCCTAAGGC  
TAAGAAAGAACTGTGAAATTTTCATTATATAGACATTTTAAAAATACTCTGATCTTTGCTG  
TGCTGGCTTCTATAGTGTTTATGGGGTGGGCGGCCGC

414/562

**FIGURE 414**

ACCGGCCCCGTGAGCCGGCCNTGCGCCGGCAGGTCGCGGGACATACTGTGGCGCGTTTTGGGCT  
GGAGGATAGTTGCAAGTATTGTTTGGTCAGTGCTATTTCTACCCATCTGCACCACAGTATTTA  
TAATTTTCAGCAGGATTGATTTGTTTCATCCTATACAGTGGCTGTNTGATTCTTTCAGTGACC  
TGTATAGTTCCTATGTAATCTTTTACTTCCTGCTGCTGTCAGTGGTAATAATAATAAAGTA  
TTTTCAATGTGGAGTTCTATGCAGTTGTGCCTTCTATTCCCTTGCTCCAGACTAGCTCTGATAG  
GGAAGATCATTCATCCTCAGCAACTCATGCACTCATTTATTCATGCTGCAATGGGAATGGTGA  
TGGCCTGGTGTGCTGCAGTGATAACCCAGGGCCAGTACAGCTTCTTGTGGTTCCCTGCACTG  
GTACTAACAGCTTTGGTAGCCCTGCTGCGCAAACCTGCTTAAATGAATATCATCTTTTTTTCC  
TACTGACTGGAGCGGCCGC

415/562

**FIGURE 415**

GNCCACACTGGCCAAACGGGGCATCATGGNCACACTGCCNAAATAGGGCCGCCATGTTGCAGC  
AGGATAGTAATGATGACCCTGAAGATGTTTCACTGTTTGATGCGGAAGAGGAGNCGACTAATA  
GACCAAAAAAGCCAAAATCAGACATCCAGTAGCATCGTTTTTCCACTTTATTCTTTCGAGTCA  
GTGCAATCATCGTCTATCTTCTCTGTGAGTTGCTCAGCAGCAGCTTTATTACCTGTATGGTGA  
CAATTATCTTGTTGTTGTCGTGTGACTTTTGGGCAGTGAAGAATGTCACAGGTAGACTAATGG  
TTGGCCTACGTTGGTGGAATCACATTGATGAAGATGGAAAGAGCCATTGGGTGTTTGAATCTA  
GAAAGGAGTCCTCTCAAGAGAATAAACTGTGTCAGAGGCTGAATCAAGAATCTTTTGGTTGG  
GACTTATTGCCTGTCCAGTACTGTGGGTGATATTTGCTTTTAGTGCACTCTTCTCCTTCAGAG  
TAAAGTGGTTGGCGGTGGTTATCATGGGTGTGGCGGCCGC



416/562

**FIGURE 416**

CAGCAGTCCTTATGATTATGGAGGAAAGTGGAGGNCCCTTATAGCNAAACAGGTATGCTGGNT  
ATGACNTATTCGCAGCAAAGGCAGATTTGTCCCCTCCAGACATGATGCAGCCACAACAGCCAT  
ACACCGGGCAGATTTNCCAGCCAACTCAGGCATATACTCCAGCTTCACCTCAGCCTTTNTATG  
GAAACAACCTTTGAGGATGAGCCACCTTTATTAGAAGAGTTAGGTATCCAATTTTGACCACATN  
TGGCAAAAAACACTAACAGTATTACATCCGTTAAAAGTAGCAGATGGCAGCATCATGAATGAA  
ACTGATTTGGCAGGTCCAATGGTTTTTTGCCTTGCTTTTGGAGCCACATTGCTACTGGCTGGC  
AAAATCCAGTTTGGCTATGTATACGGGATCAGTGCAATTGGATGTCTAGGAATGTTTTGTTTA  
TTAAACTTAATGAGTATGACAGGTGCGGCCGC

417/562

**FIGURE 417**

TAATTGTTTATTGGGAAATGGAGGATTAAGNACATTTTTC AATTTGTGCATGNAGAGGAAGAC  
CTGAAGGTTTCAGCATANTAGCTACAAGACAGANGGGCCCGGCTGTTNAAGGACCAGCTCTCCC  
TGGNAAATGTGCACTTTCAGATCACAAGATGTGAAATTGCAGGATGCAGGGGTGTACCGCTGC  
ATGATCAAGCTATGGTGGTGCCGACTACAAGCGAATTNCTGTGAAAGTCAATGCCCCATACAA  
CAAAATCAACCAAAGAATTTTGGTTGTGGATCCAGTCACCTCTGAACATGAACTGACATGTCA  
GGCTGAGGGTTACCCCAAGGCCGAAGTCATCTGGACAAGCAGTGACCATCAAGTCCTGAGTGG  
TAAGACCACCACCACCAATTCCAAGGGAGAGGCGGCCGC

418/562

**FIGURE 418**

AGGTGCTTGTGCTCGAACCCAGTGGTTGGGGCGGTGCTCCTCAAGCTTGTGTGCCTGCTAACC  
NTCNTGNGTCCGGGNTGGCAAGAGTGTGGGACTTTCCCCCTGGCGNCCGTGGACAACATGATG  
GTCAGAAAAGGGGACACGGCGGGTGNTTAGGTGTTATTTGAAAGATGGAGCTTCAAAGGGTGC  
CTGGCTGAACCGGTCAAGTATTATTTTTGCGGGAGGTGATAAGTGGTCAGTGGATCCTCGAGT  
TTCAATTTCAACATTGAATAAAAGGGACTACAGCCTCCAGATACAGAATGTAGATGTGACAGA  
TGATGGCCCATACACGTGTTCTGTTCAGACTCAACATACACCCAGAACAATGCAGGTGCATCT  
AACTGTGCAAGTTCCTCCTAAGATATATGACATCTCAAATGATATGACCGTCAATGAAGGAAC  
CAACGTCACTCTTACTTGTTTGGCCACTGGGAAACCAGAGCCTTCCATTTCTTGGCGACACAT  
CTCCCCATCAGCAAAACCATTTGAAAATGGACAATATTTGGACATTTATGGAATTACAAGGGA  
CCAGGCTGGGGCGGCCGC

419/562

**FIGURE 419**

TAAACTACACTCAGTATACAGTGATAGTGGGATTTGAACACCTGAAGCTCCCCATCAAAGGGA  
ATGAACTTCACATGAAGACTTATAACCCTGCCTTCTCCCGGGTTGGAAATCTGGTTCCGGTTT  
TTCTTTGTGGTGCTCACCTTCATCGTCACTTGCCTGTTTGCGCATTCCCTCCGGAAATTTTCC  
ATGAGAGACTGGGGCATCGAGCAGAAGTGGATGTCTGTTCTCCTGCCTCTGCTGCTACTTTAC  
AATGATCCGTTCTTCCCCCTCTCCTTCCTGGTCAACAGCTGGCTCCCAGGGATGCTGGATGAC  
CTCTTTCAGTCCATGTTCTGTGCGCCCTGCTGCTCTTCTGGCTGTGCGTGTACCACGGGATT  
CGTGTCCAGGGAGAAAGAAAGTGTTTAACTTTCTATTTGCCTAAATTCTTCATTGTTGGACTA  
TTGTGGTTGGCTTCTGTTACGCTAGGAATATGGCAAACAGTTAACGAATTACATGATCCAATG  
TACCAGTATCGAGTTGATACCGGAAATTTTCAGGGAATGAAGGTCTTCTTCATGGTGGGGGCA  
GCGGCCGC

420/562

**FIGURE 420**

GTGTCTGCTCGCCCTCCGACGCTGCTCAGGAATTTGCAAGAACTGAAGTTTTGATTCAGATA  
TATTTTGAATTGAAACCAGAGATGTTNTAGAGTTTAGATTCTTTCATTTGATTAAGGTATGGT  
CTGAATATGCGTTGCTTGGCAGCTCGGGTCAACTATAAGACTTTGATTATTATCTGCGCACTC  
TTCACTTTGGTCACAGTACTTTTGTGGAATAAGTGTTCAGTGACAAAGCAATCCAGTTTCCA  
CGGCGTTCGAGTAGTGGCTTCAGAGTGGATGGGTTTGAAAAAGAGCAGCAGCATCTGAGAGT  
AACAACTATATGAACCACGTGGCCAAACAACAGTCTGAGGAAGCATTCCCTCAGGAACAGCAG  
AAAGCACCCCCTGTTGTTGGGGGCTTCAATAGCAATGTGGGAAGTAAGGTGTTAGGGCTCAAA  
TATGAAGAAATTGACTGTCTCATAAATGATGAACACACAATTAAAGGGAGACGAGAGGGGAAC  
GAAGTCTTTCTTCCATTCACCTGGGTTGAGAAATATTTTGATGTTTATGGAAAGGTGGTGGCG  
GCCGC

421/562

**FIGURE 421**

AGGCTCCCGTGTCTGCTCGCCCTCCGACGCTGCTCAGGAATTTGACAAGAACTGAAGTTTTG  
ATTCAGATATATTTTGAATTGAAACCAGAGATGTTCTAGAGTTTAGATTCTTTCATTTGATTA  
AGGTATGGTCTGAATATGCGTTGCTTGCCAGCTCGGGTCAACTATAAGGCTTTGATTATTATC  
TGCGCACTCTTCACTTTGGTCACAGTACTTTTGTGGAATAAGTGTTCCAGTGACAAAGCAATC  
CAGTTTCCACGGCGTTTCGAGTAGTGGCTTCAGAGTGGATGGGTTTGAAAAAGAGCAGCAGCA  
TCTGAGAGTAACAACCTATATGAACCACGTGGCCAAACAACAGTCTGAGGAAGCATTCCCTCAG  
GAACAGCAGAAAGCACCCCCTGTTGTTGGGGGCTTCAATAGCAATGTGGGAAGTAAGGTGTTA  
GGGCTCAAATATGAAGAAATTGACTGTCTCATAAATGATGAACACACAATTAAAGGGAGACGA  
GAGGGGAACGAAGTCTTCTTCCATTCACTTGGGTTGAGAAATATTTTGATGTTTATGGAAAG  
GTGGGGGCGGCCGC

422/562

**FIGURE 422**

TTCTTTTTTTTCCCCNGCAATTTTTTCAGTGAAANACATGGAGTCTTTCATCTTGGAGAGTT  
GTCAGAGTCAAGATTTTGCTGTTGTAGCCAGTGCTTTAAAACAATTCACAAAGACTTTCTAGG  
AGAGGAAGAGAGNCTGAGGGAAGAAGAGATACAGAAAAAGAAAATGNCAGGATTGAACCTGGA  
AACTCACAGAATCTCTGACTCATGCTGGAAATGTNTTTGGGTACCTCTTGCCTTTTNTGTGTT  
GGCGGCGGCCGC

423/562

**FIGURE 423**

TGAAAGGACCCCTAGTTCCCCTGGCAAATGNTTTTNTTCAATCCCCACTTCATTTTCCTTAA  
GAGCCATTCCAAGTNTCTTCCTTTNTCGATACCCCAACCAGCTCACATCCCCTCAAGGGGTG  
AGATGCCCTCCTCACCATTGAAGAGATCAAGCCCCCAGGGGGGAACCAGCTCAACTTCCCCCT  
CTGTCTCTCCGAAGAGCNTCCTGTTTGAAAACTCGAGGCAGCTGTACCCCGTGCGAAGTTCTT  
GCTCCCGTCTCCCCATGTCTTCCAGGATTTTCCTTCATAGTGGGGATTACTCGCTAACCTTTC  
CTTCCTCACCTACTTCCCCTTTTCCTTCAGCTTTCACCGTGTTTAAATCTTCTAATAATTCTT  
TTTATGACATCTTGTTTTTCAAGCTCTTCTCCAGTGATCCCTCCACTTCTCCAATGGCCCTTT  
TCACTAAACCTCCAAATTTGTCTTTGCTGACATTTATTGAGCTGCTATTACATGTTCTAAATG  
CTTTACTTGTCGTATTTAATCCTAACAACAACCTACAAGGTAGGCCTTGCTATTATCTCCATT  
TTATAGTTGAAGAAACTGAGGCTGCCGCGGCCGC



424/562

**FIGURE 424**

TATCGGCACATTGGCAAAGACAACATTCAGGCCCAATGGCCCACAAATTGGTCCGCCCAATGC  
CATNTGNAAAAGGNTTCACTGCAAATTACAAAAGCATCCNTNATGAAAAGAGATTGGAAAGG  
CCTCTCCAAGCAACTGGACTGGGATGTTCTGAAGCATTAGCGCTGGTTCGAAAGACGCAATC  
AGGANAAGCCCAAGCACGGCTGACGAGGTTCTGTGAGAGCATGTGGANATTTTCATTTTACCT  
TTATGTATTTACCTACGGAGTCAGATTCCTGAAAAAGACCCCCTGGTTGTGGAATANGAGGCA  
TTGNTGGTACAACCTACCCCTATCAGCCACTCACAACTGACCTTCACTACTATTACATCCTGGA  
GCTGTCGTTTTATTGGTCTTTGATGTTTTCTCAGTTCNCTGATATCAAAAGAAAGGACTTTGG  
CATTATGTTCTGCACTACCNTGTATCTATTTTCTTGATTACCTTTTCATATGTCAACAATAT  
GGCCCGAGTAGGAACGCTGGTCCTTTGTCTTCATGATTCAGCTGATGCTCTTCTGGAGGCTGC  
GGCCGC

425/562

**FIGURE 425**

ATTTTTTGAAATTAATGCNTGAGCTTTATTTGTTTAATTGTTATGCCCCTGGATTGGGACA  
AGCATCACCTCTGAATTTTGAAGACCTTAATGTGTGTTAGCCATTGNAAAGCTACTCAAGTGC  
TGTGCAAGAGTCATACCCACATCCCTTTGATCAAATTTACTACACGAGCTGCACTGACATTCT  
AAACTGGTTTAAATGCACGCGGCACAGAGTCAGCTATCGGACAGCCTATCGACATGGGGAGAA  
GACTATGACAGGCGCAAGTCTCAGTGTGTCCTGGATTTTATGAAAGCGGGGAAATGTGTGTC  
CCCCACTGTGCTGATAAATGTGTCCATGGTCGCTGTATTGCTCCAAACACCTGTCAGTGTGAG  
CCTGGCTGGGGAGGGACCAACTGCTCCAGTGCCTGCGATGGTGATCACTGGGGTCCCCACTGC  
ACCAGCCGGTGCCAGTGCAAAAATGGGGCTCTGTGCAACCCCATCACCGGGGCTTGCCACTGT  
GCTGCGGGCTTCCGGGGCTGGCGCTGCGAGGACCGCTGTGAGCAGGGCACCTATGGTAACGAC  
TGTCATCAGAGATGCCAATGCCAGAATGGAGCCACCTGCGACCACATCACGGGGCTGGCGGCCGC

426/562

**FIGURE 426**

TTTTCAATGAAAAAAGAATCCCCAAAAAAAAGTTGTCAGCCTCATTGTGCGTCATCCCTT  
ATTTTCCTGGGATCTCAGGACCTCTGTCCCTCTCATTTCTCACTTCTGAGATCTGCACATCTT  
TTACCCAGGAGCCTCAGAGCTCCTGAGTCTGGTGTCTGCCTATCCCCATCTTCACTGTTAGTC  
CTCCTGCAGATTCTGTGTCTCCTTTCATGTAGGTGCTGGATCCCTGTGTGTGGAGCGGCCGC

427/562

**FIGURE 427**

ACAAAGTTTCCCAATGACTTGTTAAAAGTCGATGGTGTAGCTCAAGATGGAACCCNCAATGTA  
CATTAAATAACAAAAGTTCACAACGGGCAAAGGACCNTCACATGTGCAAGGAAAATGTGCGGAG  
ATTATTGGGCTCACCTTGGGTACNTGAACTACACTCAGTATACAGTGATAGTGGGATTTGAAC  
ACCTGAAGCTCCCCATCAAGGGAATGAACTTCACATGGAAGACTTATAACCCTGCCTTCTCCC  
GGTTGGAAATCTGGTTCCGGTTTTTCTTTGTGGTGCTCACCTTCATCGTCACTTGCCTGTTTG  
CGCATTCCCTCCGGAAATTTTCCATGAGAGACTGGGGCATCGAGCAGAAGTGGATGTCTGTTC  
TCCTGCCTCTGCTGCTACTTTACAATGATCCGTTCTTCCCCCTCTCCTTCCTGGTCAACAGCT  
GGCTCCCAGGGATGCTGGATGACCTCTTTCAGTCCATGTTCTGTGCGCCCTGCTGCTCTTCT  
GGCTGTGCGTGTACCACGGGATTCGTGTCCAGGGAGAAAGAAAGTGTTTAACTTTCTATTTGC  
CTAAATTCTTCATTGTTGGACTATTGTGGTTGGCGGCCGC

428/562

**FIGURE 428**

GCATCCGCTTGACTGCATNTGAGTTTTCCCAGTCTGTCTTTGGGGATGGGGCCATGCCATAGT  
CTTGATGTCTTGTGCCGTGTGATTTTTGCAGATAAGATGACTTGGCCCATGGCCCNAGATCA  
CTTATTCTGGGGAAGTGTAGGAACAGTGGTTGCCTAACCCAAGTTCTTACATGATGTACCTTT  
TTCCTTTCTAAAAAATAACTTAAAAATATGAAATATACTAATTTGTTTCAGATATTACATACA  
ATTGGAAAGTGGACAAGTTCCTGTATATGCTGTCACTTTTCAAGAACCTGAGAAATGATCCTCG  
GAATTGCTGTTACTTGTGGGCTGTTTCAGTCTACACAAGATAGGTAGGTCTCATACAAACCTTG  
TTTTGTTTTGTTTTGTTTTTTTGGAGACAGAGTCTCGCTCTGTTGTCCAGGCTGGAGTGCAGT  
GGCGTGATTTTCGGCTCACTGCAACCTCCGCCTCCCGGATTCATGCCATTCTCTCGCTCAGCCT  
CCCGAGTAGCTGGGACTACAGGTGCCTGCCACCATGCCTGGCTAATTTTTATATTTTCAGTAG  
AGACGGGAGCGGCCGC

429/562

**FIGURE 429**

TTAATTTAAAAATATGAAAAGTAAAAATGGGATTTTGTCTTATTTGTGTTNNANAGCTGGCTT  
TTCACACATGCAGTTGTTAGTGTTTACTGCCCTTGCCATTTTAATTATGAGGCTAAAGATGTT  
TTTGACACCGCACATGTGTGTTATGGCTTCCTTGATATGCTCTCGACAGCTCTTTGGCTGGCT  
TTTTCGCAGAGTTCGTTTTGAGAAGGTTATCTTTGGCATTTTAACAGTGATGTCAATACAAGG  
TTATGCAAACCTCCGTAATCAATGGAGCATAATAGGAGAATTTAATAATTTGCCTCAGGAAGA  
ACTTTTACAGTGGATCAAATACAGTACCACATCAGATGCTGTCTTTGCAGGTGCCATGCCTAC  
AATGGCAAGCATCAAGCTGTCTACACTTCATCCCATTGTGAATCATCCACATTACGAAGATGC  
AGACTTGAGGGCTGCGGCCGC

430/562

**FIGURE 430**

GGCCCNCACTGGCCAAAATAGTTGGAATGCCTTTTNTTATTACCAATGGGGCCCAAGGGGAA  
NAGTGGGTGTTTGGGGGGCCTTTTTGCACCATCATCACATCCCTGGATACTTGTAACCAATT  
GCCTGTAGTGCCATCATGACTGTAATGAGTGTGGACAGGTACTTTGCCCTCGTCCAACCATT  
CGACTGACACGTGGAGAACAAGGACAAGACCATCCGGATCAATTTGGGCCTTTGGGCAGCTTC  
CTTTATCCTGGCATTGCCTGTCTGGGTCTACTCGAAGGTCATCAAATTTAAAGACGGTGTTGA  
GAGTTGTGCTTTTGATTTGACATCCCCTGACGATGTACTCTGGTATACACTTTATTTGACGAT  
AACAACTTTTTTTTTCCCTCTACCCTTGATTTTGGTGTGCTATATTTTAATTTTATGCTATAC  
TTGGGAGATGTATCAACAGAATAAGGATGCCAGATGCTGCAATCCCAGTGTAACCAAAACAGAG  
AGTGATGAAGTTGACAAAGATGGTGCTGGTGCTGGCGGCCGC

431/562

**FIGURE 431**

AGGTGTCACCATGGCAAAGCTTCCCTTCTTGATTCTCTCGAGTTTGTTGAAGCGTNTACGGTT  
NCACTGACGGATTCAGAAGCTCATTTTACCTCAGCTTTCATTGAAACTACCTCCTATCTTGAG  
TCTTCACTCATTTCCCATGAATCCGCAGTCACTGCACTGGTGCCCCCGGTCTGAGTCTTTTG  
ACATTTTGACTGCCGGGATTCAAGCAACATCACCATTGACCACTGTCCACACAACGCCCATT  
TAACTGAGTCTTCTTTGTTCTCAACTCTGACACCTCCTGACGACCAAATCAGTGCTCTAGACG  
GTCACGTGTCTGTCCTGGCCTCTTTCTCAAAGCCATTCCCCTGAGCTGACCGTCGTGGGCC  
CATCACTCACACCCACAGAGGTGCCACTGAACACCTCCACGGAAGTGAGCACCAACCAGCACCG  
GTGCTGCCACTGGTGGTCCCCTCGACTCCACCCTGATGGGTGACGCCGCAAGTCAGAGCCCCC  
CAGAGAGTAGTGCTGCTCCTCC



432/562

**FIGURE 432**

ACACTCAGAACAGGAGNAATTTGGACTAATTTTCAAACACAGACACTTTCTAATCATGATGC  
ATTTCAAAAGTGGACTCGGAATTTAACTGNGTTGCAAAACATGNCAGTGCCCGAGGATGATAA  
CATTAGCAATGACTCCAATGATTTACCGAAGTAGAAAATGGTCAGATAAATAGCAAGTTTAT  
TTCTGATCGTGAAAGTAGAAGAAGTCTCACAAACAGCCATTTGGAAAAAAGAAGTGTGATGA  
GTATATTCCAGGTACAACCTCCTTAGGCATGTCTGTTTTTAACCTAAGCAACGCCATTATGGG  
CAGTGGGATTTTGGGACTCGCCTTTGCCCTGGCAAACACTGGAATCCTACTTTTTCTGGTACT  
TTTGACTTCAGTGACATTGCTGTCTATATATTCAATAAACCTCCTATTGATCTGTTCAAAAGA  
AACAGGCTGCATGGTGTATGAAAAGCTGGGGGAACAAGTCTTTGGCACCACAGGGAAGTTCGT  
AATCTTTGGAGCCACCTCTCT

433/562

**FIGURE 433**

CCAACCCAATTACCAAGCAGATNCTTTTGGGGGATTCCAGCCATCAGACAAGGAACCCATGGC  
AGCTGCAGGGTTTTTGCATTGTGCAAGCTTATGCTTTCTTGCAGATNTGAGAGCCGATTAAC  
AAANCAAGAGTTCCAGACCNTTTTCTTTTGGGTGTATCACTAGCTGCAGGTGCTGTGTTCCCT  
TAGTGTCATCTATTTGACTTATACAGGTTACATTGCACCATGGAGTGGCAGGTTTTATTCAATT  
GTGGGATACTGGGTATGCAAAAATACACATTCCAATTATTGCATCAGTGTCTGAGCATCAACC  
TACGACTTGGGTGTCTTTCTTCTTTGATCTACATATTCTTGTATGTACCTTCCCAGCAGGCCT  
TTGGTTCTGCATCAAAAATATCAACGATGAAAGAGTATTTGTTGCTCTATATGCAATCAGTGC  
TGTCTACTTTGCTGGAGTGATGGTGCGACTGATGTTGACTTTGACTCCAGTCGTGTGTATGCT  
GTCTGCAATTGCCTTTTCAAATGTTTTTGTAGCACTATTTGGGGGCTGCGGCCGC

434/562

**FIGURE 434**

ATTGCAGCTGTTATTTTTTTGGAAATGCTTGAAAAAGCAGTTTTTTTATAGTGAATACCAAAAC  
ATCAGCAACANTGGACTGTCAACCCAAGGCTTATTGATATTTGCGGAGTTGATTTCTGCGATT  
AAGAGGACGTTGGCTCGCCTTCTCGTGATCATTGTGAGCCTGGGCTATGGCATTGTGAAGCCT  
CGTTTAGGAACAGTCATGCCCCGGGTGATCGGACTGGGGCTTCTATACTTAATCTTTGCAGCTG  
TTGAAGGCGTGATGAGAGTCATTGGGGGTTCTAACCATTTAGCTGTTGTTCTTGATGACATTA  
TTTAGCAGTTATTGACTCCATTTTTGTGTGGTTCATTTTTATTAGTTTGGCACAAACTATGA  
AGACCCTAAGGCTAAGAAAGAACACTGTGAAATTTTCATTATATAGACATTTTAAAAATACTC  
TGATCTTTGCTGTGCTGGCTTCTATAGTGTTTATGGGGCGAGCGGCCGC

435/562

**FIGURE 435**

GGCCACACTGGCCAAACTAAAATTTTGGTATTGCAGATGACGCTCATATTGGCAACTTACTA  
ACATCAAATTCCTTAGTTATAAGGATTTTGATACTTTATTGTATACCTGTGCAGCGGAGTTT  
GACTTTATGGAAAAAGAGACTCCACTGAGATACACAAAGACATTATTGCTTCCAGTTGTTCTT  
GTAGTGTGTTGCTATTGTTAGAAAGATTATTAGTGATATGTGGGGTGTCTTAGCTAAACAA  
CAGACACATGTAAGAAAACACCAGTTTGATCATGGAGAGCTGGTTTACCATGCATTGCAATTG  
TTAGCATATACAGCCCTTGGTATTTTAATTATGAGACTAAACTCTTCTTGACACCACACATG  
TGTGTTATGGCATCACTGATCTGCTCAAGACAGCTATTTGGATGGCTCTTTTGCAAAGTACAT  
CCTGGTGCTATTGTGTTTGCTATATTAGCAGCAATGTCAATACAAGG TTCAGCAAATCTGCAA  
ACCCAGTGGAATATTGTAGGGGAGGCGGCCGC

436/562

**FIGURE 436**

AGGGTTTTAATAGGACTANCAGTACGATGGGCAGTGTCTNTTAATTTTTATTTCAGNGCTGGT  
AANCCGCCTATGTTTGGTGATTATGAAGCTCAGAGACCTGGCAAGAAATAACTTTTTAATTTA  
CCGGTCAAACAATGGTATTTTACCAGCAGTGATAACAATTTACAGTATTGGGGATTGGATTAC  
CCACCTCTTACAGCTTATCATAGTCTCCTATGTGCATATGTGGCAAAGTTTATAAATCCAGAC  
TGGATTGCTCTCCATACATCACGGTGGATATGAGAGTCAGGCACATAAGCTCTTCATGCGTAC  
AACAGTTTTAATTGCTGATCTGCTGATTTACATACCTGCAGTGGTTTTGTACTGTTGTTGCTT  
AAAAGAAATCTCAACTAAGAAAAAGATTGCTAATGCATTATGCATCTTACTGTATCCAGGCCT  
TATTCTTATAGACTATGGACATTTTCAATATAATTCTGTGAGTCTTGGCTTTGCTTTGTGGGG  
TGCGGCCCGC

437/562

**FIGURE 437**

CACTGGCCAAAAAATTCGATGCGAGGCCCCAGNAAGCACGCTGAAACCNTGGCGGCGGCAAGCT  
GTGCGACTNTTTTGCGGCCCGGCCTGGGCAGGTGTCTTCCTCGAGAGGCAGGCAGGGGATCCCG  
GACACTAGCTTTATCGTCATCTGGGAAATTGTTAAAAATGCAAATTCGCAAGTTTGAGAGCCA  
TGGTTCCAAGAAACTGCATAAGCATAACGAAATAAGTTGCAGCCTCCCGACTTATACCCTGGTA  
CTTCTAGTCTAAACAGGATTTGACTCTACTAATCCAGCCTTATACAGGATGCTGTGTTCTTT  
GCTCCTTTGTGAATGTCTGTTGCTGGTAGCTGGTTATGCTCATGATGATGACTGGATTGACCC  
CACAGACATGCTTAACTATGATGCTGCTTCAGGAACAATGAGAAAATCTCAGGCAAAATATGG  
TATTTTCAGGGGAAAAGGATGTCAGTCCTGACTTGTCATGTGCTGATGAAATATCAGAATGTTA  
TCACAAACTTGATTCTTTAACTTATAAGATTGATGAGTGTGAAAAGAAAAAGAGGGGTGCGGC  
CGC

438/562

**FIGURE 438**

AGAAAAAGAAGAATCAACGTAAATAAGATAAANGGATTCAAATAAAGATNTCTTGAAGAGAA  
ATAAGAATCATTTACAAAAGCAGCAGAGAAAAATTTTACAGATGAAGGAGCCAGCTATTTAAG  
ATGGGCATCAAGGTTCTCCAGCAGTCTAAAAGCCAAAAACAAAAGAAGAAGCCTACCTACTT  
TTTGCCAAAGCAGCTGACATGGGAACTTGAAAGCTATGGAGAAAATGGCTGACGCTTTGCTA  
TTTGGAATTTTGGCGTGCAAATATAACAGCAGCTATCCAATTATATGAGTCCTTGGCTAAA  
GAAGGATCATGTAAAGCCCCAAAACGCATTAGGATTTTTGTCTTCTTATGGAATAGGAATGGAA  
TATGATCAAGCTAAGGCACTGATATATTACACCTTTGGAAGTGCTGGAGGAAACATGATGTCC  
CAGATGATTTTGGGGTACAGATATTTGTCGGGAATCAATGTTCTACAGAATTGTGAAGTTGCC  
CTAAGTTATTACAAGAAAGTGGCAGATTATATTGCTGACACATTTGAAAAAAG

439/562

**FIGURE 439**

TTTTGTTGCCTTGGGTGTTCTCACACTCTGCAAGTTTACTTGCAGGGTTATCGAGTTTTCAT  
GAATGATCCTGCCATGAATCGGGGCATGACAGAAGGAGTAACGCTGTTAATCNNTGGCAGTGC  
AGACTGGGNTGATAGAACATGCAGGTGTTTCATCGGGCATTCTTGCTCAGTATTATCCTTTTC  
ATTGTCNGTAGCTTCTATCCTACAGTCTATGTTAGAAATTGCAGATCCTATTGTTTTGGCACT  
GGGAGCATNTAGAGACAAGAGCTTGTGGAAACACTTCCGTGCTGTAAGCCTTTGTTTATTTTT  
ATTGGTATTCCCTGC



440/562

**FIGURE 440**

ACCACCTTGCCCATTTATTTGGCCCTTGTTAAACCAATAACTGCNTATCCAGATATGCCACA  
NTTTTGCCTGCTGTGGCANCCNTCNTGGATAGGTGCTCTTGTTAATCACATGGATGTTATATA  
AGAGTTGGGCCGGCCCAGCACACAAGGTCAGCATGTGCTCTTNTGTCACGCTCTCGCTATAGC  
TGTTGTCCAGATCGTTATCTTCTCAGAAAGCTGGGCATTTGCCAAGAACATCAACTTCTATAA  
TGTGAGGCCTCCTCTCGACCCTACACCATTTCCAAATAGCTTCAAGTGCTTTACTTGTGAAAA  
CGCAGGGGATAATTATAACTGCAATCGATGGGCAGAAGACAAATGGTGTCCACAAAATACACA  
GTA CTGTTTGACAGTTCATCACTTCACCAGCCACGGAAGAAGCACATCCATCACCAAAAAGTG  
TGCCTCCAGAAGTGAATGTCATTTTGTGCGTTGCCACCACAGCCGAGATTCTGAACATACGGA  
GTGTAGGTCTTGCTGTGAAGGAATGATCTGCAATGTAGAATTACC

441/562

**FIGURE 441**

ATTTATTTTGCTAAATTGAAAGGGAACATAGATGGAATTCCAAAATATGTACATTCAGCTGTT  
TGGTTTTTCGTTTTTCATTGTTATTATTGTGAGAATGCTGTTATTGGGGTTGTGTGTGAGTGC  
CCGTCAGCCAGTGATGCCTCGGGCCACGCTGTGGGGCCACCTCAGTCCTGCCTGGGTCTTGGT  
GCCTTGGACCCACGTGCTTGTGGCCAGGCTGCCCCTGGGCGGGGCCATGTGGCCTCAGACCA  
CAAGAGCGGAGCTGCCCTGGCCCAAGCACTGCAGCTGCCTGCACCCCCGGG

442/562

**FIGURE 442**

CGACCGCCCTTCGCGGGGCAGNAAGGCCAGGGGTGCTNAGTTCTTTCACCTCCTTTTAGACTN  
AAGATTTGCCAAGTTTTCCGGCATTGNTCTTGAGGATCTCAGAAGGGCTCTTTAAGCAAGACT  
GCAAATGGGTGNGTATTTGTCATGAACCGAATGAATTCCCCAGAACAGTGGTTTCACTCAGCG  
CAGGGGAATGGCTCTTTGGGATTGTTATTCTTCTGCTTGTTGATGTGATATGGGTTGCTTCCT  
CTGAACTTACTTCGTATGTTTTTACCCAGTACAACAAACCATTCTTCAGCACCTTTGCAAAAA  
CATCTATGTTTGTTTTGTACCTTTTGGGCTTTATTATTTGGAAGCCATGGAGACAACAGTGTA  
CAAGAGGACTTCGCGGAAAGCATGCTGCTTTTTTTGCAGATGCTGAAGTTACTTTGCTGCTT  
GCACAACAGATACAACCTATGAATAGTTCTTTGAGTGAACCTCTGTATGTGCCTGTGAAATTCC  
ATGATCTTCCAAGTGAAAAACCTGAGAGCACAAACATTGATACTGAAAAACCCC

443/562

**FIGURE 443**

GACCTCGACCCAAGGGTCCGCGGANGGGTGGGACTGGTCATGGATCTTTNGTCAAGAATGAGT  
TTCGGCCCCCTCCTACCTTATGGGCTATAATAAATCCTTGAGTGTGGGGCAACCACAACTTTT  
CTGACTGGGATTATTCAGCTAATAATGGGCGTATTGGGTTTGGGTTCATTGCCACTTACCTTC  
CGGAGTCTGCAATGAGTGCTTACCTGGCTGCTGTGGCACTTCATATCATGCTGTCCCAGCTGA  
CTTTCATCTTTGGGATTATGATTAGTTTCCATGCCGGTCCCATCTCCTTCTTCTATGACATAA  
TTAATTACTGTGTAGCTCTCCCAAAGCGAATTCCACCAGCATTCTAGTATTTCTAACTGTTG  
TTGTTGCTCTGCGAATCAACAAATGTATCAGAATTTCTTTCAATCAGTATCCCATTGAGTTTC  
CCATGGAATTATTTCTGATTATTGGCTTCACTGTGATTGCAAACAAGATAAGCATGGCCACAG  
AAACCAGCCAGACGCTTATTGACATGATTCCTTATAGCTTTCTGCTTCCTGTAAC

444/562

**FIGURE 444**

ACAGTTGTGGGGAATCACTGTTCTGGTTAGAAATTTCTGCATTTTATATTATTTTCTTGGCT  
ATATTCCCAAAGCTTGGATTAGCACTGCTATGAACCTTCACATAGATGAGCAGGTTTCATAGGC  
CACTTGACACAGTGAGTGGCCTCTTAAATCTCTCGTTACTCTACCATGTCTGGCTGTGTGGTG  
TCTTTCTCCTGACGACTTGGTATGTCTCATGGATACTCTTCAAAATCTATGCCACAGAGGCTC  
ATGTGTTTCCTGTTCAACCACCATTTGCAGAAGGGTCAGATGAGTGCCTTCCAAAAGTGTTAA  
ATAGCAATCCTCCCCCATCATAAAGTATTTAGCCTTGCAGGACCTGATGTTGCTTTCTCAAT  
ATTCTCCTTCACGAAGACAAGAAGTTTTAGCCTCAGCCAACCAGGTGGACATCCCCACAATT  
GGACAGCCATTTCAAGGGAGTGTTTGAATCTTTTAAATGGTATGACTCAGAAACTGATTCTCT  
ATCAAGAAGCTGCTGCTACGAATGGGGGGCATCATGCGGCCGC

445/562

**FIGURE 445**

TTCATGGTAAAAAATGAACTACCCTCTGCCATAAAGTTTNTAATGGGAAAGGAAGAGACATTT  
TCAGCNTGGACGTGGATGGCCGCGTTCTGGTGGTGATAGTTACCTTTGGCATAATTCTCCCTC  
TGTGTCTCTTGAAGAACTTAGGGATCTTGGCTATACTAGTGGATTTTCNTGAGCTGTATGGT  
TTTTTTCCTAATTGTGGTTATTTACAAGAAATTTCAAATTCCTGCATTGTTCCAGAGCTAAA  
TTCAACAATAAGTGCTAATTCAACAAATGCTGACACGTGTACGCCAAAATATGTTACCTTCAA  
TTCAAAGACCGTGTATGCTTTACCCACCATTGCATTTGCATTTGTTTGCCACCCGTCAGTCCT  
GCCAATTTACAGTGAGCTTAAAGACCGATCACAGAAAAAATGCAGATGGTTTCAAACATCTC  
CTTTTTCGCCATGTTTGTTATGTACTTCTTGACTGCCATTTTGGCTACTTGACATTCTATGA  
CAACGTGCAGTCCGCGGCCGC

446/562

**FIGURE 446**

GNCCACACTGGCCAAAAGGTTGCCGCTAGCCGCCTGGGAATTTAAGGGACCCACACTACCTTC  
CCGAAGTTGAAGGCAAGCGGTGATTGTTTGTAGACGGCGCTTTGTCATGGGACCTGTGCGGTT  
GGGAATATTGCTTTTCCTTTTTTTGGCCGTGCACGAGGCTTGGGCTGGGATGTTGAAGGAGGA  
GGACGATGACACAGAACGCTTGCCCAGCAAATGCGAAGTGTGTAAGCTGCTGAGCACAGAGCT  
ACAGGCGGAAGTGAAGTGCACCGGTCGATCTCGANAGGTGCTGGAGCTGGGGCAGGTGCTGGA  
TACAGGCAAGAGGAAGAGACACGTGCCTTACAGCGTTTCAGAGACAAGGCTGGAAGAGGCCTT  
AGAGAATTTATGTGAGCGGATCCTGGACTATAGTGTTACGCTGAGCGCAAGGGCTCACTGAG  
ATATGCCAAGGGTCAGAGTCAGACCATGGCAACACTGAAAGGCCTAGTGCAGAAGGGCCCTGC  
GGCCGC

447/562

**FIGURE 447**

AAGTTTTTTTTTAATTATCATGGGACGGGTNTGGATTTAATGGGGGGAAAAGGGCGGAAAAG  
GACAAGGATCCAAACTGGGGAATTTGTTGATNTTNGGGTCCCTNTCCGCTTTCCGGCCGGCAG  
CGGCTGCCAGGGTATATTTTCCTTTTTTCCGATCCTGCAACAGCCTCTTTAACTGTTTAAATG  
AGAATGTCCTTGGCTCANAGAGTACTACTCACCTGGCTTTTCACACTACTCTTCTTGATCATG  
TTGGTGTTGAAACTGGATGAGAAAGCACCTTGGAAGTGGTTCCTCATATTTATTCCAGTCTGG  
ATATTTGATACTATCCTTCTTGTCTGCTGATTGTGAAAATGGCTGGGCGGTGTAAGTNTGGC  
TTTGACCCTCGACATGGATCACACAATATTAAAAAAAAGCCTGGTACCTCATTGCAATGTTA  
CTTAAATTAGCCTTCTGCCTCGCACTCTGTGCTAAACTGGAACAGTTTACTACCATGAATCTA  
TCCTATGTCTTCATTCCTTTATGGGCCTTGCTGGCTGGGGCGGCCGC



448/562

**FIGURE 448**

TAATTAAATGCACACACACACACACACAGAAATTTTGAGAGCCATTTTAATATAATTG  
CCTCCCTAGAAACATACCTTTTAGGGAATTTTATCACTAAACCACATGTTATTTAAATACGT  
ACATGTTTAAACATAAATACATACATAAAATTCACATGCATACTTAACACTTATGTTAAATATA  
TTCAATGTATATACATATGTACACAATATATGCATATATACATGTGGGTATGTGGTATGTGTG  
CATGTGTGTGTATGGCCAGCTACATAATTTGTGGGACTAAGGGCAAATGAACTGTACGGCC  
CTCGTTCAAAAATTAGGTGTGGGGCGGCCGC

449/562

**FIGURE 449**

CCAGTTTGTCAAAC TACTACTCTTCAATGCTTCTACATAGCATTCTTTAAGGGCAAATTTGTA  
GGCTATCCAGGAGACCCCAGTTTATTGGTTGGGAAAATACAGAAATGAAGAGTGTGACCCAGG  
TGGCTGTCTTCTTGAAC TGACAACTCAGCTTGACAATAATCATGGGAGGAAAAGCAATCTGGA  
ATAACATACAAGAAGTATTATTGCCCTGGATCATGAATCTAATTGGGCGATTTACAGAGTTT  
CTGGATCAGAAAAGATAACCCACGATGGGAACAGGACTACCATCTGCAGCCTATGGGCAAAC  
TGGGATTATTTTATGAATATCTTGAAATGATTATTCAGTTTGGGTTCGTCACCTTATTTGTGG  
CCTCTTTTCCACTGGCCCCCTCTGTTGGCTCTCGTGAACAATATATTGGAAATAAGAGTGGACG  
CATGGAAACTGACCACCCAGTTTAGACGCCTGGTACCAGAGAAAGCCCAAGACATTGGAGCAT  
GGCAGCCCATCATGCAAGGAATAGCAATTCTGGCTGTGGCGGCCGC

450/562

**FIGURE 450**

CTGTTAATGATTGCATTTGGCCTTGCTGGGGGGGCATTTTCTTGCGGATCAAACCCNCGCAA  
GNGTNTTCATTTCCACGTGTCTGTCTTGTCAGCACNCCCTTGGTGTCCAGGTTCTTCATGG  
CCAGTGCTCGGGGTACAAANAAGGCGACATTGANTACAAGCCCCGTGCTCNTCGGCATGCTGG  
TAACNCAGGACGTGCAGCTCGGGCTCTTCATGGCCGTCATGCCGACTNTCATAACAGGCGGGCG  
CCAGTGCATCTTCTAGCATTGTCGTGGAAGTTCTCCGAATCCTGGTTTTGATTGGTCAGATTC  
TTTTTTCCTAGCGGCGGTTTTTCTTTTATGTCTTGTTATAAAGAAGTATCTCATTGGACCCT  
ATTATCGGAAGCTGCACATGGAAAGCAAGGGGAACAAAGAAATCCTGATCTTGGGAATATCTG  
CCTTTATCTTCTTAATGTTAACGGTCACGGAGCTGCTGGACGTCTCCATGGAGCTGGG

451/562

**FIGURE 451**

ATCCCAGGCCTTTAGGCCCCGGAATNAACAATTGCAATGCACGTTTAAGGAAAAGGCCATNTC  
GGATTTCAGACCCTNACGGCCTTCCCACANTTTGTCNTCACTTGCAACAGGGCTTNGGGTGGGC  
CTCCCGTTTNTAAAGCACCCCNCTATGAATGCACAGCAGGNCAANACCCAAGTCCCAAGACTG  
CCTGGGCCTACTGGCCCCCCTAGCATTTGTGCAGAGGTNTCCTNTACAAGCTCCCATGTTGGG  
AANAAGCACAGACCCACCAGGACCCCTGTTNTCCTCCTCAGATCCCCCTCCTGCCACCTTTTC  
CCACTCCGGGGACTCAGCCCAGGACACCTCGNTGATTCCTGCCCCCTTTACACCTGCAAGCAG  
GGATGCCGGCATCAGAAGAATGTTTNGTGTTTGAAATTGTTTGAGGGGTTTGGGTTTATTTTT  
GTTGGTTTTTCTTTTTTTTTTGCTTANGTGGGC

452/562

**FIGURE 452**

ACGGCGCTCCCCGCCGAAATCAAAGCTCCGAGTCATCCGTGTGGGGCATTTCGTCCCCCTGG  
CACAGTTGGCCTCTTTCCAGAAGCCCGTTTTGTTTGTTTTACGTNTAAATTCGCGTCGGTTCT  
TATTTCTCTCCCTGGCAAGGTCTGAANACGGGTAGGAGAATAACCTGTGTCAGCGTGTTATGA  
TGCCGTCCCGTACCAACCTGGCTACTGGAATCCCCAGTAGTAAAGTGAAATATTCAAGGCTCT  
CCAGCACAGACGATGGCTACATTGACCTTCAGTTTAAGAAAACCCCTCCTAAGATCCCTTATA  
AGGCCATCGCACTTGCCACTGTGCTGTTTTTGATTGGCGCCTTCTCATTATTATAGGCTCCC  
TCCTGCTGTCAGGCTACATCAGCAAAGGGGGGGCAGACCGGGC

453/562

**FIGURE 453**

GTCATCTTTACATTCTAGTCCTCCTGCATCTCCTCAAGGTTCCCCTCACAAAGGTTACACACT  
TATTCCATCAGCTAAATCTGNCAACTTGTCTGACTCCAGCCATAGTGAGATTTNTTCNCGGTC  
CAGCATCGTGAGCAATTGTTCTGTTGACTCCATGTCTGCAGCTCTACAGGATGAACGGTGTTT  
CTCTCAGGCCCTGGCAGTCCCTGAATCCACTGGGGCATTGGAAAAGACAGAGCACGCTTCAGG  
GATAGGAGATCATAGTCAACATGGCCCTGGGTGGACACTCTTGAAGCCATCTCTAATCAAGTG  
TTAGCTGTCTCATCGTCTGTGAGCAATGAAGAGATTTCTCAAGAGCATATCATTATAGAAGC  
AGCTGACAGTGGTCGTGGAAGTTGGACTTCGTGTTCAAGCAGTCCCATGACAACTTCCAAAG  
CCTTCCAAACCCAAAAAGCTGGGATTTTTTGAAGTCTTACAGACATACCCATTTGGATGACCC

454/562

**FIGURE 454**

TTATGCTTTTCTTGCAAGTATNTGAAAGGCCCGATTAACAAAACAANAGTCCCAANACCCCTTT  
TCTTTTTTGGGTGTATCNCTAGNTGCAGGTGCTGTGTTCCCTTAGTGTCATCTATTTGACTTAT  
ACAGGTACATTGCACCATGGAGTGGCAGGTTTTATTCAATTGTGGGATACTGGGTATGCAAAA  
ATACACATTCCAATTATTGCATCAGTGTNTGAGCATCAACCTACAGACTTGGGTGTCTTTCTT  
CTTTGATCTACATATTCTTGTATGTACCTTCCCAGCAGGCCTTTGGTTNTGCATCAAAAATAT  
CAACGATGAAAGAGTATTTGTTGCTCTATATGCAATCAGTGCTGTCTACTTTGCTGGAGTGAT  
GGTGCGACTGATGTTGACTTTGACTCCAGTCGTGTGTATGCTGTCTGCAATTGCCTTTTCAA  
TGTTTTTGAGCACTATTTGGGGGGAGCGGCCGC

455/562

**FIGURE 455**

GCCAGAAAACCCTTAAGAAAAAAGCGNAGGAAATTTTCGCCAAAGCTGAAAGATCNCAGCGG  
CCTGAGAAAAAAGTTTGCCCCAAAAGNNTGTTTNAAAAGGCCAAGGAGGAAGCCCCCTTTT  
NTCCCTNNGGGCACTTGTATTTTTTNAACCCTGCTTCCCCAAATCCCCACTNATGAGGATCAG  
CCCATGGTGGTATTTTTGCGATGATTTCCCTGNGTCCTGGAGTCTTTNTCNGGTCAACGGTTTT  
CTTGTTATATTTGCNCTATGTAGCTGATGTCAATTCAGGAGCNCGGAGNGAAGTACAAGCTTA  
TGGATGGGTNCTCAGCCCACCTTTGCGGCTAGTNCTTGTGTCAGCAGCCCGGGCCATTGGAGCAT  
ATNTTTTCTGCCAGTTTNCGGAGACAGCCTCGTTGTGCTGGTGGCCNCAGTGGTGGCTCTTN  
TGGACATCTGGTTCATCTTAGTGGCTGTTCCAGAATCCTNTGCATGAGAAAATGAGNCCNGGT  
TTCCTGGGGAGNTGCGGCCGC



456/562

**FIGURE 456**

TCCTTGTTAAACATGAAGGGCCCCGGTAGCCATGGTTTGGCCACCTTCATTCCAAGCACCCCG  
CCCCAGCAAGGCTCCTGGTACCTTTGTTCANCCACTTGTTGTAGAAGGTGATGCCGATGGAGA  
AGCAGTAGTAGANAAGCACCCAGCCCCAGGGTCAACNCCGCCTTCCACAAAAGCCACATCGAG  
GGCCCNCTCCCCATTTCGTGGCGGCTGCAGCACCGGAGCTCCTGAGTCAGCGGGGGCAGGCAC  
CCCTNTTGAATACAATGTGCAGGAAGAGCCGGTGGAGTTAGACCACAGCTTTCACCAAGAACG  
TCTCCAGGCTGGAGGAGCTCTCTGCAGCTCCATGATTCGGAACCATCAGCAGAGCCCCAGGCA  
GAGTCCTCACCTAAGGGGCTGGTGGCTGGTGCTGACCCTTCCCATGGTTAATTGGATGCAGCG  
CTCACAGGTCCCAAGGTCTGCTCGGCCCTGGGAGCTCCAGGCCGGAATTTTGGCCAGTGTGGCC

457/562

**FIGURE 457**

TGCTCCCCTCTCTCCTCTCCACAATCTCACCCATTNTGCATGTGCCGGTGCCCTTTCCTGTCA  
TCCCACCTTTCTCTGAGACTGTGTTCTTTTTTCTTAATTCTGTTTTCTGTTTGTCTTTAGGT  
TGCATAGTCTTTATTGATATTTCTTTGAATTCAGTATTCTTCTGCCAGCTCAGTCTGTTGTT  
GAGCC

458/562

**FIGURE 458**

GATTACAAAACAAAAATGTTTAATTTAAGTGAAAGGGNTTAATAATTTTAATCTGGGANTT  
AATAATTCAGTGGAAATTTTAAATGAATAGTTACTATAATCNCAAATAATTGAGAGTCAACTT  
TNTTTTCCCCAAAACATACATGAAAGGTCTGTGTGTGTAAGCTCTGATTTTCAGGACCCCTA  
TTTNTGGAAGCAGAGTAACTGGAAATANTAAGTCAAGATNTGAAAACCATTTGAAGTTAACCA  
AAAAGCACAGGCTACTAAGGCAGGTGCAGCATCAATGATTCACTACATGGTTCTGATATCAGC  
TCGCTTGGTACTACTCACTTTGTGTGGATGGGTACTTTGTTGGACCCCTCGTCAATCTCTTTG  
AAGCCATTCAGTCCTCAATCTCCTTTTCCCTGGCTACCCGTTTGGTGTTTATGTTCTCCTTTG  
CTGTTTTTCATCAAGATAGTAGAGCACATCTTCTTCTCAC

459/562

**FIGURE 459**

CGGTCCGAATATCCGGAACCTGACCCAATCCTTGGCCTTTGAAACTTTCATTTTTTTNGTTGTC  
TGCCTCAACNCGTCAGGTGGNGCCCAAACNTTGGTAAAGTCNAGATCCGGGGGAGGGTACTTC  
ATGGCCTTGGACTCCATATTNTTNTGTCATNTACGTGGTGAAAGCCCTGCTCAAGATCATCGCC  
CTGGGCCTCTTGGTACTTCTTTGACTTCTGGAACAATTTGGACTTNTTCATTATGGCCATGGC  
CGTGCTGGACTTCTTGCTGATGCAGACCCACTCCTTCGCCATCTACCACCAAAGCCTCTTCCG  
GATCCTCAAGGTCTTCAAGAGCCTGCGGGCCCTGAGGGCAATCCGGGTCCTGCGGAGGCTCAG  
CTTCCTGACCAGCGTCCAGGAAGTGACAGGGACCCTGGGCCAGTCCTTGCCGTCCATCGCAGC  
CATCCTCATCCTCATGTTTACCTGCCTCTTCCTCTTCTCCGCGGTCTCCGGGCACTGTTCCG  
CAAATCTGACCCCAAGCGCTTCCAGAACATCTTCACCACCATCTTCACCCTCTTCACCTT

460/562

**FIGURE 460**

CAAAGAAAAGAAAAGGGCACTTCGGAGCAAATCATACACTAGGCCTTTGATGCTTTAATTCTT  
CTTCAGTTCATTAAAAGTAACTACTAAGGAAAGGTTAAAACTTCCCCTCAAAAAGGAATCAA  
CCCCAGGAAGTAATCATTTACAACGATTTTCCCAAATTTTGACAATCTGTCCTGGAAAGCAAA  
CCCCTTTTAAAATCTAATGTCTGGGCTTTGAGTATTAGCTCATTTAGGGTGGACAAATGCATT  
ACTGTTTTCAAAGTCTCACATTTATTCAGTATTTCTCCAAGTTGCTATCTACTCAGCCTTAT  
GAATGCCCCTCGCTTTTCTAAGGCCATGTGAAAATCACGGCACTGCCCTTAGCCTTGTGTCAT  
CTGCTTTTTCGTTCTGCGATATGCCAGTTCCCAAATCAATTATAGGTACCTGTTTAGGAGAG  
AGGAAGATTTTACCTCTCAAAGGTGAGATTTGAAATTTACACTAAAAAGACAACCTTTACATT  
TAATGCTTCACTTAATGAGACATTCTTTTTTTTATAAGTCTATTTTCTACTCAGTTTCAG

461/562

**FIGURE 461**

ATGCAGTTGTTAAGGTTTACTGCCCTTGCCATTTTAATTATGAGGCTAAAGATGTTTTTGACG  
CTGCACATGTGTGTATGGCTTCCTTGATATGCTCTCGCAGTTCTTTGGTGGCTTTTTCGCAGA  
GTTTCGTTTTGATAATGTTATCTTTGGCATTCTAACAGTGATGTCAATACAAGGTTATGCAAAC  
CTCCGTAATCAATGGAGCATAATAGGAGAATTTAATAATTTGCCTCAGGAAGAACTTTTACAG  
TGGATCAAATACAATACCACATCAGATGCTGTCTTCGCAGGTGCCATGCCTACAATGGCAAGC  
GTCAAGCTGTCTACACTTCATCCCATTGTGAATCATCCACTTTACGAAGATGCAGACTTGAGG  
GCTCGGACAAAAATAGTTTATTCTACATATAGTCGAAAATCTGCCAAAGAAGTAGGAGAGAAA  
TTGTTGGAGTTACATGTGAATTATTATGTTTTAGAAAGAGGCATGGTGTGTTGTGAGAACTAAG  
CCTGGTTGCAGTATGCTTGAAATCTGTGATGTGGAAGACCCTTCCAATGCAGCTAACCC

462/562

**FIGURE 462**

GAAGTGGGCCCAACATNTGACAAACTCCCAATGAANGATTCCCGCTTGAAACAATGGGGGC  
AGGGCTNCCGGCTTCGAGGGGCAAGTTTCAAGCATTCAACAAAGGGTCCCCCGGAAAATTCN  
ANGGNGTCCAACACTCAGTGCCCNAGCCCAGCCNCAGAACCCAANACATAAGGCATGTCATC  
CACAAGCTCTCCTTTGGGGACAACGCTACAGGTCCAGAACATCCNCGGAGCTTTCAATGCTCT  
CGGGGGAGCAGACAGACTCACCTCCAACCCCTGGCCTCCCACGACNTACATCCTGAAGATTG  
TGCCCNCGGTTTATGAGGACAAGAGTGGCAAGCAGCGGTACTCCTACCAGTANACGGTGGCCA  
ACAAGGAATACGTCGCCTACAGCCACACGGGCCGCATCATCCCTGCAATCTGGTTCCGCTACG  
ACCTCAGCCCCATCACGGTCAAGTACACAGAGAGACCTGCGGCCGC

463/562

**FIGURE 463**

TATCAAGGGGCGGGTTTTGGATTTAATGGGGGGGAAAAGGGGGGAAAAGGCCAGGATCCNAACT  
GGNGAATTTGGTGATTTTNGGGTCCCTTTCCGCTTTCCGGCCGGAAGGGCTGCCAGGGTATA  
TTTCCTTTTTTCCGATCCTGCAACAGCCTCTTTAAACTGTTTAAATGAGAATGTCCTTGGCTC  
AGAGAGTACTACTCACCTGGCTTTTCACACTACTCTTNTTGATCATGTTGGTGTTGAAACTGG  
ATGAGAAAGCACCTTGGAAGTGGTTCCTCATATTTATTCCAGTCTGGATATTTGATACTATCC  
TTCTTGTCCTGCTGATTGTGAAAATGGCTGGGCGGTGTAAGTCTGGCTTTGACCCTCGACATG  
GATCACACAATATTAAAAAAAAGCCTGGTACCTCATTGCAATGTTACTTAAATTAGCCTTNT  
GCCTCGCACTCTGTGCTAAACTGGAACAGTTTACTACCATGAATCTATCCTATGTCTTCATTC  
CTTTATGGGCCTTGCTGGCTGGAGCGGCCGC



464/562

**FIGURE 464**

AAAAGGCCAATTTTAAGCAAAATATAACAAAACGAGAAGTGGAGGATGACTTGGGTNTNAGCA  
TGCTGATTGACTCCCAGAACAACCAGTATATTTTGACCAAGCCCAGAGATTCAACCATCCCAC  
GTGCAGATCACCACCTTTATAAAGGACATTGTTACCATAGGAATGCTGTCCTTGCCTTGTGGCT  
GGCTATGTACAGCCATAGGATTGCCTACAATGTTTGGTTATATTATTTGTGGTGTACTTCTGG  
GACCTTCAGGACTAAATAGTATTAAGTCTATTGTGCAAGTGGAGACATTAGGAGAATTTGGGG  
TGTTTTTTACTCTTTTTCTTGTTGGCTTAGAATTTCTCCAGAAAAGCTAAGAAAGGTGTGGA  
AGATTTCCCTTACAAGGGCCGTGTTACATGACACTGTTAATGATTGCATTTGGCTTGCTGTGGG  
GAGCGGCCGC

465/562

**FIGURE 465**

CACTGGCCAAACCATTATATGGCATACTCTGGNTACGTGGTCTGCCTGTTATTGGAAAGATAT  
ATTAAGAATCCAGTTNTGGATTGCAGCTGTTATTTTTTTGGGAATGCTTGAAAAAGCAGTTT  
TTATAGTGAATACCAAAACATCAGCAACACTGGACTGTCAACCCAAGGCTTATTGATATTTGC  
GGAGTTGATTTCTGCGATTAAGAGGACGTTGGCTCGCCTTCTCGTGATCATTGTGAGCCTGGG  
CTATGGCATTGTGAAGCCTCGTTTAGGAACAGTCATGCACCGGGTGATCGGACTGGGGCTTCT  
ATACTTAATCTTTGCAGCTGTTGAAGGCGTGATGAGAGTCATTGGGGGTTCTAACCATTTAGC  
TGTTGTTCTTGATGACATTATTTTAGCAGTTATTGACTCCATTTTTGTGTGGTTCATTTTTAT  
TAGTTTGGCACAACTATGAAGACCCTAAGGCTAAGAAAGAACTGTGAAATTTTCATTATA  
TAGACATTTTAAAAATACTCTGATCTTTGCTGTGCTGGCTTCTATAGTGTGTTATGGGGTGGGC  
GGCCGC

466/562

**FIGURE 466**

TGGATGGTACCCTGGCCCN TCCAGAGTCCCAGGGCAATGGGTCCATTTTCAGCCCAATGTGGT  
GTACATTACCCTACGCTCCAAGCGCAGCAAGCCGGCCAATATCCGTGGCACCGTAAGCCCAAG  
CGCAGGAAAAAGCATGCAGTGGCATCGGCTGCCCCAGGGCAGGAGGCTTTGGTCGGACCATCC  
CTTCAGCCGCAGGAAGCGGCAAGGGAAGCTGATGCTGTAGCACCTGGGTACGCTCAGGGAGCA  
AACCTGGTTAAGATTGGAGAGCGACCTGGAGGTTGGTGCGGGGTCCGGGAGTGCGAGCCGGG  
GGCCCAGACTTCCTGCAGCCCAGCTCCAGGGAGAGCAACATTAGGATCTACAGCGAGAGCGCC  
CCCTCCTGGCTGAGCAAAGATGACATCCGAAGAATGCGACTCTTGCGGGACAGCGCAGTGGCA  
GGGCTCCGGCCTGTGTCCTCTAGGAGCGGAGCCCGTTTGCTGGTGCTGGAGGGGGGTGCGGCCGC

467/562

**FIGURE 467**

AACCTGTGACGTTAGTGTGTTCTTACTAGCTTTAATTTGTATGTAGCAATGAATTGTGAATCT  
TAGTGCAGTGGGTTTTTTTAAAAAACTCAAAAAGCTGGGAATTAAGGGTTTCAGTAATAATGC  
TATACCGAGGTGCTTGCAATTGTATTTTCATAATTTTGTTACAAACCAAAATTATTTTAAATGAG  
AACAGTCTTGGGTTTCAGAGGTGTGATGCCAGAATGTATTTTCGTACTGTTAGGCCCTTGGAAC  
AGATACCGGTGCTTCTGAAAGATGAAAGAAATGCAATGGGTGCTCTTCATGCAAGGTTGCAA  
ACCTACCAAGAATGCATAATAGTCTCACTTTTCCCCAATAAAGAGATGCGTGTGACTAGTTTT  
GGACTTTTAACCTTAATGGGGATGGCGGCCGC

468/562

**FIGURE 468**

ATGGTCCTGGGCATCCATTGACCTGCTTCTGTCCCTGTAGATTAGTTTTGCCTGTTCTAGAA  
TTTTATGTATGTAAGGGAATGATGACTATGTATGTTTGTGTTTGGCTTATTTTTACCAGCAAG  
TTTTTGAGGTTTCATGTTATTGTGTGTATCAGAAGTTAGTTTCTATTTATTGCTCAGTAGTATT  
TCATTCTGTGAATTTACCATGGTCTGTTTAATATATTCATCTATTGATGATGAACATTTAGAT  
TACTTTTCGTTTTTGCCTATTAAAAATAAAGTTAGTATGAATATGCATGTACAAGTTGTATTG  
TGGATATACTTTGTGATAATAACTAGAACCAGGAGTGGTTCAAATTTAATTTACACATCTAC  
TCCCTGTGTTATTTGCC

469/562

**FIGURE 469**

TGGCTGAAAATTTTGGAAAAAGAATATTTTCTTTTAAATAGGTAACCTTAANATATTTTATT  
CATTGTCGCCCAGTGTAACAAGAGGAATCAGTTAAACTCCTGTGTCCAGGCCAGTACCNCCAA  
TTAATGCACTTGTAGCTACTGAATTCAGCCAAGATAAATATAATTAAATCTAGTGCTTCAGG  
AAATGAGTTGATCATCAAGGGAGTTAGAATGGAAAAACATTTATGNATAATTTTAAAGGACAT  
TGGACTTAACTGTTTGGGAATGAATGAGCTTGATTTTTTCTATACATATTATAAGTTAATATAA  
AAAAAGGCTTTGGGTAGACTCCGTATGACCTTATGTATTTGATTTTCATGAGTTTCATTTTCTG  
CAGTAACTTTATCATTCAATTTTTCATCTCTTAGGCTGGAATGTAGTGGAAAAAGAACTGAACT  
AGGAGTTAGAAGATTTAAGTTTTGGCTCTGGCTCCATCACATACTGGCAGTGATGATCTTAGC  
CAAGTTTGAAC TGCTTATGGCGGGGTCTTGTTTATTCATTTTCAGTATTTCCAAC

470/562

**FIGURE 470**

AGTTACCCTCACTTTACCAAGGACTTTGCTCGGCGTTTATTAGTGCTGTTTGGGTAGCATTCC  
CATTGCTCACAAAGCTCTGTGTGCATAAGGACTTCAAGCAGCATGGTGCCCAAGGAAAATTTA  
TTGCTTTTTACCTTTTGGGGATGTTTATTCCTTATCTTTATGCATTGACCTCATCTGGGCAGT  
ATTTGAGATGTTTACCCCTATCCTCGGGAGAAGTGGTTCTGAAATCCCACCTGATGTTGTGCT  
GGCATCCATTTTGGCTGGCTGTACAATGATTCTCTCGTCCCTATTTTATTAACCTCATCTACCT  
TGCCAAGAGCACAAAAAAACCATGCTAACTTTAACTTTGGTATGTGCAATTACATTCCTCCT  
TGTTTGAGTGGAACATTTTTTCCATATAGCTCCAATCCTGCTAATCCGAAGCCAAAGAGAGT  
GTTTCTTCAGCATATGACTAGAACATTCCATGACTTGGAAGGAAATGCAGTTAAACGGGACTC  
TGGAATATGGATCAATGGGTTTGATTATACTGGAATTTCTCACATAAC

471/562

**FIGURE 471**

GAGGCATTGTGAATGGTTGCAGTGNAGCTTAGGTATAACATCATCAAGTGTGTTACACGCGG  
GGTCGGGTTTAATGGAGTGTCCACGCGGAGATAACTGCGATATTGGAACACCTGTGAGAGAGA  
TTGTTCTATAGGGTGGGAATATTCAGAGTTACATTCTTGGAAGTTTCTGTTTTTACTTGCATCA  
AACACCCCTCTGTTGTTCTCCATCATCTTTAATAGCAACTGGAGACCACTTTGGTCATTGGTA  
AGGGGGTGCATTCTCCTCACAAAGGGGTTTTATGGACTTCCTCAGGCGGAGAGCTTCTGAGAA  
CACAGGCAGGATGGAAAAAGACTACTAGCCACTTTTGCTTTCCCAACCCCCCTTAATGCCATC  
CTTCATTGTCTTTCTGGCTTCTCTTCTTCTGGCACAGTACCATTTTGGGTCTGTGCCCCAGTG  
TGGAGCAAAACATTGCCTGTCCCATTCTGATATACTTCAGAAATTTGAGAGCAGAAGTTAATGT  
GGAACAAAAGTTTTACCATCTCTCAAGCCCCAAGGACTGGAGCC



472/562

**FIGURE 472**

ATTAGGCTGTTTGGGAGCATTCCCATTTGCTCACAAAAGCTTTGTGNGCATAAGGACTTCAAGC  
AGCATGGGCCCCAAGAAAATTTATTGCTTTTTNCCTTTTGGGGATGTTTATTCCTTATCTTTAT  
GCATTGTACCTCATCTGGGCAGATTTGAGATGTTTACCCCTATCCTCGGGAGAAGTGGTTCTG  
AAATCCCACCTGATGTTGTGCTGGCATCCATTTTGGCTGGCTGACAATGATTCTCTCGTCCTA  
TTTTATTAACTTCATCTACCTTGCCAAGAGCACAAAAAAACCATGCTAACTTTAACTTTGGT  
ATGTGCAATTACATTCCTCCTTGTTTGCAGTGGAACATTTTTTCCATATAGCTCCAATCCTGC  
TAATCCGAAGCCAAAGAGAGTGTTTNTTCAGCATATGACTAGAACATTCCATGACTTGGAAGG  
AAATGCAGTTAAACGGGACTCTGGAATATGGATCAATGGGTTTGATTATACTGGAATTTCTCA  
CATAAC

473/562

**FIGURE 473**

GATTGCAAGGAGGATTTTATATGATAGTCATAGCTTGTCTTTAAAAGTTTGGTATGTGATAAT  
ATCAGANCAGTAAAAGGCTATTTACATTTTAAACTAAATCTTTATTAAATAATTATTCAC  
AAGTTAGTAATTATTGATATTCTTCTTCAGGGACTAGAGTTCCTATGCTTCCTAAACTGACTT  
TTAAGGAAAGATGAGACTATATTCAGTGCAGTTTTAATATGACATATTTTATTATCTCTTATT  
TTTTAAATTGATATTTTATGAAGGAGTCTATGGACTATAATACGAAAATTCTGGTTGGGGAGG  
CAGGAAACCTGGCTTTCAAGTACACTCCAATAGCTTTTATATAAAATTCAGGTGTTCTTTTTC  
TCTAATACTTGAAATAGCTATTTTCATTTTCATGTCATTTTCTGTACTTTTCCTGATACTTTT  
AAACATTGTTTTATTTTCAAATGAACAGCC

474/562

**FIGURE 474**

TTCCCGCAATTTTCAGAAAAATGGGANTAAAAGAACTATTTTGTAATAAAAAAGCTTCCA  
TTTTTAATGACCANCATGTATTAAGATGGAACNTACTNTACGAAANCGAAGTTNTATGGTNTC  
GAAAAGCCCGTGCCTGTTTAAAACCTTGATCCTAACTAAAAACAGACTTGAGTGGATATNAGAA  
TGTTGGTTAGTGGCAGAAGAGTCAAAAAATGGCAGTTAATTATTCAGTTATTTGCTACTTGTT  
TTTAGCGAGCCTCATGTTTTTTGGGAACCAATCGATAATCACATTGTGAGCCATATGAAGT  
CATATTCTTACAGATACCTCATAAATAGCTATGACTTTGTGAATGATACCCTGTCTCTTAAGCA

475/562

**FIGURE 475**

TTTAGAAATGGTATGGCAGAATCCAGAAAATGCTTTATTGAAGACAGTCATTGATCACCAGTA  
CACTTGATCTCCAGTACAGACATATGGTGGAACAGAAGCCTGGATACAGGACTCAGACTCTTA  
CTGGTTGGTATCATACGTGATCGTTTGATTTCAGTTCATCTCTAAATTGCAGTTTGCCGTGACT  
GTGCTTTTGACATCATGGACAGAGAAAAACAACGTCGAAAAACAACCTGCCACTTTATGTATA  
CTCAACATTGTCTTTTCTCCATTCGTGTTGGTCATCATAGTTTTTTCTACACTACTCTCTTCT  
CCCTTACTCCCTCTTTTCACCCTTCCTGTGTTCTTGGTGGGGTTTCCCCGACCTATTCAGAGT  
TGCCAGGAGCAGCAGGCACCACAGCCTGTGTGTGTGCAGATACAGTGTACTACTACCAAATG  
GTGCC

476/562

**FIGURE 476**

GGGTGCTCTTTTTCAATTCAGGAACATCAACATTTANTAAACNGTGGGGTGGGATCCTTACAA  
ATCATCCTGCTTTTTTGNANATCACTGGCTACTAAGGCAGGTGCAGCATCAATGATTCACTAN  
ATGGTTTTGATATCAGCTCGCTTGGTACTACTCACTTTTGTGTGGATGGGTACTTTGTTGGAC  
CCTCGTCAATCTCTTTNGAAGCCATTCAGTCCTCAATCTCCTTTTCCTTGGGTANCCGTTTGG  
TGTNTTATGTTCTCTTTGCTGTTTTTCATCAAGATAGTAGAGCACATCTTCTTCACAGACT  
ACAAATATGTGGTTCAGCACGAGGCAGTAGAGGAAAGTGCCTCGACTGTGGGAGGCTTGGCCA  
AATCCAAAGACTTTCTCTCCTTGTTGCTGGAGTCGCTAAAAGAACAGTTTAATAATGCCACAC  
CCATCCCCAC

477/562

**FIGURE 477**

GGCCACNCTGGCCAAATAAGGGCAAAAAGCTTTATTTTTTTGAACAGGAAAACATGTTTTTTA  
AATTCACATGTTTTGTATGAGACTTTTGCGAAGCAAGGCATGAACTGCTAGGTATTATTAAGA  
ATGAATGATTTTTGCATTTAAGTTGTTTGAAGGCATGTATTTTGAAAAATATCTGTTACAAAT  
TTATAATTTCAAGACAAATTGAATCTTATTTTATAATACTTTTGGAATTCATTAATAAGGCT  
AAAATTTGAGGAATATACTAATTTTCAGCCTTAAGACATTTAAGTTTGGAAGTCCTTGCTAT  
TCAACAGAATAACAAGAAAACCTCAGAATGTATCACTCTCCTGAAAAGAAGATATTAATAAGC  
CCTTTTATTTATGGTTATAGTTTTATTTATAGTCTCAAATTCCTAAAGCAATGCTACAACCA  
TTGAATTTGCCATATTTTGTATCAGTGCTGTTAATTTGCTGTTGCCTCAAGAAAAAGTGCTTT  
TTCTCCATGGATGAGGCGGCCGC

478/562

**FIGURE 478**

CACACACACACACACAGAAATTTTGAGAGCCATTTTAATATAATTGCCTCCCTAGAAACAT  
ACCTTTTAGGGNATTTTTATCACTAAACCACATGTTATTTAAATACGGTACATGTTTAAACATA  
AATACATACATAAAATTCACATGCATACTTAACACTTATGTTAAATATATTCAATGTATATAC  
ATATGTACACAATATATGCATATATACATGTGGGTATGTGGTATGTGTGCATGTGTGTGTATG  
GCCAGCTACATAATTTGTGGGACTAAGGGCAAAATGAACTGTACGGCCCTCGTTCAAAAATT  
AGGTGTGGAGCGGCCGC

479/562

**FIGURE 479**

ACCAATCAGATGTATTTAGGGATTTGGGATATTCTACCAGGTGTTGTGAAATGTCAAATGGAA  
CAAGCGTTTCATCTTGATTTTGGAACTGAATTGGAACCAAGAAAAGAAATAGTGCTATTTGAT  
AAGCCAACTAGAGGAACTACTGTACAAAAATTTAAAGAAATGGTCTATAGTCTCTTTAAGGCA  
AAATTGGGTGACCAAGGAAACCTCTCTGAACTGGTTAATCTCATCTTGACGGTGGCTGATGGA  
GACAAAGATGGCCAGGTTTCCTTGGGAGAAGCAAAGTCGGCATGGGCACTTCTTCAACTGAAT  
GAATTTCTTCTCATGGTGATACTTCAAGATAAAGAACATACCCCCAAATTAATGGGATTCTGT  
GGTGACCTCTATGTGATGGAAAGTGTTGAATATACCTCTCTTTATGGAATAAGCCTTCCTTGG  
GTCATTGAACTTTTTATTCCATCTGGGTTCAGAAGAAGCATGGATCAGCTGTTTCACACCATCA  
TGGCCAAGAAAGGCCAAAATAGCCATAGGACTTCTAGAATTTGTGGAAGATGTTTTCCATGGCCC



480/562

**FIGURE 480**

CCCGCCATGACTCGGAGACTGAGGACATGTATGGGACGACNTGCTACATGGCCCAGAGTGCCG  
GTCATCTGTCACCAGTGACAGTGAGGGGGGCCATGTGAATACCCTTCACTCAGGGCCAAACGT  
GCCCCAAAGAGGATGTTTTTCAGCAGAATCATTTATTCTGGCTTCAGAATTCAAGTCCTTCCT  
CTGATCGAGTTAGGCAATAATCTGGGAGGGGAATGAGTGCAAAAAGATGGATATGTCTGTGTT  
GGAAATAAGTGGCATCATCATGAGCAGGGTCAATACCTATCAGCAAGGAGTAGGTTATCAGAT  
GCTGGGAAATGTTGTCACCTATTGGATTAGCATTTTTTCCATTCTTACATCGACTTTTCCGTGA  
GAAGAGCCTTGACCAACTAAAGTCCATTTTCAGCTGAGGAGATCTTGACTCTCTTTTGTGGGGC  
ACCACCTGTTACACCTATTATTGTTTTGTCGATAATTAATTTTTTTGAAAGATTGTGTCTTAC  
TTGGATGTTTTTTTTTCATGATGTGTGTGGCGGCCGC

481/562

**FIGURE 481**

GGCCACACTGGCCAAAGAGCATATTTGATCACTTTGATTCTCTGTTCTTTTCTCTCCGCGGTG  
TGTGTGGCGGCCGC

482/562

**FIGURE 482**

AAAGACCCAGTCATGGCAAGCCTCCAAGCATCAGTTCACCATGGGGAAAGCATGTGTTCAAAG  
CCATTCTGATGGTCCTAAGTGGCCCTTATCCTCCTCCACTCAGCATTGGCCCAGTCCCGTCGA  
GACTTTGCACCACCAGGCCAACAGAAAGAGAGAAGCCCCAGTTGATGTCTTGACCCAGATAGGT  
CGATCTGTGCGAGGGACACTGGATGCCTGGATTGGGCCAGAGACCATGCACCTGGTGTGTCAGAG  
TCTTCGTCCCAAGTGTTGTGGGCCATCTCATCAGCCATTTCTGTGGCCTTCTTTGCTCTGTCT  
GGGATCGCCGCACAGCTGCTGAATGCCTTGGGACTAGCTGGTGATTACCTCGCCCAGGGCCTG  
AAGCTCAGCCCTGGCCAGGTCCAGACCTTCCTGCTGTGGGGAGCAGGGGCCCTGGTTCGTCTAC  
TGGCTGCTGTCTCTGCTCCTCGGCTTGGTCTTGGCCTTGCTGGGGCGGATCCTGTGGGGCCTG  
AAGCTTGTCATCTTCCTGGCCGGCTTCGTGGCCCTGATGAGGTCGGTAGCGGCCGC

483/562

**FIGURE 483**

CAAAACGATTTTATTGCCAAACCCTGTGCACTCCGATTGGCATCGAGGACAGTGGTCCTTATC  
AGGCCCAACCCAATGCCATCCTTGAAAAGGTGTTTCATATCTATTACCAAGTATCCTGATAAGA  
AAAGGTGNAGGGCCTGTCAAAGCAGCTGGATTGGAATGTCCGAAAAATCCAATGCTGGTTNGC  
CATCGGAGGAATCAGGACAAGCCCCAACGCTTANTAAATTCTGTGAAAGCATGTGGAGATTTC  
ACATTTTATTTATGTATATTCTGCTATGGAATTAGATTTCTCTGGTCGTCACCTTGGTTCTGG  
GACATCCGACAGTGCTGGCATAACTATCCATTTTCAGCCTCTTTCAAGTGGGCTTTATCACTAT  
TATATCATGGAATTGGCCTTCTATTGGTCCCTTATGTTTTCTCAGTTTACAGACATTAAAAGA  
AAGGACTTCCTGATCATGTTTGTGCATCACTTGGTCACCATTTGGGCTTATCTCCTTCTCCTAC  
ATCAACAATATGGTTCGAGTGGGAACTCTGATCATGTGTCTACATGATGTCTCAGACTTCTTG  
CTGGGGGCGGCCGC

484/562

**FIGURE 484**

TCTAGGTCCATTGTCACCTTTTCTGGCACGACAGCCTCCGCCCCACCGCATTCCCCAGGCCAA  
GCTGGTGGCCATGCTTCAGACACGAGACCCACCAAGGGCCTCCGCCAGACCACGGTGCCTGCC  
AAGGGCCACCCTGAGCGCCGGCTGCTGTCAGTGGGGGATGGGACCCGTGTTGGGATGGGAGCC  
CGAACCCCCAGGCCTGGGGCGGGCCTCAGGGACCAGCAAATGGCCCCATCCGCTGCTCCTCAG  
GCCCCAGAAGCCTTCACACTCAAGGAGAAGGGGCACCTGCTGCGGCTGCCTGCGGCATTCAGG  
AAAGCAGCTTCCCAGAACTCGAGCCTGTGGGCCTAGCGGCCGC

485/562

**FIGURE 485**

CTGGCCAAACATATGGGGGATGAAAATAAANAATTACATATGAAGATTCAAACCATCCNCA  
GGAATGAATTACACGCCCTCCCAGGCATCAANAAGCNCAGGAGGAGNCAGTTATGAAGTCAA  
GGTATAGATGCAAAATGAACCAACAAAAGGAAGTTTTTTTTTGAAAAGCAGTAAAAAAAAGCT  
NCAAGAAACACCCAANTGAAGCAAATCACGTACAAAGANTGAGACAAATGCTGGCTTGCCCTC  
CACATGGTTTACTGGACAGGGTCATAACAAATGTTACCATCATTGTTCTTCTGTGGGCTGTAG  
TTTGGTCAATTACTGGCAGTGAATGTCTTCCTGGAGGAAACCTATTTGGAATTATAATCCTAT  
TCTATTGTGCCATCATTGGTGGTAACTTTTGGGGCTTATTAAGTTACCTACATTGCCTCCAC  
TGCCTTCTCTTCTTGGCATGCTGCTTGCAGGGTTTCTCATCAGAAATATCCCAGTCATCAACG  
ATAATGTGCAGATCAAGCACAAGTGGTCTTCCTCTTTGAGAAGCATAGCCCTGTCTATCATTC  
TGGCTCGTGCGGCCGC

486/562

**FIGURE 486**

TGCATCGTGGGGTATGTACAATGTTTACGCATGTGAGTGTGTGTAAAGTGTGTGTATNAAGTG  
TGTGTGTACATCTGTGCAGCTGGTCACCAGCATGTACCTTCACAAGTTAGATTTTGCTGGCAT  
ATCCACGAGCTGTCACCACTGTGCCNTGGGCATTGAGCTTTTTGAGGCTTGTGTGTTGGCCTG  
TCCCAGGGCTCTGCCATCGTCAGTATTGGCCCCACTCACAGATGTTCTTTCCTGGGTTGGGCC  
AGCTCCTTTTGGACACTTTTGAGATCCACCTCGGGCCCGTCTGCGTTTGCGATGCTGCTTTN  
TGTGGCTCCTTCCGGCTACTGGGACTGTTCCCTTCTGGCATTGCCTTCGGCAGCACTTCGAGG  
AACTCAGCCTCCAGGGCCTCCTGTTGTCCTTGAAAATGCAGTTTTATTTTATTATTTTTATT  
ATTTATTTTTTGGG

487/562

**FIGURE 487**

CTCAAATTAAGTATCAAACAGGGGTCCTCAGAACTGTCTCACTTCCTCCTGCTCCCATCAA  
TATTAAAGCCTAAAACTCAAGAATCATTCTTAGCAGTTTTTTTCTCTTTTTTCTTCTTTTCT  
TTTTTTTCTTTTTTGAGACGGAGTCTCACTCTGTCGCCCAGGCTGGAGTGCAGTGGCGACAGA  
GTGAGAC



488/562

**FIGURE 488**

GTGTGTGAGTGTGTGTGTGTTTAATGTACCTAATTCTGTAAAGGATTTTAAGTGATTTTTTCA  
AAGTGGACCCAATAAAATAAAACAATATGCGTGCATGTGTTTTATAAAAGTAATAAACNAG  
TTATTCTGCTTTTTCTAGTCTTAGTTACTTACTTACATATTTATTTGGGGGGTGTGATGTTCT  
TTTTAAAAGGAACCTCCTGTGACACCTGTTACTCCGGC

489/562

**FIGURE 489**

GCAGCTGCCTATTGCACTTGTGAAAAAGGTTTGTATGTTCAACACTGCTGGGNTGGCTCANAG  
TTGGGAGTGAATCCTCCAAGGGATAAGCTTGGAGAACTTTTTGAACAGTCAATCTGTAAAGGT  
GTTTGCAATCCCAAGGNCAATGGACTAGATTATGAAGGCTCTCGGGTGGACCCACTGTTTCCTC  
TCTGTTTATTAAGCTTTTTGAAGGAGAGAGATGAGGGCAGGACATGTGACAACGGTGCTTTTC  
CTTATGCNTATATCGCTCTCCAACAGCATCCTTTCCAAATNTATAGCGCTTCAAAGATTCCAG  
GACAGATCGGGAAGAGCCAGTGTCCATAGAAACCTGGGGTTGTTTCAGAAGAACGGTGTTCTCT  
GTGTTTGTGACGGTGCCTGT

490/562

**FIGURE 490**

GGTTTTGTCCTTCGGTATGACAACTACAAAAAGCAAGCCAGTGGGGATTCNTGTGGGGCCCN  
TGGACCTGCCAAACATCTCCGGGNGCATGCAAAAAGGTCTCCTACTTTCAGTGCACCCTCATC  
GGATACTTTGTAGGCCTGCTCACTGCTACTGTGGCGTCTCGCATTACACGGGCGCCAGCCC  
GCCCTTCTCTATTTGGTGCCATTTACTTTATTGCCACTCCTCACGATGGCCTATTTAAAGGGC  
GACCTCCGGCGGATGTGGTCTGAGCCTTTCCACTCCAAGTCCAGCAGCTCCCGATTCTGGAA  
GTATGATGGATCACGTGGAAAGTGACCAGATGGCCGTCATAGTCCTTTTCTCTCAACTCATGG  
TTTGTTTCCTCTTAGAGCTGGCCTGGTACTCAGAAATGTACCTGTGTTTAAGGAACTGCCGTG  
TGACTGGATTTGGCATTGAAAGGGAGCTCGTTTGCAGGAGAGAGGTGCTGGAGCCCTGTTTGG  
TTCCTTCTCTCCTGCGGATGTAGAGGTGGGGCCCCTTCCAAGAGGGACAGGCCTCTCCCCAGC

491/562

**FIGURE 491**

AAGACTCCCAAGGAAGTTGTTGAACTATATTTGGANAAACANGCCACTGAATATTATCATTTT  
TCCTTTTAAANAGAGTTTTGTAAGGGGGNAAACATGCATTTTTATCCAGACAATTTATCCAAA  
GCATTTTCAGAACATGAAGTGCTGATGAGGGCACCTCTTGNTGAGTCCCNTAAGCTATCAAG  
TGTTCTTCTCAAGGACACATTTGGAAGGTTTTAACATTGAAANTGAGCGGAGGACTTGGGGGC  
AGAGCAGCACAAAGAAACAGCCTTACACTGGGCACATGGAGGAGACGTCCACCCTGCAGCCAG  
GATTGGGGTTCACGTCACCTGCCAGAGCTACACTCGCCTTCTGCTTCCACGGTCCTGTTAATTC  
TAGATCAGAGAGCAAGAAAAAAGTACAGAACATATCCTCTACGGTTATTTCTGCTTTCTAAT  
TAAAAAATAATAACCATGGCAAGAGAGAAAGAAAGAGAAAGTACTCAGAGGCTGACACTGAC  
ATTTCACTTCCTCGCTCTCCTAAGTTTAATTACAACAGCACGTGCAGC

492/562

**FIGURE 492**

TGCAGCATTGGCAGCAACAAAAATTTCTAGTTTGGNTGATGATTTTGGAGAATTCAGCCTTTT  
TGGGGAATATTTTGGTCTAGCACCTGTTGGGGAGCAGGATGACTTTGCAGATTTTATGGCTTT  
CAGTAATAGCTTTATTTTCATNTGAGCAAAAGCCGGATGACAAATATGATGCCCTTAAAGAGGA  
AGCCAGTCCTGTTCCCTCTAACCAGCAACGTGGGCAGCACAGTGAAGGGTGGACAAAACCTCGAC  
TGCTGCGTCTACCAAGTACGATGTCTTCAGACAACTTTCTCTGGAAGGGTCTGGACTAGGTGT  
TGAAGACCTGAAAGATAACACTCCTTCAGGAAAAAGTGAATGATGATTTTGCTGACTTCCACTC  
CAGTAAATTTTCTTCCATAAACTCGGACAAATCCCTGGGAGAGAAAGCAGTGGCTTTCAGACA  
CACCAAAGAAGACTCTGCATCAGTGAAGTCCTTAGATCTCCCTTCCATTGGTGGCAGCAGTGT  
TGGCAAGGAGGACTCTGAAGATGCACTCTCTGTTTCAGTTTGACATGAAATTGGCTGATGTGGG  
AGGAGCGGCCGC

493/562

**FIGURE 493**

GCCCTATCCAGGTTACCCTTCCNAAGGGAAACCAGGTTTCTTTAAAAAATTAAGCAGCCCGGG  
GCCGGTGGGCTCACGCTTGTAATCCNAGCCTTTGAAGCCCGAGGCGGCGGATCACCTAGAAGA  
TGACTCAAGACCGGCCTCTGCTTGCCGTGCAGGAGGCGTNAAGAAGTGCTTCCCCGTGGTGGA  
GANCAGCAGGGCCTGTGCAGAGTGCCCTGCGGGACTGCCAGCCCCTCCTGTCCTCCCTCAGCA  
ACCTGGCGGAACAGCTGCAGGCCGCACAGAACCTGCGGTTTGAGGATGTGCCGGCGCTTCGGG  
CCTTCCCAGATTTAAAAGAGCGGNTGAGGCGTAAGCAGCTGGTGGCTGGTGACATCGTCCTGG  
ACAAGCTAGGGGAAAGGCTAGCCATCCTCCTCAAGGTGCGAGACATGGTCAGCAGCCATGTGG  
AGCGAGTGTTCAGATCTATGAGCAACACGCAGACACAGTTGGCATTGATGCTGTCCTGCAGC  
CTTCAGCAGTGAGCCCCTCTGTGGCTGACATGTTGGAATGGTTGCTGGATATTGAGAGACGGG  
CGGCCGC

494/562

**FIGURE 494**

CAGCATGAGACATCCCCCATGCCTGGGGCCATTNAGATNTTTTTGGAGCACCAGTCACTCCC  
AGGTTTTTATTTTAGGGGTCATCGATTTTACCTACTTTGTCAGACTGGTANAAGTTGCTTTGC  
ATATCANAAAACTCCATTTTTTTCCACAAAAGGGATTACAGAAACTCTTTTGTGAGTGAGT  
GATTGGAACCTTAGAGACTCCTGTTGCCAGAATCAGACTGCCCTAGAACAGAATGGACAATGCA  
GGGAGGAGAATTACACAAACAGCACCTGTTNTGAGGCCTGTGCCAGCCCACCAGGCCTGCTC  
AAATGTGGTCTTTACTTCAAGTGCACAGAGGCACATGAGGTTTNTGGTGATAAACCAGCGTCT  
TACCGCTGTTTTAAAGTCCCATCCCCATGGCTTTCACAATCAGTTCCGTTTTTTTTTGCTGTAC  
TTGATAAAATGTTTATTCTCATAACAGGTCAAGTACATTTACTTCTATTACAGTGAGTACCCA  
ATAACAACAAAAGCGCTTACAAATTTGGGGGGGGCGGCCGC

495/562

**FIGURE 495**

TTTTTTAAAAAAAAAAAAATCTCAGTATAGTTCTGATTAAAATTCCTTTCTGAGTCCTAAA  
TGCTTTAAATCTTCTTTTCCCATTCTTTTACTTCTCCTATCCATAGTTACAAGTTCTTACGC  
ATGACATATCTCTTGGCTGATAAGTTTAACTGCTTAAGCACCTGTTTATGTTTCATTTTAAAC  
ATAGCCAGTTACTATTATGCTTGGATATACACAATGAGGGGAGCGGCCGC



496/562

**FIGURE 496**

TGTGGAAAAACAGTTATTGCANCGGTTGCTTANAAAAACATAAAAATGCATCCATGGGGCTT  
ATTTATTCAGGAGAAATCTCANAGCNCCTGGGAGTGCTTTANAGNCAGGGGNTGCTTGCCATCC  
TCTGTGGATGTGTGTGTGTGTGTTTGTGCCTAGGTGTGTGCGCACAGGTTTGTGTGCCTGTGT  
GTGCATGTGTGTGGGGTGTGTGTGCATGTGTGTATGCACGTACCCGTGTGTGTGTGCACAGGT  
GTGTGTGTGTGTGTGTTTGTGTGCCTGTGTGTGGGGTGTGTGTGCATGTATGCACGTACCAGT  
GTGTGTGTGCGCAGGTGTTTGCCTGCACAAATATGCATCTGTGTGTATGTGTGTGTGTTTACA  
CGTGTGTGTGTATGTGGCGGCCGC

497/562

**FIGURE 497**

CATTATAATTAAGTATAGTTACTATGCTGTATATTTGATCACCCAGACCCATCTTATAACTGA  
AAGTTTGTATCCTTTGATCCAAATCCCCACATTTTTCCCAGCCACTGACAACCACCACTTTAC  
TCTGTTTCTATGAGTTCAACTGCTTTAGACTCCACATGTAAGTGAGATCATAAGTATTTTTC  
TTTCTGCACTGGCTTATTTCACTTAACATAACATCCTCTAGGTTTCATCTATGTTTCAGCGAAT  
GGCAGAAATTTCTTCTTTTTAAAGGCTGAATAGTGTTCCCTCAGGTATATATACCAGATACAC  
ATACATAAGGGAATATGTGTGTGTCTCGGGTACATGTACATAAGGGAATACTATTTTTTACTC  
ATTCATGTATGTGTACCAGATACATATACATAAGGGAATATATGTATATGTGTCTGGTACATA  
TACATGAAGGAATGCTATTTTTTACTCATTTCATCTCTCAGTGGACACTTAGGTTGTTTTCATA  
TCTTGGCTATTATGAATAGTGCTGCAATAAATATGGGAGTGCGGCCGC

498/562

**FIGURE 498**

TTATTGGGAGATATCCATGTTTTTCATAAAATCAACAAGAGAATCCNTGATTGTTTCAGAAGAA  
AACAAATTNTGACCGNAGAATGCTGTTACNTGAACCCCTTATTTTGAAGNATCATAAGATTCAC  
AGGGGTGTTTGCAATTTGGACTTTTTGCTACTGACATTTTTGTAAACGCCGGACAAGTGGTCAC  
TGGGCACTTAACGCCATACTTCCTGACTGTGTGCAAGCCAACTACACCAGTGCAGACTGCCA  
AGCGCACCACCAGTTTATAAACAATGGGAACATTTGTACTGGGGACCTGGAAGTGATAGAAAA  
GGCTCGGAGATCCTTTCCCTCCAAACACGCTGCTCTGAGCATTTACTCCGCCTTATATGCCAC  
GATGTATATTACAAGCACAATCAAGACGAAGAGCAGTCGACTGGCCAAGCCGGTGCTGTGCCT  
CGGAACCTCTCTGCACAGCCTTCCTGACAGGCCTCAACCGGGTCTCTGAGTATCGGAACCACTG  
CTCGGACGTGATTGCTGGTTTCATCCTGGGCACTGCAGTGGCCCTGTTTCTGGGAATGTGTGT  
GGCGGCCCGC

499/562

**FIGURE 499**

AAAAAAAAAAAAAAAAAGCTAAAAACCTTGACTAAATCTACCATGTTTTCTCATATTATTAA  
AAATTCTAAACGTGGGTTTTTTTGTTTTGTTTTGTTTTCTGTTTCTCCCTCTGCAGAGTTGT  
TAGCGGTTCTCGAGATGCCACTCTTAGGGTTTGGGATATTGAGACAGGCCAGTGTTTACATGT  
TTTGATGGGTCATGTTGCAGCAGTCCGCTGTGTTCAATATGATGGCAGGAGGGTTGTTAGTGG  
AGCATATGATTTTATGGTAAAGGTGTGGGATCCAGAGACTGAAACCTGTCTACACACGTTGCA  
GGGGCAGGCGGCCGC

500/562

**FIGURE 500**

ATCAATGGCCACCCAGCAAGACCAAGTTACAAGGATCGTATNTTGGTCCGAAGGGATGAAAGT  
GGCCCAAGGGTCTCCNTTNTCGGTGAACGTTTCAGCTGNTGCAGGACCACGGGGAAATTGCCAA  
GAGTAAGCATCTCCAGGGGGAGATGACCTAACGTTTCCAAAAGAGAAACAGGCAGCAGGTTCT  
TAAGCAGTGAAGATGCGGACGAGATGTTGCATGTGGCTCCTGAGGCACAGCAGTGA CTTCGTG  
CCCAGAGCCTGGCAGAGAGGTCGCAGGTGTGCCAGCTTCCCTGCCAGTCAGGGCAGCCTTGGG  
TGTGTGTGCAAGCATGTGTGCACATATTGTGTGATGTGCGTGCTCCTGTATGTGTGTGCATAT  
GTGTGTATGCCTTGACAGGTGTGCACAGGTCTGAATGTGTATACGTGGGGGGGGCGGCCGC

501/562

**FIGURE 501**

GAATATCCTGCAGGTATCTCTCCGGCCCACNTCCTTGCCTACTGAGCNTCAGCCCTGATTTGT  
CATCGTCGGTTTCGTGACCCTCATCATATTTAAGCGGGAGCTGCACACGGCCCCCACACAGCA  
GTGGGCACCAAGTACGGGATGCCCTCCAGCCATTCCCAGTTTATGTGGTTCTTCTCCGTCTAT  
TCCTTCCTTTTCCTGTATTTAAGAATGCACCAAACAAACAACGCCAGGTTCTTGGA CT TGCTG  
TGGAGGCACGTGCTCTCCCTGGGACTCCTCGCTGTGGCCTTCCTAGTCTCCTACAGCAGGGTC  
TACCTGCTGTACCACACCTGGAGCCAGGTGCTCTATGGAGGCATCGCTGGAGGCCTCATGGCC  
ATCGCCTGGTTCATCTTCACCCAGGAGGTCCTCACCCCGCTGTTCCCCAGGATAGCAGCCTGG  
CCTGTCTCCGAGTTCTTCCTAATCCGAGACACAAGCCTCATTCCCAACGTACTCTGGTTTGAG  
TACACGGTAACCCGGGCAGAAGCCAGGAACAGACAACGCAAGCTGGGGCCAGCGGCCGC

502/562

**FIGURE 502**

CCCTGCCCAAAGTTAAGTTCAAGTTTTCTTTTCAGATAATGCCTGAAATTGCCCAGAATAGTC  
AGAGGATTTAAAAATTTNTTTGACCACAAATGCACTAAAGTTTAAAGTAAAGCAGTTTCTTCN  
TTCATTAGCATGTGTTTTACACTAACATTTAATAAGAAGCCATTTTTAGTCTTGATCTTGGCA  
GTGTTTTCTTTAAGACTTCTGATGTTATCAAGTATTTCAATTAAATATTAAATTATTATTAATT  
ACTGTTAGTTTAAATATCATTAGGGGTTTCAATTTGGCTTCTTAAATGGACTGAACTGTGGC  
ATCACGTATTTTGTCTCATTATCATGTATGAATAAAGCATAAATCAGTTTGTTAATGGATGCTCA  
TACCACTGTTTATTTTTTCAAATATTTTAACACACTTCCAAATGGTGGGATTTGCTTTATAA  
ATACAGTTTTCTACTTACACATGAGGAAAATAATATTATTTGCATTATGGATGTACACTTTGA  
AAAACTTTTCAATGCAATTATCTGTGTATTTCACAATCTCTGGTACTTTTCTCAGATTTAATT  
TTGGTGGGGCGGCCGC

503/562

**FIGURE 503**

AAGCCTGTGTAAATGGATCAACCAATCCCAGTACATTTGCTTCAAGATTCAAACACATTCAGG  
TGGGGGCTTGGGACGGGATCAGCATTCATCATGGGGAAGAAAACCACAGGCCATCAGTGGATC  
ATACACAGTGCTCATCAAGAAAGATAACGTTACTTTTAAATTGTGGGCTCAAACCTGGACAGCA  
AGGTGCACAGTGGAAGAGAGCAGAAGTGTTTTTAGGCATTCGTTACATACACAGATTGTCTT  
CAGAGCCAAACGTGGTATCAGTTACATAGGAGATGTAGCAGTGGATGATATTTCTTCCAAGA  
TTGCTCCCCTTTGCTTAGCCCAGAGAGAAAGTGACTGCTCATGAATTCATGTGTGCTAATAA  
GCACTGCGTTGCCAAAGACAAGCTGTGTGATTTTGTGAATGATTGTGCTGATAATTCAGATGA  
GACTACTTTCATTTGCCG



504/562

**FIGURE 504**

AAAAAAAAAAAAAAAAAACCTGCCAATTTTCAAACATACCGTAGAGATTATTTTCAGGTG  
CCATTTTATAGTATAGCAGCAGGGCTTTTACTCTGTGTATGCACAGATGCAGTCTGGGGCATG  
GTTTGTGTGCTGGACTTTCTCATGGCCATCATCAGTATGCTTATGGATTTGATGACAGGCATA  
GCCTGGGCATATCACCTCATTGGTAAAGG

505/562

**FIGURE 505**

TTTAAGTGCAAAAAATTATTTTATTTTTTTCCCAGTAATTTTAAATTGGAATTCCAGCCNTGG  
CTTATTTTTGGGAGACCCAGCCATNTACCAAAGCTGAAGGCACAAATGCTTATTCTCGTCACT  
GTCCTTTTTATGTCAGCATTTCAGAGTTACTGGCTGTCATTTTTCATGGGATGATTTTATTTGT  
AGCTTTCATAACCTGTTGGAAGAAGTTACTACTTTGGACAGGCTATCAGGATAACTTCCTATA  
TGAATGAAACTCTCTTATATTTTCCTTTTTTCATCCCACTCCAGTTATACTGTGAGATCTAAAA  
AAATATTCTTATCCAAGCTCATTGTCTGTTTTCTCAGTACCTGGTTACCATTTGTACTACTTC  
AGGTAATCATTGTTTTACTTAAAGTTCAGATTCCAGCATATATTGAGATGAATATTCCTGGT  
TATACTTTGTCAATAGTTTTCTCATTGCTACAGTGTATTGGTTTAATTGTCACAAGCTTAATT  
TAAAAGACATTGGATTACCTTTGGATCCATTTGTCAACTGGAAGTGCTGCTTCATTCC

506/562

**FIGURE 506**

TTTTTTTTTGACACGAGACATAAAAACTTTTAATGAAGGAGGACACAGNTCAGAGCCTTCCAC  
AATGGGGCCAACCNTGCCCCACGGAGACCGGCCATGGCAACCGCTCAATCAGAAGGTGTTNTT  
GATGCGGGCCGGCCACCAGCCTAAGGATGTCCCCGATCTTNTTCTGCCAGTTGGCGATGTCCTT  
GGACACGGCGCACCACAGCTCCCCATGCCGAGGCTNTGCACTCTCACAGCGCTTCCTCACCTC  
CTCCTGNTGCTCCTCAGTGCCATGCTGCAGCTCAAACCTTGTAGAAGAAGGCCCAGGCATCCCC  
CAGGTCCGAGTCAATCTTCACAGTGCGGTGGAACCACTCCCTGGCCTTGGTGATCTTCCGCTG  
ACTCCAAAACAGCTTGGCCACGGCCAGGAGCACATGGGGGTCATGCTCACACTTCTTCAGGGC  
ATCCACGCTCTTGGTCCTCCTCTGGGGCCTTGCCTCGAGGAAGA

507/562

**FIGURE 507**

ACCCTGTTTTTTAAGCACACCTCAAGCGGGGCCTCGCTTACCAATANTTGATTAACCACAAGN  
AAAAGTGTC AAGCTCAAGACGTCCTCCTTTTACTGTTTGTA AA ACTGTCCTGAA AACTATGAT  
CGACGTTCCGGAATTAGAAGGACGTGGGGCAATGAAAATTATGTTTCGGTCTCAGCTGAATGCC  
AACATCAAAACTCTGTTTGCCTTAGGAACTCCTAATCCACTGGAGGGAGAAGAACTACAAAGA  
AAACTGGCTTGGGAAGATCAAAGGTACAATGATATAATTCAGCAAGACTTTGTTGATTCTTTC  
TACAATCTTACTCTGAAATTACTTATGCAGTTCAGTTGGGCAAATACCTATTGTCCACATGCC  
AAATTTCTTATGACTGCTGATGATGACATATTTATTCACATGCCAAATCTGATTGAGTACCTT  
CAAAGTTTAGAACAAATTGGTGTTCAAGACTTTTGGATTGGTCGTGTTTCATCGTGTTGCCCC

508/562

**FIGURE 508**

TCGACCCACGGGGTCCGGTAAAGTTGATGGTCTGCCTTGTACATCTCAACCATTCTTGAACCA  
CTTAATCCTNTTTTTGNCAACACTAGTAGAACAGAATCCTGAAGATATGGAGACCTATACCTA  
GATGTTGCTGAAGCTTTTNTGGATGTTGGTGAATATAATTCTGCACTTCCCCCTCCTCAGTGCT  
CTTTGTTTGCTCTGAAAGATACAACCTTGCAGTAGTTTGGCTTCGTCATGCAGAATGTTTAAA  
GGCCTTAGGCTATATGGAGCGAGCTGCTGAAAGCTATGGCAAGGTGGTTGATCTGGCCCCACT  
CCATTTGGATGCAAGGATTTCACTTTNTACCCTTCAGCAGCAGCTGGGCCAGCCTGAGAAAGC  
TCTGGAAGCTCTGGAACCAATGTATGATCCAGATACTTTAGCACAGGATGCAAATGCTGCACA  
GCAGGAAGTGAAGTTATTGCTTCATCGTTCTACTCTGTTGTTTTACAAAGGCAAAATGTATGG  
TTATGTGGATACCTTACTTACTATGTTAGCCATGCTTTTAAAGGTAGCAATGAATCGAGC

509/562

**FIGURE 509**

ACAGTATGGTCATTCATGCTCCAAAGAAAAGGAGATTGAGCTTTAAATNAAATNTCTCACAAG  
TTAGGTGATCCAGGTTTTGTGGTCTTTGCAACCCTTGTTGGTCATTGNGCCCTTGATATTAATC  
TTCGGGGGGGTCCTCGCCATGGACAGACAAACATTNTTGTGACATAACAATCTGCTCTGTAAT  
CGGGGCGTTTTCAGTCTCCTGTGTGAAGGGCNTGGGCATTGCTATCAAGGAGCTGTTTGCAGG  
AAAGCCTGTGNTGCGGCATCCCNTGGTTGGATTCTGTTGNTGAGCCTCATCGTCTGTGTGAGC  
ACACAGATTAATTACCTAAATAGGGCCCTGGATATATTCAACACTTCCATTGTGACTCCAATA  
TATTATGTATTCTTTACAACATCAGTTTTAACTTGTTTCTGCTATTCTTTTTAAGGAGTGGCAA  
GATATGCCTGTTGACGATGTCATTGGTACTTTGAGTGGCTTCTTTACAATCATTGTGGGGATA  
TTCTTGTTGCATGCCTTTAAA

510/562

**FIGURE 510**

TTGCTTGTTAAGCTAACAGGGGTGCAAGCTTCCATTTTGGATCTANTTTTAAATACACTCAGA  
CAGGAGAAATTTGGANTAATTTTCAAACCTACAGACACTTTNTAATCATGATGCATTTCAAAAG  
TGGACTCGAATTAACCTGAGTTGCAAAACATGACAGTGCCCGAGGATGATAACATTAGCAATG  
ACTCCAATGATTTTACCGAAGTAGAAAATGGTCAGATAAATAGCAAGTTTATTTCTGATCGTG  
AAAGTAGAAGAAGTCTCACAAACAGCCATTTGGAAAAAAGAAGTGTGATGAGTATATTCCAG  
GTCCAACCTCCTTAGGCATGTCTGTTTTTAACCTAAGCAACGCCATTATGGGCAGTGGGATTT  
TGGGACTCGCCTTTGCCCTGGCAAACACTGGAATCCTACTTTTTCTGGTACTTTTGACTIONCAG  
TGACATTGCTGTCTATATATTCAATAAACCTCCTATTGATCTGTTCAAAGAAACAGGCTGCA  
TGGTGTATGAAAAGCTGGGGGAACAAGTCTTTGGCACCACAGGGAAGTTCGTAATCTTTGG

511/562

**FIGURE 511**

AGTGGGCTTGAAC TTCGTGAGTTTCGCTTTAACTGCCCTTGAAATGAAGTGGACTTGGAGGG  
GCATGGAATATTCACATGGNAGAGCCGCATGAGGCCGCCACCACGCTTCNTGAAGGATGCCC  
GTGGGAAGAATTTTGACGTGCCAGTGCCTCGTTCTACAGGGTGTTCCATTCTTCCGCAATCT  
CAGAAAAATGGGACTAAAAGAACTTATTTTGTAATAAAGAAGACTTCCATTTTAAATGACC  
AACATGTATTAAGATGGACACCTACTCTACGAAACACGAAGTTCTATGGTCTCGAAGAAGCCC  
GTGCCTGTTTGAACTGATCCTAACTAAAAACAGACTTGAGTGGATATGAGAATGTTGGTTAG  
TGGCAGAAGAGTCAAAAAATGGCAGTTAATTATTCAGTTATTTGCTACTTGTTTTTTAGCGAG  
CCTCATGTTTTTTTGGGAACCAATCGATAATCACATTGTGAGCCATATGAAGTCATATTCTTA  
CAGATACCTCATAAATAGCTATGACTTTGTGAATGATACCCTGTCTCTTAAGCA



512/562

**FIGURE 512**

TCCGGAACAATTATAATAAAGCCANCTTTAACCCATTGAGAGCATAAGGATGNTGCAAAGGCN  
CAGTGCTGGATGGANAGGACAGTGCCTGGGGCAGTCATGGAAGACTTNTTTAGGAGGTGACTT  
TTTAAGGGGTTTTGTGATCAAAANTATGGAGTCTTAAGTCCAACCAGTGGTTATGAATTCCGG  
TTCTGCCACTTGCTATAATAGCTGTATCACCATGAGCGATAACTTAACCTCTTTGTGCCTCAG  
TTTCTTCATATATAAAATGGGGATCATGATAGCTCTGTCCCAGGGGAGTTAGGAGGATTAAAT  
GCAACAGTAATCCAACCCACAGTATGAAAAGACAGGCTAGCACATACAACACAATCTATAAAT  
GTTTGCTATTATTGTCATCCTTTTTATTAGTATATCATGGTACAAGTTTGCTGGGTAGAAAGA  
TGGCGATGGGGAAGGGGACATTTTCAGGCCAATGTGATAATAAAATCAACAGACAAAAGAAGGG  
AGAGTGTGGTGAGTAGGATAAAGCTCTGTACAGATGCAAG

513/562

**FIGURE 513**

ATTTAAC TTTCCCCTTTAAAAGGAATTGGCTATAGAACTGCTTTGTAAAGATGCTTCTTGATA  
TTTTACTTTTGTTCCTTTTCCCTAATCATTCCCTTTTTTCCCCACTCCTCCAGAA

514/562

**FIGURE 514**

TCCCGTGGGGGACTTGGGATCCCAGACGTTAAANTAGGAGCCGGAAAGAGGGAGGNTTTNTTC  
TTGCCTGGAAGTTGCCTGNGTNTTGTACCACCCAGCCCCCACC GTGGNGGGACCNTCGG  
CAGTGACGGCCACAGTGCCACGTGNTCCCAGAACCCAGAGGGAAAGCATCACGGTTCNTNGT  
TGACAGCTCCCAGTCACACAATCCCCACGTGTCCTGTCATTCCTAAACAAGGTTTCATCACC  
AGATTTAGACCCACCTGCTTTTCTCTCTTTTCTGCTTCTTCCAGAGATTTTTTTTAGTGTCTTC  
ATTTCACTGGTTACCACTTCTATCATGTTTCTGGCCCTTTCTTTATTCTCCTTAGCCTCATGT  
TCTGTGGTATCCAGTTCTGACTTGACAGACATGAGCTTTTTCTCAGCTTCTCCTTCATCTTC  
TCCAGTTGGTCTCTGGATTTGTTTAGATCTTCAATGGCTTTAGTCTGTTCCAAAGTTTTAATC  
TTCAGTTCATTGGTGTGCGCCAGTTTGGCTTTGAGCTCGGTGTGCAAGTCTCG

515/562

**FIGURE 515**

TCAGCCTTTCTATGGAAACAACTTTGAGGATGAGCCNCCTTTATTAAAAAAGTTAGGTATCAA  
TTTTGACCNCATCTGGCAAAAAACACTAACAGTATTACATCCGTTAAAAGTAGCAGATGGCAG  
CATCATGAATGAAACTGATTTGGCAGGTCCAATGGTTTTTTGCCTTGCTTTTGGANCCACATT  
GCTACTGGCTGGCAAAATCCAGTTTGGCTATGTATACGGGATCAGTGCAATTGGATGTCTAGG  
AATGTTTTGTTTATTAACTTAATGAGTATGACAGGTGTTTCATTTGGTTGTGTGGCAAGTGT  
CCTTGGATATTGTCTTCTGCCCATGGCGGCCGC

516/562

**FIGURE 516**

TTCATGGGAGGACATGGAGATCATGGGAAGCATATCTATGACTATAACCTAAAGCTGAAGCCG  
TGTGATGGCCCAGTCTTGATTANTGAGCCAGCGCTGAACCCACTGGCCAACCGGCAACAGATC  
ACGGAAATGTTTTTTGAGCATCTGGGTGTTCTGCCTTCTATATGTCCATCCAGGCTGTGCTG  
GCTCTCTTTGCTGCTGGCTTCACTACTGGCCTTGTGCTGAATTCAGGTGCTGGGGTTACCCAG  
AGTGTGCCCATCTTTGAGGGTTACTGTCTGCCTCATGGTGTGCAGCAACTGGATNTGGCAGGC  
CTTGACCTCACCAACTACCTCATGGTGCTAATGAAGAACCATGGTATCATGTTGCTCAGTGCT  
TCAGACAGAAAGATTGTTGAAGACATCAAGGAGAGCTTTTGTTATGTGGC

517/562

**FIGURE 517**

ATATGTGAAATATTGGCAGTCGAACATGAACAACGGTCAAGATGTTCCAGGCACATAAGAGGC  
GATTAGAGAGGCCAGGTTTATACACAATATAACCATTTTCTGTAGTCCCTATTGTCATGGTTAA  
ATTATTCTCTAAGTGTATTCTGGGTGCANAGANGCATGGGCTCTGTCAGTTTCTGGGAAACTT  
TNTGCACCCTATAAACACAATATTTTCTTTGTTTTTCACACATTCACCATTTTGCTGGCACCT  
TTNTGAAGTAGTGTTGTCCCGGTATCAGCCTTTGCAATATGTTANAGATGTACTGTCTGCCGC  
ATTTTGCACTGGTTTTCTCTTTTCATTTATGATTAATAATGTGTATACGTTATTCCTTTTTAT  
TATCTACTGTGTAAG

518/562

**FIGURE 518**

CCCCCGCACCGATTTTTCAAAAAATAATTTTTCTAATTAAGATATGTGTATATGTTTTAACA  
TCTTTCAGAAACATAAAATTGAATGAAAAGAGTAATTTGCAGAAACACATGCAATATAATTTA  
TTGTGCATTTTTTAAACACACAAAGCAGGACTACATGATGTTTCATGTGTGCGTGTGTATATATA  
TATATATTTAAACACACAGACAGGCCGGGCATGATGGCTCACGCCTGTAATCCCAG

519/562

**FIGURE 519**

GACCACTGGCCCAACCGCCAAGGATTGCCTAGATGATAATTTACAAGNACCACNACTTTAGAT  
TTNCCTTATTGATGTTAAGATACCAAACCAAGTAAGTATTAAAATCAGCCAAACCTTGGACAT  
TNTGGGAATATATAATCATTGATAATGCATAAGAATAGGAAAAAATTGAATGTGTTTATGAC  
TAAAGTTTTATATTTGTGGTAATGTTAAATGTATTATTAAATATGTTAAATTATTTCAATTT  
TTTTCCCCTTTGAGAGGTAAAGCCTAATACTTCTCCCCTTGAATATGGGCTAGACTTATGAGC  
ACATTTCTAATGAACAGAGAAAGTGGATGTGGATGTGACAATGTGTATGTTGGAAGACTAGAC  
AATATCAGAGATGAACATGATGGTGAAAGAAAATAAAAGAAGAAAGCTAGTTAATAAAAGGCA  
CCATTGTTTCCTCCTCTTCCTCCTCCTCCACCTCTTTAACTCTCTCTCCCTCTCTCTGATCAA  
CAGCTCTAGCAAAAGCCAGATGCTATGCGGTGCGGACTTTCAGGCAGCTTTGCAGGGAGATAC  
ATGTGGCAAGGAACTGAC



520/562

**FIGURE 520**

TGGCTTGTAGCCCCATCCAAATAACAGCGGGGAGGAGCGGAGCCTGTGGTACGCAACCCATTA  
CCCNNTGATGAGAGAAACTTTTATCCATGACCCAGGATGACTACAAACCATCTGATGGCCT  
GCTGGTGACTGTGAACGGCAACCCCGTGGATTACCACACCATCCACCCAAGCCTGCCCATGGA  
GAACGGCCCTGGCAAAGCCGACCTNTACTCCACCCCTCAGTACCGGTGGGAGCCCTCTGATGA  
ATCCTCAGAAAAGCGAGAGGAGGAAGAGGAAGAGAAAGAAGAATTTGAAGAAGAAAGGAGCCG  
TGAGGAAAAAAGAAGTATCAAAGTTCATGCCATGGTCTCCGTATTCCAATTTATTATGAAACA  
AAGTTACATCTGTGCCCTCATAGCTATGATGGCCTGGAGCATCACCTATCACAGCTGGCTGAC  
CTTCGTGCTGCTGATCTGGTCGTGCACTCTTTG

521/562

**FIGURE 521**

GAATTTTTTCGAAAAGCTAATGCCCCATTTTGGATGTCATTTACCATTACCTTTTAATATTN  
GGGGGCATTTTGGGATCAAATTATCCTGATGTTTTTCAACAAAGACTTGAGANAAAATAAGGN  
GCATTACTTTTTTTGGACATTNTTCTTTTAGACCTATTGTGAGGTGTTGCCCNCCATTAGAA  
ATTNCCCCAAATGGTTGAAAATTNTTAAACAGNAGAAGGAAGAGACTCAAAGTTAGCATCACA  
AAGAGAAACNCGATGCTGGAAAGGGAGATTGCATTCTCAATCCGGGATAATTTTCATGCAGCAG  
AAGGCTTTCAAGTACATGTCAGTGATTGAGGCTTTTCTCGGTTCTGTTCCACAATTAATTTTG  
CAGATGTATATCAGTCTCACTATACGAGAATGGCCTTTGAATAGAGCATTGCTGATGACATTT  
TCCCTGTTATCAGTTACTTATGGGGCCATTCGCTGCAATATACTGGCCATCCAGATCAGCAAT  
GATGATACTACCATTAAGCTACCGCCGATAGAATTCTTCTGTGTCGTGATGTGGCGTTTTTTG  
GAGGTTATCTCACGTGTAGTGACTCTGGCATTGTTTCATTGCATCTCTGAAACTGAAGAG

522/562

**FIGURE 522**

AAATGTTTTGACAAATCACAAGAAAGTTTCAAAAATTTGGGNNTATTAGTTTGAAAAATTGTT  
TTCAGTTCACCTTGTGATTTCTTGTTTAATTCACCTGCNGANAGGATTCTTTTANACTTTCCAAG  
GATCTTAAAGCTATCNTACCTAGGAATGAGAATTATGGTGTTCCATGACAACTTTGAATAAGT  
ATTCCCTAAAGCTAAGAGGAAATTCTNNCAATAATGANTCGGGNCATTGCTATTTTGGGAAAG  
TAAAGCGGAAAAAGCTTGACGACACTGAAAGGCTTGTTGAGATGGAACAAGTCCTCTCTTCA  
CTTAACAAGATGAGAAAGACAATAGGTGGTGTGGCTCTCTGGCGACAGCAAATCTGCGCAATT  
GCAAGGGTTCGCTTGTTAAAGTTAAAGCATGAAAGAAAAGCTCTTTTAGCACTGCTATTAATT  
CTAATGGCTGGATTTTGCCCTCTTCTTGTGGAGTATACCATGGTGAAAATATATCAAAACAGT  
TACACCTGGGAACCTTCTCCTCATTTGTATTTCTTGCTCCTGGACAACAACCACATGACCC

523/562

**FIGURE 523**

CCTTATTGATGTTAAGAAACCAAANCAAGGTATGATTAAAAATCAGCCAAACCTTTGGACATT  
CTGNGAATATATAAATCATTTGATAATGCATAAGATAGGAAAAATTGAAATGTGTTTATGACT  
AAAGTTTTATATTTGTGGTAATGTTAAATGTATTATTAAATATGTTAAAATTATTTTCAATTT  
TTTCCCCTTTGAGAGGTAAAGCCTAATACTTCTCCCCTTGAATATGGGCTAGACTTATGAGCA  
CATTTCTAATGAACAGAGAAAGTGGATGTGGATGTGACAAATGTGTATGTTGGAAGACTAGACA  
ATATCAGAGATGAACATGATGGTGAAAGAAAATAAAAGAAGAAAGCTAGTTAATAAAAGGCAC  
CATTGTTTCCTCCTCTTCCTCCTCCACCTCTTTAACTCTCTCTCCCTCTCTCTGATCAAC  
AGCTCTAGCAAAAGCCAGCTGCTATGCGGTGCGGACTTTCAGGCAGCTTTGCAGGGAGATAC

524/562

**FIGURE 524**

GAGGGTAGGATCCGCAAGCCCCTTTCGCGAAGCCCGAGNGAGNCCCGGGCGACAGGCAGGCAG  
AGAATATGTTATTCCCATCCTTTGGCCCCACAANATTTATGGCAGAGATGGTGGATTTCTTTAT  
TCTCTTCTTTATAAAAGCAACCATTGTCCTTAAGCATTATGCACCTCAGTGGGATAAAGGATAT  
CTCTAAGTTTGCTATGCATTATATAATAGAAGAAATAGATGAAGACACATCAATGGAAGACTT  
GCAGAAAATGATGGTTGTGGCACTTATATACAGATTATTAGTTTGTTTCTATGAGATAATTTG  
CATTTGGGGAGCAGGTGGAGCTACCCCANNGAAGTTCCTGCTGGGGCTTCGAGTTGTGACATG  
TGATACATCAGTGCTTATTGCACCAAGTCGGGTTTTAGTNATTCCTTCCTCAAATGTTAGCAT  
TACAAC

525/562

**FIGURE 525**

CAAGATAAAATATATGGGGGAAGATGTAGAAATGTGACAGTTTGGCAAAAACAAAGTTCTCCC  
AAGATTTTCAGCACGTTTGCAGCGGAAATTCAGGAAACCATCNCAGCACTCAGAGAGCAGATAA  
ACAAGCTGGAGGCACGCCTGAGGCAGGCAGGGTGTACAGATGTTAGAGGGGTCCAAGGAAGG  
CCGAGGAGCGCTGGATGAAAGAAGACTGCACTCACTGCATTTGTGAGAGTGGCCAGGTCACCT  
GTGTGGTGGAGATTTGTCCCCGGCTCCCTGTCCCAGTCCTGAATTGGTGAAAGGAACCTGCT  
GTCCAGTTTGCAGAGACCGAGGAATGCCAAGTGATTCCCCAGAGAAGCGCTAATAAAAGTTTT  
GTGCTGTTGAGCCCCAAATGGGAAATTTCTCAGGAAGAGACATTTAGGACTTCAGAACTTTTA  
ACTTGTAGTCACATTGTTGATATGGAAACCACTGACTTAAGCAACTTAGTTCATCTAATCTTA  
CATATACTTACGATCTTTTATTTTTTCATTTTCTA

526/562

**FIGURE 526**

GAAGTGAGGAGAAAGTTTATNTTTTTCATATAATTTAAGGGTCGTTTCTGTGAACCATTGCTT  
CATGTCTTTTTCACTTTTTCAATTGTCTCATTTTCCTCAAATANAGGCACTGTTTATGTAT  
TACAGAGATTAGGCCTTTGTCATTAGTCTTTTCCTGTGAACGAGATCACATAGATTATTTGTT  
TCTTTTCTGGCTTTTGAATTTCAGCCATCATTTTAAAAAATACTTCCCCATGGTTTTTGTCCA  
GTTCTTTTGTAACTTCTTGTTCTCCATTTCAATATTGGATGTTTGGCTTTTGTTCCTTTGCGT  
GTTTGGTATGCGATATGGATCCCCCTTAGTCTTTTGTCTAGCATCAATATATTTATTTTAT  
ACTGTCCTTCAGATTGATGATGATTTCCAGAGTTCTTGGGGCTTTAATGCCTGTTGCGTTTAC  
AGACTCTCATCCGGG

527/562

**FIGURE 527**

CTTGTGTTTTCTTCCCCTCCCTAAATTTGAAGAACTATGGAGAAAATGGTACTTGATGACAGT  
AGTGGTTTTAATAGGACTAACAGTACGATGGCAGTGTCTCTTAATTCTTATTCAGGTGCTGGT  
AACCCGCCTATGTTTGGTGATTATGAAGCTCAGAGACACTGGCAAGAAATAACTTTTAATTTA  
CCGGTCAAACAATGGTATTTTAACAGCAGTGATAACAATTTACAGTATTGGGGATTGGATTAC  
CCACCTCTTACAGCTTATCATAGTCTCCTATGTGCATATGTGGCAAAGTTTATAAATCCAGAC  
TGGATTGCTCTCCATACATCACGTGGATATGAGAGTCAGGCACATAAGCTCTTCATGCGTACA  
ACAGTTTTAATTGCTGATCTGCTGATTTACATACCTGCAGTGGTTTTGTACTGTTGTTGCTTA  
AAAGAAATCTCAACTAAGAAAAAGATTGCTAATGCATTATGCATCTTGCTGTATCCAGG



528/562

**FIGURE 528**

CCAGAATGAAAAAAAAAAGTCTTGTTGGATAATAGTGTTTGACTAGCGTTTTAAGAACTTGAG  
AGTAAAAGCACCAATAAGATTTTTTCACTTTTTCCTGCTTCCACCCCCAAACTGAGAACATCC  
ACTCAATTGTTTGGGAAGAACTGTAGGTCTATATAAATTTTATTTATAATGTATGTGTAATAT  
ACATAATCATAATACAGTTCTCAGATGCAGGGAAGAAGTTTGGCATTTAATCATTGAGGCTTT  
AGGTTTTTGATGTGATCAGACTGGGCCATGTCAAACCCGGAATTTTCACCAACAGTTCACTCA  
CCCTCCTGGTACATTGCCATTCCAAGGAATTCTGAGAGTAGGCAAACAAATTTTGCCTTCATG  
GTACAGTTCTCAGTTTTTCTTATAGGAGAAATATGGTATATGTTTATAAGAATCTTTTATGAG  
ATTATAGATTTCAATGCTGTGGATAGTGTCTTGCACCCAAACAAGAAAGTCCATAATGGAATG  
ATCTTCCC

529/562

**FIGURE 529**

TCCAAGTCCTTGAACATCTTTGGTTTTTTTGGAGTGTCCAAACCCATGTTTCAGAAACGGCACA  
TGGAATACTCATGTAATGNAGGAAAAGTCTATATCTGCAGCTGGACCCAGCCATACCAGGAGT  
GATTTTGGAAATCCATACCCGTTTGGGATTGATCCGATTTGGAACTTGGCTTCAAACAAACTC  
ACATTTNTGAACTCGTATAAAATGAAGATGTCGGTGATCCTGGGAATTGTCCAGATGGTTTTT  
GGTGTCACTCCTCAGCCTTTTCAATCACATATACTTCAGAAGAACTCTCAACATCATCTGCAA  
TTTATCCCTGAGATGATTTTTATCCTGTGTCTGTTTGGATACCTGGTTTTTCATGATCATTTTC  
AAATGGTGCTGCTTTGACGTCCACGTATCTCAGCACGCCCCCAGCATCCTCATCCACTTCATC  
AACATGTTTCTGTTTAACTACAGTGACTCTTCCAACGC

531/562

**FIGURE 531**

GAATGGAGGAAATTGCTTTCACCTTCAAGACTTTCNTTTTTTCACTAAAACCTNTAAAGGTGTA  
CAAGGGGAGGGAAGGGGGGCAAAGTCCTTGAACATTTTCTTTGGCTCGGCCATGTTATGATCA  
TATACCTTTTAAATAAGGGGAAATAGTATCTTTAAAGTTAATGTCTAGCCAAGAGTTTAGTAA  
ACGAAGAATTAACTGCACTGTTGATCGGTGCTTTGTGTAAATACATCTTTAACATTTGGGTG  
GAGAGGGGCCTTAAGAAGGACAGTTCATTGTAGGAAAGCAATTCTGTACATGAGTTTAAGCAT  
TCTTGTTGCATTGTCTCTGCAGATTCTATTTTTGTTTACAATATTAAAATGTATGTTAGCAAA  
ATGGGTGGATTTTCAAATAAAATGCAGCTTCCACAAAAGTTTTGTTATGGTATTCTGGTCTGA  
GATGCATTTTCANTTTTCCNTTCTCTTTTATTATCAATANTGTCATTTTCCCTAATAAAAT  
ATACCCAGG

532/562

**FIGURE 532**

GCTGTCCTGAGCAGTTGCAGAAGCATCGAGGGTGNAGAGGAGCACATACTGTCCATGGAGTGG  
TGGTCAAGGTGGACAGGGGGCGGGTGGTGATGGCGCAGTTTGACATTGAATACCAGCGCCTAG  
AGGCCTCCTATAGTGATTACCCCCAGGGGAGGAGGACCTGTTGGTGCACGTCGCCGAGGGGA  
GCAAGTCACCTTGGCACCATATTGAAAACCTTGACCTCTTCTTCTCTCGAGTTTATAATCTGC  
ACCAGAAGAATGGCTTCACATGTATGCTCATCGGGGAGATCTTTGAGCTCATGCAGTTCCTCT  
TTGTGGTTGCCTTCACTACCTTCCTGGTCAGCTGCGTGGACTATGACATCCTATTTGCCAACA  
AGATGGTGAACCACAGTCTTCACCCTACTGAACCCGTCAAGGTCACTCTGCCAGACGCCTTTT  
TGCCTGCTCAAGTCTGTAGTGCCAGGATTCAGGAAAATGGCTC

533/562

**FIGURE 533**

GGGTAAGTATATTCAGTGCAGGTAAAGACTGAATGAATGGGTACCATCAAATTGGTTAAATGA  
AGATGGGTTTTGGCTCAGGAACACAAAGTNTTATTTTATCCTGTGCCAAACACTCCAGTTTTG  
CAATGAGATTGTGAGGAAGGAGAAGGCAAGGATTCTGTTCCAATGTTTGGTCCCAGAGGACCT  
AGAATAGTACTTTGACCGGGTAAGCGCTTAATAAAATAATGCTTACTCTTATGAATTTAGCTG  
CAGAAACATTTAGTCCCATAGACAATATGTGTAGAATGTAAAAAATGCAAATCTTACTAAAAG  
AATATACAGGAAAAGTTCTCCCTACTCCTTCCTGAAAGGGAGCCAGTGTTATTAGCTCGTCAT  
GGAGATTGTCTGTGCTCATGCAAGCATCTCCCTGCATGTATGTCCTCTTGCTTTCGTGCAAAG  
AATAGCATCCTACACACACCTTTTAGCCCCTTGCTTTTCGGTTTTGTGTATTTTGCAGATTGG  
GTCATTTTGTGCACACAGTGCTATTTTATTCTTTTTTTTGTGTTGTTTCCCCCTG

534/562

**FIGURE 534**

ATCATAGTGTTTTCAAAC TCCCGTG TAAAGTTCCCAAATCCCATGTCACAGNTGAGTCTT  
GGTTTTGTTGATTGGTTTGTCTCTTGANAGTGTGTTATTTTTTGTTTCATTATGTGTCTCATA  
ATTTTTGGTTGAAAGCTAAAGCCTTCTTGNGAAGGCTAGTGGAGACTTGGGTAAACACTATTT  
ATGNGCAAAAATGGACATGCCTTTTNTTTAAGGAGGAGGCATTGAGACAAC TCTGTCAGGTTT  
TGTTGTTAGTATGGT TACTCTCAAAAAGNACATAATTCAAATTCCTCCAGTATTATTTTTTTG  
CTTAGTGGCTGGTTTGTTGGAGAGTTTTTCTCAGTGTCTGTTCAAATCACAGTTATTGGTCTT  
TTCTTTGTGCCTACGTNTAANAGAGGATATCTTCTGTGCTTTTACCCTCACTCTTCCAGCAG  
TANACTGCTGTTACTTGTTCC

535/562

**FIGURE 535**

CTGCCCATTTTTTTTGCTTTTACCTGGCAAGTGTTTAAAAAAGGCCTCAAAGAAAAGGGGTTTG  
TGTTGCTAGTTAAGCTAGCTTGATTGTGGNGGCTTCCTTCGTTTTNTGCTGGCTGCCATTCT  
TTACAGAAAGGGACCAACCCCTGCAGGTTNTAAGAAGACTCTCCCGGTTGATCGTGGATTAT  
TTGAGGATAAAGTAGCCAATATTTGGTGCAGCTTCAATGTCTTTCTGAAGATTAAGGATATTT  
TGCCACGTCACATCCAATTAATAATGAGCTTTTGTTTTACGTTTTTGAGCCTGCTTCCTGCAT  
GCATAAAATTAATACTTCAGCCCTCTTCCAAAGGATTCAAATTTTACACTGGTTAGCTGTGCGC  
TATCATTCTTTTTATTTTCTTCCAAGTACATGAAAAATCCATTCTCTTGGTGTCACTACCAG  
TCTGCTTAGTTTTAAGTGAAATTCCTTTTATGTCTACTTGGTTTTTACTTGTGTCAACATTTA  
GTATGCT

536/562

**FIGURE 536**

GGTTTGTTTCCCCATCTGCCATATTATAAGTTTTTTGAGGCATCCCCAGCCATGCTGAACTGG  
AAGTGGCACTAAGGTCCAAAGGAAGCTACATATGGGTGGTCCCTGTTACACCAGCCTCCCAAG  
CCTCCCAGTGCACCTTCTAGGAGACAAGCAAGGAAGGCCGCTGCTTGTTTGTTCATCCTGCTCA  
TGGCGGTGTACTGGTGCACGGAGGCCCTGCCGCTCTCAGTGACGGCGCTGCTGCCCATCGTCC  
TCTTCCCCTTCATGGGCATCTTGCCCTCCAACAAGGTCTGCCCCAGTACTTCCTCGACACCA  
ACTTCCTCTTCCTCAGTGGGCTGATCATGGCCAGCGCCATTGAGGAGTGGAACCTGCACCGGC  
GAATCGCCCTCAAGATCCTGATGCTTGTTGGAGTCCAGCCGGCCAGGCTCATCCTGGGGATGA  
TGGTGACCACCTCGTTCTTGTCATGTGGCTGAGCAACACCGCCTCCACTGCCATGATGCTTC  
CCATTGC



537/562

**FIGURE 537**

TTGGCCTAATTTAAGTGATATAAAAAATGAAATTTTTTATGCAGTGTGGGNGAGGGGCAAAA  
AAAATANATTTGAACACCCAGATTTTAGTTTTGGCTCTGTGNTTGCAGCTAGTTACATGGCAT  
CCAGGACNAAAGTTTGGAAAACAAAATAATGGAATAAATAGTACTAACCAAAGTATAGGGTG  
CTTTATGATTTACAGAACTCTCTTACAGGCAGTATGTTGTTTCAGGCGCCACTAGAACCCACGT  
AATGGCAGAGGCTTCCTGTTCCATGTTTAAAAACCTTTCCAAGGCTTTTCATTATTTTCTTAT  
CTGTGGTACCCCTAGCTTCCTGTGCTCTAGACACACTGGCCTACCTTCACTTCCTTGACCAG  
TGTAGCTTACAGTGTAAGCTTACCCACACCCCCACCTCCTGCAATAAAATAGTAGCATCGGC

538/562

**FIGURE 538**

GGTAATGGGCAATTAAAATTTTTTCGGGTCTGGATTTTAAAAATTTATATTAAGGNATTGAAG  
TTCCTTTTCTCCNTTAGGTTTAACAGTGAATTCACATGAGTAATTTTAAAAGATATCAGATN  
CATTTTGCTATTCAAAGAAAATTATGATTTAAAGCCACTTTTAAAATNCGAGAAGGAAAATA  
GGATGGATTAAAGGGTTAACTTTTAAAGATTATTATTGGTTAATGTTGACATATTTCTCTAT  
CTCATAGATGGTAAAAGTGTTGCTTTTAAAACTGGCAAATGCACTCTTCAGAAATCCTTTTC  
TATCTGATCCACATGGAGAGGTTAAAGGTTCAATTCATGACCTCTATGCAGGCAGCGCTCTC  
ATTGGATGTAAGAATATTACCTGCAAGGATAGAATGCAGTTGTGCAACAGAGACACATTCTTA  
TTTCACTTTTTTCACAATTTTGTTTTGTTTTTAATGACCCTTTTATTGAATATTGG

539/562

**FIGURE 539**

AAAGGGTCCGGTCCCCGGCCGAAACCACTTTTGATCTTTCCNTCTTTGGGCTCAAAAAATGTA  
CAGGTTTTCCAGGGCAGCCTTGGGATTGGGCCACTTCCTTTANGATCCTGGTTCTTCCCGTTG  
TCTTTNANACGGAGAAGTTGCAAATGGAGCAACAGCAGCAATTGCAGCAGCGGCAGANACTTT  
TAGGCCTAANACAGGGCTNTCAGGAGGAATGCCAGGGGCTTTACCCTCACNTCCTGGAAANAT  
NTANATTGTTATTGCNGTTTGAGCTGTCTCAGTGGGATAAGTTTGAAATTCAAGNGTTTGAAC  
TGNTGAAAATTGGAATTTTTTTTTTAACTTTGGCAGCAANGGGTTCG

540/562

**FIGURE 540**

GGTTTGCTTTGGGGGTGTTTTTGGGAATATTTTGTGACTGCGNCNTCNTAGGGTCACTGGCATT  
TTGNTTAGCTATAAATTATAAACAGATGGAACCTTACCACGCCTTGCCATTTTTTTTGCTTTTT  
ACTTGGCAAGTGTTTTAAAAAAGGCCTCAAAGGAAAGGGGTTTGTGTTGCTAGTTAAGCTAGC  
TTGTATTGTTGTGGCTTCCTTCGTTCTCTGCTGGCTGCCATTCTTTACAGAAAGGGAACAAAC  
CCTGCAGGTTCTAAGAAGACTCTTCCCGGTTGATCGTGGATTATTTGAGGATAAAGTAGCCAA  
TATTTGGTGCAGCTTCAATGTCTTTNTGAAGATTAAGGATATTTTGCCACGTCACATCCAATT  
AATAATGAGCTTTTGTTTTACGTTTTTGAGCCTGCTTCCTGCATGCATAAAATTAATACTTCA

541/562

**FIGURE 541**

CCTTCCACTTATGTGGTCCCACACCACCCGCCTCCCCTGCCAGGNTTATTNNGTGTGTGT  
GAGTGTGTTCTGTTTTGTGTTTTGTTTTGNTGTTGTTTTCAGTTGTTTGGTTTTCTTTCT  
TTCCCCCTCCGGTCCCATACTTCACAGCACTCTGGTGCGGGAAGAAGCAGAAG

542/562

**FIGURE 542**

TCTAGTTTGCCTAAGTAGAATTTACATGGGAATGCACTCTATTCTGGATATTATTGNTGGATT  
CCTATATAACCATTTTAATCTTAGCTGTCTTCTATCCATTTGTGGACCTGATTGACAACTTCAA  
CCAAACTCACAAATATGCTCCATTCATCATCATCGGGCTTCATTTAGCTTTGGGGATCTTTTC  
TTTCACTCTTGACACCTGGAGCACATCCCGAGGAGACACAGCCGAGATACTAGGAAGTGGTGC  
TGGAATTGCATGTGGATCTCATGTTACTTATAACATGGGTCTAGTATTAGATCCTTCTCTAGA  
TAC

543/562

**FIGURE 543**

AGAACCCCCCGGTGAAGTTTCCGCCAATAACCTAAGGGGGCTTTTCCAGGACTTCAACCCG  
AGTAAATTCCTCATCTATGCCTGTCTGCTGCTTGTTTTCTGTGCTGCTGGCCCTTCGTTTGGA  
TGGCATCATAAGTGGAGTTACTGGGCTGTCTTTGCTCCAATATGGCTGTGGAAGTTAATGGT  
CATTGTTGGAGCCTCAGTTGGAAGTGGAGTCTGGGCACGAAATCCTCAATATCGAGCAGAAGG  
AGAAACGTGTGTGGAGTTTAAAGCCATGTTGATTGCAGTGGGCATCCACTTGCTCTTGTTGAT  
GTTTGAAGTTCTGGTCTGTGACAGAATCGAGAGAGGAAGCCATTTCTGGCTCCTGGTCTTCAT  
GCCGCTGTTCTTTGTTTC

544/562

**FIGURE 544**

TTAATGTCTAAGCCAAGAGTTTAGTAAACAAAGAATTAAACTGCACTGTTGATCGGTGCTTTG  
TGTAATAACATCTTTAACATTTGGGTGGAGAGGGGCCTTAAGAAGGACAGTTCATTGTAGGAA  
AGCAATTCTGTACATGAGTTTAAGCATTCTTGTTGCATTGTCTCTGCAGATTCTATTTTTGTT  
TACAATATTAAAATGTATGTTAGCAAAATGGGTGGATTTTCAAATAAAATGCAGCTTCCACAA  
AAGTTTTGTTATGGTATTCTGGTCTGAGATGCATTTTCATTTTTCCTTTCTCTTTTTATTATC  
AATATTGTCATTTTCCCTAATAAAATATACCCAGG



545/562

**FIGURE 545**

AGTTTCATATATTTGGGAATGAGCCTTGAGCCATAAAAGGTTTTCAGCAAGTTGTAAC TTAT  
TTGGCCTAAAAATGAGGTTTTTTTGGAAAGAAAAATATTTGTTCTTATGTATTGAAGAAGTG  
ACTTTTATATAATGATTTTTTTAAATGCCCAAAGGACTAGTTTGAAAGCTTCTTTTAAAAAGAA  
TTCCTCTAATATGACTTTATGTGAGAAGGGATAATACATGATCAAATAAACTCAGTTTTTTAT  
GGT TACTGTAAAAAAGACTGTGTAAGGCAGCTCAGCACCATGCTTNTCGTAAAAGCAGCTTCA  
ATTATCCNCTGGGGTTATCTTTTGACA ACTTGCCATTATCTGATGTTACACAATTCAATAGCA  
AGCAAGTTTGAGACAATCGC

546/562

**FIGURE 546**

CATAAATATACCCACCCCAAATGGACGACTTATGAAGGAATTNCTTGTGAAAGCTCATTGGAG  
TAAAATTTCTCTCAAACAATACTTTTAGGTCATANGCNTGAGTCTATTAATTATTTTCTGT  
TANACCCTGCCAAAAAGAATTTTAAAAGTTAGTTTATGTTTGTGTAACCATGTTCTTCAGA  
ATGCAGGTATGTGAGCATCATGGTTTCTGGGTAATTCTGCTGCTCCTGTCTTTGAAAATGGAG  
ATACCACTTGCACTTATCCCACTGCTGAGTATTCCAGCATTGGTAGTGGTTTCACTCCATTG  
CATCCATCCAGAACTTTCACACAGGCCTCCCCGAACCCCTTGCGGCGCAAGGGGTTTCG

547/562

**FIGURE 547**

AAAAAAAAAAATTAAGTGAACCTCTACTTTAGAATGTTGGCTTTTCATATATGTACAAAACA  
AAAGAGGTTGCAGTGATGGCGTGGATAAAGGCACCTGTGTACTTTTCCAACCTATCCAATTTC  
AAGATGTATCCTTTGTGGATTACATTGGTTCTTTTCTATGGAATCATGCACCTTAGACCTGGG  
AGAAACCAGCGTGACATCCAGGGTCAAGGTTTTCCAATCAGGTATTTTGGGCAAGGGGTTTCG

548/562

**FIGURE 548**

AAAAAAAAAAAAAAAAAGCTAAAAACCCTTGACTAAATCTCCCATGTTTTCTCATATTATTA  
AAAATTCTAAACGNNGGTTTTTTTTGTTTTGTTTTGTTTTTCTGTTTCTCCCTCTGCAGAGTTG  
TTAGCGGTTCTCGAGATGCCACTCTTAGGGTTTGGGATATTGAGACAGGCCAGTGTTTACATG  
TTTTGATGGGTCATGTTGCAGCAGTCCGCTGTGTTCAATATGATGGCAGGAGGGTTGTTAGTG  
GAGCATATGATTTTATGGTAAAGGTGTGGGATCCAGAGACTGAAACCTGTCTACACACGTTGC  
AGGGGCATGCGGCCGC

549/562

**FIGURE 549**

AAATTATCTTTACTGATATGCGTTGCCAAATCCCATGAGAAAAGACATCTCATTTGAGGTTCC  
CCTTCCTCTCATGTGGTTGATTTTTTGGGAAGGTGATACAGATGTGGGTAACCATGCAAATGTT  
TATGAATAACTTTACTGAAGTGATTCCATCCGTATTCTGTTCTAATACTTGGAGAATGACCTT  
CATATTTATATATTTTATTTCTTTGTTTCAACTATCCAG

550/562

**FIGURE 550**

TGAAGATATGGGAGACCTATNCTTAGATGTTGCTGAAGCTTTTCTGATGTTGGGAATATAATT  
CTGCACTTCCCCTCCTCAGGGCTCTTGTTTGCTCTGAAAGATACAACCTTGCAGTAGTTTTGG  
CTTCGTCATGCAGAAATGTTTAAAGGCCTTAGGCTATATGGAGCGAGCTGCTGAAAGCTATGGC  
AAGGTGGTTGATCTGGCCCCACTCCATTTGGATGCAAGGATTTCACTTTCTACCCTTCAGCAG  
CAGCTGGGCCAGCCTGAGAAAGCTCTGGAAGCTCTGGAACCAATGTATGATCCAGATACTTTA  
GCACAGGATGCAAATGCTGCACAGCAGGAAGTGAAGTTATTGCTTCATCGTTCTACTCTGTTG  
TTTTCAACAAGGCAAAATGTATGGTTATGTGGATACCTTACTTACTATGTTAGCCATGCTTTTA  
AAGGTAGCAATGAATCGAGC

551/562

**FIGURE 551**

TGGACCCCAGTTGTCAGCTGGGNGGTACTGGATCATCTTTNTTCTATCACAAGATAAACTATC  
AANTTCCCCAGCATCATGACCTTGTTGCCGTAAAAAGGAGTTCACTACTTCTGTTCACTTTGA  
GTCTCTTCAAATGGATTCTGTGTCCTCCTCTGGAGTCTGTGCTGCATTTATTGCTTCTGACTC  
TTCCACTAAGCCAGAG

552/562

**FIGURE 552**

CTAAAGGGGAAGAAGAAAAAGAAAGGATTGGTCTTGCTNTAAGGGGTAGAAAAGNGCAAGGGG  
AANCAGGAAAGGAAGGCNCCCTACGGNGTAATTATGAAAATGCATTGGAACCTTCTGTCTGATG  
TTTTGCTTTTTTTTTTCATTTCTCAAAATATTTCTANANANGGTNTTAATCCTTCTTCCACCAT  
TTGCTTTAGTTTTTAAGNGCCCTGTGTGATAGAAGGGTTCATGTTGTAAAATCAGTNTTGAATA  
ATCAGAACACTTCTACCAGATTGTCTAATGTTGATTTGTTTCTGGCACTGCTTCTAAATGTCT  
TCCTCCTCATTCTGCG



553/562

**FIGURE 553**

TAAAAGAAAAGCTAAAGTTTTACTGTGGCCAAAAAACCCTACATGGTCTGGGGACTGGNGGT  
NTCTTTGACCNTATCTTTGACCACTTTTCTTTTTTCANTTTTCTCAAGGCACANCTGGCCTCC  
TTTTTGTTCTGTCANTGGGAAGACTTGTTCTTACTTCAGGGTCTTCATGTTTGTTCTTCCNT  
CTGCCTTGAACACCCACCTTTCTCCCAAGTGTTCCAGGCAGATGGAGTATGCACATGGCTCAC  
TCTTTTACTTTTTAAGTCTCTGCTCAAAAGCAAATTTNTCAGCCATGGCTTTCCTGAGCACCC  
TATTTAAAATTGCTTTCCTACTCCTACATGGCTGTTCTCCTTTGCTTACCACCAC

554/562

**FIGURE 554**

TTAAAATAGTAAAAAAAAAAGAATTTATTTTTGTTCTTTGTTAGAATTTCTCTGCAAAGAATG  
TCCAAAATTCATATTCACATTGATCGTATGGCAAAAAGATGTCCAGAGAACAAGAACATA  
TGAGAAGATGGCTGCATGAACGTTTCGAAATCAAAGATAAGATGCTTATAGAATTTTATGAGT  
CACCAGATCCAGAAAGAAGAAAAAGATTTCCCTGGGAAAAGTGTTAATTCCAAATTAAGTATCA  
AGAAGACTTTACCATCAATGTTGATCTTAAGTGGTTTGACTGCAGGCATGCTTATGAC

555/562

**FIGURE 555**

CCTTATTTTCCATTCCAAATGGCAGCCAGNATAAAATTNATTTCCCACAATTTCCCTTTAANG  
GTAAGGGTTGCCCTTNCCGCAATGCCCCTCACATGGTTCTTTTGGNCAGTTCGGAAGCCCTTG  
GGNTCTTGATGGCTTTGTGTCTAGTAATAATGCAGGGTGCTCAAGGAAATAAATTCAGTGTGG  
ATATACTGAAAAC

556/562

**FIGURE 556**

GGTCCGGAATAAGCCATTAGCAATCCTTGCTGTATCCAGGCCTTATTTTTTATAGACTATGGA  
CATTTTCAATATAATTCTGTGAGTCTTGGCTTTGCTTTGTGGGGTGTTCTTGGAATATCTTGT  
GACTGCGACCTCCTAGGGTCACTGGCATTTTGNTTAGCTATAAATTATAAACAGATGGAACCT  
TACCACGCCTTGCCATTTTTTTGCTTTTTACTTGGCAAGTGTTTTAAAAAAGGCCTCAAAGGA  
AAGGGGTTTGTGTTGCTAGTTAAGCTAGCTTGTATTGTTGTGGCTTCCTTCGTTCTCTGCTGG  
CTGCCATTCTTTACAGAAAGGGAACAAACCCTGCAGGTTCTAAGAAGACTCTTCCCGGTTGAT  
CGTGGATTATTTGAGGATAAAGTAGCCAATATTTGGTGCAGCTTCAATGTCTTTTTGAAGATT  
AAGGATATTTTGCCACGTCACATCCAATTAATAATGAGCTTTTGTTTTACGTTTTTGAGCCTG  
CTTCCTGCATGCATAAAATTAATACTTCAGCC

557/562

**FIGURE 557**

AAATCTTCTTGAGCTTTGTTTTGAGATGTAGTTGAGTTAACTTATAAACCGTTTCATTCTTTT  
GGGTNTTGTTTTTATGATTTATTAGACAGATATGAAGGAGTGCTTAGTCCAGGANTAATTATT  
CCTCACCACTGAGGCAAGACTTTCTGTGGACTCTGTTGAATGTTCCATGAATTAATAGTTTTT  
CCAGTTTGGCTAGTGGGAACAGATACTATTCCCTGGCTTTGTATGAGTATCAGGCCCTGTTCCC  
TCCCATTGTTTCTGATGTTCTTTTTCTGGATTCTCATAGTTTCCTCATATGCATATGCTGATC  
AGTTATCTGGTGAATGCTTGAGAGAAGATCTCTATAGACCTCTGGGGTTCTTTTCTATGCAAC  
TGTCTCCTCTCAGCATTCTGTGCAGTTATTCCTTGCTGCTTTTTTCTCTCCTGGCTCTTAACT  
TTCTCTTTCCAACCTCAGGAGTCAGCTGAGATTTGCCTCAGTTGCCAC

558/562

**FIGURE 558**

TTGCCCTTGGGAGTAAACCTTGAATNATTTTAAAAAACNACGGTTTAAACCTTGGCNACCG  
TTGGGTTGAGGCCTTGACCACCTTTGGGACACCNTGCAAGAGGANTCCAACCCNAAACAACAA  
CCAGGATGTGCTCCNAGCCCAGCCCGGGGNTTCAGTNCCATANTTTGCCATGTGTCTGTCCAG  
ATNTGGGGTTGAGCGGGGGGTGGGGNTGCAACCCAGTGGATTGGGTCACCCGGCAGACTTAGG  
GAAGGTGAGGCGANGTGGGGAGTTGGCAGAATCCCCATACCTCGCAGATTTGCTGAGTCTGTC  
TTGTGCAGAGGGCCAGAGAATGGCTTATGGGGGCCAGGTTGGATGGGGAAAGGCTAATGGGG  
TCAGACCCACCCCGTCTACCCCTCCAGTCAGCCCAGCGCCCATCCTGCAGCTCAGCTGGGAG  
CATCATTCTCCTGCTTTGTACATAGGGTGTGGTCCCCTGGNANGTGGCCACCATCATGTCTAG  
GCCTATGCTAGGAGGCAAATGGCCAGGCTCTGCCTGTGTTTTTCTCAACACTANTTTTCTGAT  
ATGAGGGCAGCACCTGCCTCTGAATGGGAAATCATGCAACTACTCAGAATGTGTCCTCCTCAT  
CTAATGCTCATCTGTTTAATGGTGATGCCTCGCGTACAGGATCTGGTTACCTGTGCAGTTGTG  
AATACCCAGAGGTTGGGCAGATCAGTGTCTCTAGT

559/562

**FIGURE 559**

ATCCGGCTGGGATACAATTTTCATCTTCCATTTNACTCTTGTCAATTCCACCTTTTAAGAAGA  
CAGCNTNTCATTCTGAGGCATGAAAATTCTCCAGGGACAAAGCCATGCNTCAGTNACATGTG  
TGTGCAGAGAGAAATGCACCTGTNTATCTAAGGGTAGATTTTGTATCCCTGAATAATTCATTG  
ACTAAACTGACCTCTTCCTCCTGGCTAAATAAATTAATTTTGCTGGCTTCTCTCTCAGCGGTT  
TCTATTTTGTAAATTGCTGCATGACCAAAATAGCCCCANTCAAAATCAATTGGATTAATNTTA  
ATGGTTTGGTTGGATGAATATTCTTGGATGAATATAAAATGTGCTGCCCTTCACAGATGACAC  
CACTCCCCTGTCAATCATAGCACATGTGTACTTTTTATTGTTACTTAATAGTGATGGATTTGC  
ACTTTTCTATCCTCATACTCTTTCCTGTTTTCTTCTTTGTACAATTGCATGCAGGAGGGCTGG  
ATGCCAGGGTTAAGAGAGAAATTCATGACAAGGAAGGTAAAATTGGTTCAAATGAGCATGTGT  
CCCACAGCCTTAGTCTCCC

560/562

**FIGURE 560**

CCGGGAAATTAAGCCCTTTTTTTTTTTTCAAATAATAAAAGCTTCGAAATTGAAAGGGAGAAG  
TAAATATNCCGGATACCATGATTTAATATGTAGAAATTNTAAGAGATTCNCAAACCATTAAAG  
ATAAAAGCCAGTTCACCAAAGTNAAGGATGNAAGATCAGTGTACATAAATCTGTTTTATTTCC  
ATATACTTGCAAAGAGGAATCCCAAACCTGAGATTGAGGAAAGCATATATAATAGCATCAAAA  
AGTAGTACAAAACATATACTCTGAAAACCTGCAGAATGTTGAGAGAAATTAAATAAGTAAATAG  
ATAATCCCATGTTTCATCTAGCCAGAGGACTCATGTATTTTGGTTATTAACCCCTGATCAGATG  
TATGGTTTGCAAATATTTTCTCCCATTTTCATACATTGGCTCTTCATTCTGTTGATTGTTCTCT  
TCCTGTACAGAAGTTTTTAAGTTTCATATATAATTTTAGTGGTCTATTTTGCCTTCGTTCCC  
TATGCTGTCGGGGTCATATCTAAAAAAGGTCATCGTGCAGACCAACGTCATGGAGATTTTCCC  
TGTGTTTCCAGTAGTTTTACAGTTTTGGGTCTTACATATAAGTTTGTTTTCTTTTTTTCGAGA  
TGGAATCTTGCTCTGCGG



561/562

**FIGURE 561**

AAAAAAAAAAAAAAAAAGGGCGGCCGCGACTCTAGAGTCGACCTGCAGGGTTTTTATCCAAAAT  
GAAATGGTTGGGCACCAAAGAGACAGAAACCCACAAGTCAACCACTTAGGTCACACATGGTTC  
TGAAAGTCCTATACTGTTCTGGATTCCCAGGCACAGAACTCCGGGCTGCTCAGGAAGAGACTA  
TGATTCTTCCACCTGCCAGCTACTATTGGCCATCCCTTCTCATTGCTTCTAGCTCCAGCCTTC  
TCATCCCAATTCTCTATTCTACATTGTTATTTCTAACCCATTGTGTGCTGGGAAATCAAACCA  
CTCAGCA

562/562

**FIGURE 562**

CCCACGCGTCCGNTGGTGGCTTCAGAAGAAATTCTCAACACCTAGCTCGCCAGAGAGTCTATG  
TATGGGATTGAACAATCTGTAAACTAAAGGATCCTAATCATGAAAATAAGTATGATAAATTAT  
AAGTCACTATTGGCACTGTTGTTTATATTAGCCTCCTGGATCATTTTTACAGTTTTCCAGAAC  
TCCACAAAGGTTTGGTNTGCTCTAAACTTATCCATCTCCCTCCATTANTGGAACAACCTCCACA  
AAGTCCTTATTCCCTAAAACACC

530/562

**FIGURE 530**

GCCTTTAGTTTCCAGCTACTTGGAAGGTTAAGGTAAAAGGATCCCTTTGGGCCCCGNAGGTTGA  
GGCTNCAGNAGTTGAGATCNCACCATTGCATTCCATTTTGGGTGACACAAGCGAGAGCTATCT  
CAAAACCAAAAAGCAAGCCAAANCCCACCCAGACCAAAAAGGTGACTTCCAGGGCTGCCCCAG  
CTAGGAACACTCCAGAAAGCAGACAAGGAAAACCGAGTGTGAAGAGTCCCTTTGGAGATTGTC  
ATGGCCATGTGACATTCCCTTTGGCCTGAACTCAGTCACATGTCCCCTTCGAGATGCAGGGGGG  
ACCTGGGAAATGTAGTTTCTGGCTGGGCAGCTGCTTTCCAGCAATAGCACTCTACTGCAGAAG  
AGGAGCAGGAGTCTGTGGTGCAAAGCCAGCCAGGCCTGCCACAGATACTGCACCATTTACAAA  
AATGCTTTTACACTCATTTCATTTGCTTCTCATCACAACTATACCATCAGCTATACTGTCCT  
CATTTTTCA